

Unit ID: 675d78e6ea0163e7e5195c3f

Unit 4 - Variable

PDF Documents

PDF Document 1: 1734179046222-Chapter 3 - unit 4 - Variable.pdf


This PDF document is included in the unit materials.

Update #1 - 2025-05-16 15:15:49



UNIT 4 VARIABLE

A programming variable is a named storage location in a computer's memory that can hold data, such as numbers, or other values. Variables are used to store and manipulate data within a program. They allow programmers to work with data dynamically, enabling them to perform calculations, make decisions, and control the flow of a program.




Let's make the variable in Code Editor!

Step1

Click the Variables section and

Create variable



Step3

After type the name of the variable and **Make** click the.

Step2

Type the variable name (mode).

Step4


After step3, you can see the variable that you made on the list.

Step5

When you click on the variable scroll part, you can see the created variables.





Let's see the example with variable 'mode'.






The color of the light changes depending on the on/off status of the button. When the mode value changes, the color of the light changes accordingly. The mode is initially set to 0, so the light appears blue. When you press the button, the mode changes to 1, and you can see the light turning red.



Example

1. Every time the button is clicked, we want to increment the count of clicks (variable). With the addition block, we can easily track the result. In block coding, when a variable is created, its initial value is 0 unless specified otherwise.



If you want the number to decrease every time the button is clicked, you should change it to subtraction operation. So, you need to modify the code to perform subtraction operation.

