## Facultad de Ciencias UNAM Lógica Computacional Pruebas para práctica 2

Profesor: Francisco Hernández Quiroz Ayudante: Valeria Garcia Landa Ayudante de laboratorio: Sara Doris Montes Incin

- 1. varForm :: LP -> [Indice]
  - Main> varForm (Or (Var 1) (Neg (And (Var 2) (Var 3)))) [1,2,3]
  - Main> varForm (Imp (And (Var 1) (Var 4)) (Or (Neg(Var 3)) (And (Var 4) (Var 5))))
    [1,4,3,5]
- 2.  $\operatorname{conjuntoPot} :: [a] \rightarrow [[a]]$ 
  - Main > conjuntoPot [1,2,3] [[],[3],[2],[2,3],[1],[1,3],[1,2],[1,2,3]]
  - $\begin{array}{l} \bullet \ \ \mathrm{Main} > \mathrm{conjuntoPot} \ [2,4,6,8,10] \\ [[],[10],[8],[8,10],[6],[6,10],[6,8],[6,8,10],[4],[4,10],[4,8], \\ [4,8,10],[4,6],[4,6,10],[4,6,8],[4,6,8,10],[2],[2,10],[2,8],[2,8,10],[2,6], \\ [2,6,10],[2,6,8],[2,6,8,10],[2,4],[2,4,10],[2,4,8],[2,4,8,10],[2,4,6], \\ [2,4,6,10],[2,4,6,8],[2,4,6,8,10]] \\ \end{array}$
- 3. esValLP :: LP  $\rightarrow$  Bool
  - Main > esValLP (Or(Neg (Var 1)) (Var 1)) **True**
- 4.  $esSatLP :: LP \rightarrow Bool$

- 5. quitaImp :: LP->LP
  - Main > quitaImp (Imp (Var 1) (Neg (Var 6)))
    Or (Neg (Var 1)) (Neg (Var 6))
  - Main > quitaImp (Imp (Imp (Var 1) (Var 2)) (Or (Imp (Var 5) (Var 6)) (Imp (Var 3) (Var 4))))
    Or (N(Or (Neg (Var 1)) (Var 2))) (Or (Or (Neg (Var 5)) (Var 6)) (Or (Neg (Var 3)) (Var 4)))