

$\lambda \& \psi$

Naive Idea Theory


Uladox

December 24, 2015

Contents

| | | |
|----------|--|-----------|
| 1 | Episode (aka version) | 4 |
| 2 | Introduction | 4 |
| 3 | For viewing in an org file | 5 |
| 4 | License | 5 |
| 5 | Basic Naive Idea Theory | 5 |
| 5.1 | Properties | 5 |
| 5.2 | The \Rightarrow relation | 6 |
| 5.3 | The \Leftarrow relation | 6 |
| 5.4 | The τ function | 6 |
| 5.5 | The θ function | 7 |
| 5.6 | The \oplus function | 7 |
| 5.7 | The \odot function | 8 |
| 6 | Side note on artificial neural networks | 9 |
| 6.1 | Long short-term memory | 10 |
| 6.2 | So how does this relate | 11 |
| 7 | Timed Naive Idea Theory | 12 |
| 7.1 | It's about time! | 12 |
| 7.2 | What we mean by time | 13 |
| 7.3 | When is the time right? | 13 |
| 7.4 | Rephrasing the problem | 13 |
| 7.5 | Proper timing | 14 |
| 7.6 | Some sum clocks! | 14 |
| 7.7 | Properties of the time | 15 |

| | | |
|---|---|----|
| 8 | License (GNU Free Documentation License, Version 1.3) | 15 |
|---|---|----|



1 Episode (aka version)

"Prolonged Prologue"¹

2 Introduction

There are many approaches to artificial intelligence. Each one has its distinct advantages and disadvantages. The approach in this theory is no exception to this rule. The approach taken here is that "thinking machines" should be similar to chemical reactions where there is a natural tendency for certain things to form from what is given. Still chemical reactions need a certain environment in order to work, any cell biologist will tell you that things

¹Code names are tropes, it's sort of a dumb in-joke

such as temperature and pH can cause many reactions to fail. Added to that, enzymes can encourage reactions (such as by speeding them up) and be stopped by inhibitors. These enzymes, solution, and inhibitors might be thought of as a "context" of sorts. Here the view is that "ideas" take on a "natural" composition with the help or discouragement of the "context."²

3 For viewing in an org file

Ignore this part if you are reading this in a html document, pdf document, or any other document that does not end with ".org"

- Reasonable scale for org mode readers.
- On Arch Linux I needed to install imagemagick, texlive-core, texlive-humanities, texlive-fontsextra, and texlive-pictures to get things working. I also added to my .emacs file:

```
(eval-after-load "preview"
  '(add-to-list 'preview-default-preamble
    "\\PreviewEnvironment{tikzpicture}" t))
(setq org-latex-create-formula-image-program 'imagemagick)
```

4 License

Copyright (c) Uladox. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License". A copy of the license should be included at the bottom of this document.

5 Basic Naive Idea Theory

5.1 Properties

In Naive Idea Theory, ideas are distinguished by their properties.

²This is an analogy, don't take it too seriously.

5.1.1 Examples

A baseball might have properties such as:

- *held*, since it can be held.
- *thrown*, since it can be thrown.
- *caught*, since it can be caught.

5.2 The \Rightarrow relation

Denotes for $A \Rightarrow P$, P is a property of A . Also it might appear in a set such as $A = \{\Rightarrow P\}$ in order to denote that the set A has the property P .

5.2.1 Examples

- $Baseball \Rightarrow held$ can be read as a baseball can be held.
- $n \Rightarrow (= 5)$ can be read as n can be equal to 5.
- $n \Rightarrow (\approx 5)$ can be read as n can be approximately 5.

5.2.2 Expanded

If a set theory approach is chosen, $A \Rightarrow P$ might be read as $(P \in A) \vee (P \text{ is a property})$

5.3 The \Leftarrow relation

Denotes for $P \Leftarrow A$, A fills in the property P . Also it might appear in a set such as $B = \{P \Leftarrow none\}$ or $B = \{P \Leftarrow\}$ to denote that B can have a property but does not.

5.3.1 Example

$S = \{holds \Leftarrow spear\}$ can be read as S holds a spear.

5.4 The τ function

Is defined such that

- $\tau(A, B) =$ if B has a property that A is compatible with, then fill in said property of A with B , otherwise return the empty set.

5.4.1 Example

- $person = \{holds \Leftarrow\}$
- $spear \Rightarrow held$
- $\tau(person, spear) = \{holds \Leftarrow spear\}$

5.4.2 Expanded

$\tau(A, B) = \{if \exists_{P_A}(a = (P_A \Leftarrow)) \vee (B \Rightarrow P_A) \text{ then } (P_A \Leftarrow B) \text{ else } \emptyset \mid \forall a \in A\}$
or, on several lines

$$\tau(A, B) = \left\{ \begin{array}{ll} (P_A \Leftarrow B) & \text{if } \exists_{P_A}(a = (P_A \Leftarrow)) \vee (B \Rightarrow P_A) \\ \emptyset & \text{otherwise} \end{array} \middle| \forall a \in A \right\}$$

5.5 The θ function

is such that it exhaustively goes over a set or some other structure that can contain things and applies τ to all pairs in the structure. The θ function has a complexity of at least $O(n^2)$.

5.5.1 Example

$$\theta \left(\left\{ \begin{array}{l} spear \Rightarrow held, \\ \{name \Leftarrow Bob, holds \Leftarrow\}, \\ \{name \Leftarrow Alyce, holds \Leftarrow\} \end{array} \right\} \right) = \left\{ \begin{array}{l} \{name \Leftarrow Bob, holds \Leftarrow spear\}, \\ \{name \Leftarrow Alyce, holds \Leftarrow spear\} \end{array} \right\}$$

5.5.2 Expanded

1. In set theory with logic $\theta(S) = \{\tau(A, B) \mid \forall a, b \in S\}$
2. Or with the Cartesian product $\theta(S) = \{\tau(C) \mid C \in S \times S\}$

5.6 The \oplus function

- filters out things that do not work according to a context. This might be represented as two sets where the first set is the set of "restrictions" and the second set is the set the "focus" of things to restrict. The "restrictions" contains relations that are not allowed (for example a color can not have the property of being held so $held \Leftarrow color$ in the "restriction" set would represent this). The value returned by the \oplus

function might thus be the set of elements in the "focus" that are not disallowed. In which case the \oplus function has a complexity of at least $O(n_1 n_2)$ where n_1 is the number of elements in the "restriction set" and n_2 is the number of elements in the "focus" set.

5.6.1 Example

- With

$$\begin{aligned} \textit{Scythe} &= \{name \Leftarrow \textit{Scythe}, \Rightarrow \textit{held}\} \\ \textit{Skeleton} &= \{name \Leftarrow \textit{Skeleton}, \Rightarrow \textit{body}, \Leftarrow \textit{holds}, \Leftarrow \textit{wears}\} \\ \textit{Rat} &= \{name \Leftarrow \textit{Rat}, \Rightarrow \textit{body}, \Leftarrow \textit{holds}, \Leftarrow \textit{wears}\} \\ \textit{Robe} &= \{name \Leftarrow \textit{Robe}, \Rightarrow \textit{worn}, \Leftarrow \textit{holds}\} \end{aligned}$$

- Therefore

$$\theta(\{\textit{Scythe}, \textit{Skeleton}, \textit{Rat}, \textit{Robe}\}) = \left\{ \begin{array}{l} \{name \Leftarrow \textit{Skeleton}, \Rightarrow \textit{body}, \textit{Scythe} \Leftarrow \textit{holds}, \Leftarrow \textit{wears}\}, \\ \{name \Leftarrow \textit{Skeleton}, \Rightarrow \textit{body}, \Leftarrow \textit{holds}, \textit{Robe} \Leftarrow \textit{wears}\}, \\ \{name \Leftarrow \textit{Rat}, \Rightarrow \textit{body}, \textit{Scythe} \Leftarrow \textit{holds}, \Leftarrow \textit{wears}\}, \\ \{name \Leftarrow \textit{Rat}, \Rightarrow \textit{body}, \Leftarrow \textit{holds}, \textit{Robe} \Leftarrow \textit{wears}\}, \\ \{name \Leftarrow \textit{Robe}, \Rightarrow \textit{worn}, \textit{Scythe} \Leftarrow \textit{holds}\} \end{array} \right\}$$

- So if we only want to rule out clothing holding holding things so, which might not make much sense in a hypothetical context or not be worth considering

$$\oplus(\{\textit{worn} \Leftarrow \textit{holds}\}, \theta(\{\textit{Scythe}, \textit{Skeleton}, \textit{Rat}, \textit{Robe}\})) = \left\{ \begin{array}{l} \{name \Leftarrow \textit{Skeleton}, \Rightarrow \textit{body}, \textit{Scythe} \Leftarrow \textit{holds}, \Leftarrow \textit{wears}\}, \\ \{name \Leftarrow \textit{Skeleton}, \Rightarrow \textit{body}, \Leftarrow \textit{holds}, \textit{Robe} \Leftarrow \textit{wears}\}, \\ \{name \Leftarrow \textit{Rat}, \Rightarrow \textit{body}, \textit{Scythe} \Leftarrow \textit{holds}, \Leftarrow \textit{wears}\}, \\ \{name \Leftarrow \textit{Rat}, \Rightarrow \textit{body}, \Leftarrow \textit{holds}, \textit{Robe} \Leftarrow \textit{wears}\} \end{array} \right\}$$

– (Notice the last elements of the sets being the difference)

5.7 The \odot function

computes for the simplest "thinking machine" in Basic Naive Idea Theory. It takes in a triple of the "focus", "parts", and "restrictions" and returns a triple with the same value for "parts" and "restrictions", but the "focus" is different. It is easily defined as $\odot(f, p, r) = (\oplus(r, \theta(f \cup p)), p, r)$.

5.7.1 The upsides


An \oplus function based "thinking machine" can be easily defined in such a way that it constructions new and complex relations in some meaningful way and can have the "restriction" and "parts" changed in order to deal with different contexts.

5.7.2 The many many problems still in place

- There is a very high computational complexity (at least $O(|f \cup p||r|)$ which is unreasonable for any moderate size of f , p , or r).
- The "thinking machine" still has to be told what to "think" (f and p) and how to "think" (r and p).
- There a lack of the natural tendency of a "fuzzy" or numeric amount of how much an idea is liked, with it instead either getting thrown out or kept.
- No way to learn about new properties.
- No way to learn about the relationships between properties or and other properties or "prototypes" of properties.
- No personality.


6 Side note on artificial neural networks

In the world of artificial intelligence neural networks are becoming harder and harder to ignore. Many difficult problems have been solved using them such as reading written words and pole balancing. While Naive Idea Theory does not use neural networks for reasons explained later, it would be foolish to just ignore them. A diagram of a neural network might look like:




So, what actually is this? There are many great resources online for artificial neural networks, so we won't focus on too many details irrelevant to Naive Idea Theory. What we will focus on is what a node in the network is. It might seem obvious that it is a representation of a neuron, but that is not the whole picture. A node is a property and the value that it returns is its degree of truth.³ An example for reading writing is that an input node represent the property of darkness for a pixel and an output node represents it closeness to the image being a letter. Hidden nodes also represent properties, but in practice we often don't know what for (however we almost always know what properties the input and output nodes represent, with the biggest exception being when the networks are part of a larger network and/or genetic algorithm).

6.1 Long short-term memory



A particularly useful neural network when it comes to time series is long short-term memory. A good way to picture how long short term memory works is with the whole long short-term block as a property that can save its degree of which it is true (e.g. how much is some data like a letter) because it might be needed later. The first node is the value of truth we might want to remember, the second node can decrease it if it is such that it should not effect future steps much (blocking that value from entering into the next layer), the third node can forget (i.e zero out) the value, and the forth node can make the value have little influence when it is output (you could think of this as whether it is output at all, since if it near zero it gets zero and when it is near one it is the value). To avoid confusion, just because a value is output from the memory cell does not necessarily mean the memory cell forgets it.

³There are so many different types of neural networks these days that this probably is not entirely true.



6.2 So how does this relate

Time Naive Idea Theory has networks that are similar to standard artificial neural networks, except with some important differences.

- One of the biggest differences between Timed Naive Idea Theory networks and artificial neural networks is that properties are not tied to the network's topology, but instead freely flow.
- Nodes might run concurrently meaning more nodes should not slow the network.

7 Timed Naive Idea Theory



7.1 It's about time!

- There's a time and place for everything.
- It's time to get going.
- I don't have that kind of time.
- Talk about timing.
- Where has the time gone?
- The best and worst of times.
- Ahead of their time.
- Time goes by fast when you're having fun.

- The seconds dragged on. . .
- All good things come to an end.

7.2 What we mean by time

Do not take anything here absolutely seriously, it is just my philosophical rambling about how a sense of time might work. For this paper it is important for a sense of time to be represented, so my **very very untested** model will have to do. The type of time we plan to deal with is not the time we deal with in physics problems, but more like the time of an internal clock telling you what needs to be done. Time here refers to a perception of time, which is just as the name implies, a perception.

7.3 When is the time right?

How do we know when it is a time to sleep, a time to eat, a time to cry, a time to know, a time to pretend, a time to sigh, a time to read, a time finish what must be done, and a time to give up?

7.4 Rephrasing the problem

Say \mathbb{T} is the set of all times. So how would we map from this set at any given moment to a specific time? We could image a 12 hour clock⁴ as a mapping from a subset of \mathbb{T} containing twelve times to a single one of those. So what determines what time evaluates from this mapping? Well, time. That is confusing, so we will denote this time that influences the result of the mapping as a member of the set of \mathfrak{T} . With this in place a clock might be represented as:

- A triple (f_t, S_t, T_1) , with $S_t \subseteq \mathbb{T}$, $T_1 \in \mathfrak{T}$ and a function f_t that takes in the triple and returns a pair containing a triple that can be reused with f_t and a time t ,
- Such that $f_t((f_t, S_t, T_1)) = ((f_t, S_t, T_2), t)$ with $T_2 \in \mathfrak{T}$ and $t \in S_t$.


⁴I know, it tells a different definition of time than what we are working with, but pretend that instead of hours and a constant increment of time we are dealing with some arbitrary set of times and some other mechanism for changing from one to the next..

7.5 Proper timing


Now the question becomes what values to choose for S_t , T_1 , and f_t in order to deal with a more human inspired perception of time.⁵ Just because I feel it would be interesting and I a lazy, it might be a neat idea for the system to deal with computing S_t and T_1 . So if a clock is told by a member of \mathfrak{T} what time it is in terms of \mathbb{T} , then an anti-clock is told by a member of \mathbb{T} what time is in terms of \mathfrak{T} . Why would this be useful in anyway you might ask.

7.6 Some sum clocks!

As the picture at the beginning part of clocked Naive Idea Theory might indicate the big idea of theory is the sum clock! The biggest change that we need to make is for sum clocks to take in an n-tuple of \mathfrak{T} and for sum anti-clocks to take in an n-tuple of \mathbb{T} .



This model should give way easily to emergent times by the sum clocks from lower order prime-clocks. An example of this is when it is a time to eat breakfast:




⁵Also we have not quite defined what \mathbb{T} and \mathfrak{T} actually are. This we will define what they are latter when we have defined the problem even more.

7.6.1 Implementing notes

It might be a good idea for reading each clock to be a $O(1)$ operation so a new clock being added do not slow anything down except the sum anti-clock reading it. What this means is each clock is running concurrently dealing with its own bit of representation that needs a sense of time. For programming this using threads mutexs for a given clock it should use a mutex when changing its own time displayed, but not when determining what that time should be changed to.

7.7 Properties of the time

You may have noticed the diagrams for the sum clocks look like a network of sorts. You may have also noticed that we had a section prior about neural networks. This is no coincidence. In neural networks node are properties and their value are degrees of truth. In sum clock networks, we need to make a major change. We will not just use clocks to compute a time for something (which is akin to a property), but also how much it is a time for something (which is like a degree of truth). Thus members of \mathbb{T} are pairs with properties⁶ like in Basic Naive Idea Theory⁷ and degrees of truth like in artificial neural networks!⁸

 $\xrightarrow[\text{reads a time to}]{\text{This prime-clock}}$ (*Make connections!*, 0.998762356)

8 License (GNU Free Documentation License, Version 1.3)

GNU Free Documentation License Version 1.3, 3 November 2008

Copyright (C) 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc. <http://fsf.org/> Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

1. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying

⁶These are properties of the time.

⁷They are not to be tied down to topology, but are object of their own class!

⁸From now on degrees of truth will be referred to as intensities due to brevity.

it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not

fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, \LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The "publisher" means any person or entity that distributes copies of the Document to the public.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such

a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

1. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

1. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent

copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

1. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission. B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement. C. State on the Title page the name of the publisher of the Modified Version, as the publisher. D. Preserve all the copyright notices of the Document. E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices. F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below. G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice. H. Include an unaltered copy of this License. I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the

Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence. J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission. K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein. L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles. M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version. N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section. O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties—for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply

endorsement of any Modified Version.

1. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

1. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

1. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from

the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

1. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

1. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some

reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

1. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

1. RELICENSING

"Massive Multiauthor Collaboration Site" (or "MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A "Massive Multiauthor Collaboration" (or "MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

"CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

"Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is "eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (c) YEAR YOUR NAME. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with... Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.