ID	Summary	Description	Steps to reproduce	Reproducibility	Severity	Priority	Symptom	Workaround	Comments	Attachments
1	The executable file "File Searcher.exe." doesn't run in OS Windows XP, 7.	When trying to run the application file "File Searcher.exe_", the operating system (Windows XP, Windows 7) cannot run this type of file and opens the "Open with" window. Exp: Starting the file "File Searcher", the application window opens. Act: Starting the file "File Searcher", the "Open with" window opens. Req: 2	Open folder "Application" Double click to run file "File Searcher.exe_" Bug: The application has an unknown filename extension "EXE_" that does not run in the operating system (Windows XP, Windows 7).	Always	Critical	ASAP	Installation problem	No	Probably a typo in the file extension "Search Files". ".exe" is the extension of executable files used in DOS, Windows operating systems.	Unknown type of file
2	Incorrect display of the name "File Searcher" in the title bar	Incorrect app name is displayed in title bar " %&%&%\%" \s# " Exp: The correct name "FileSearcher" is displayed Act: Incorrect name " %&%&%\%\\$# " is displayed Req: 1	Run "File Searcher.exe" Wrong title displayed in title bar " %&%&%\^\$\" Bug: Title bar displays " %&%&\^\\$\" instead of "FileSearcher"	Always	Minor	High	Cosmetic flaw	No		inccorect_name
3	Incorrect display of "File Searcher" tooltip	When an application is running, it is displayed on the taskbar. when the user hovers the mouse over an icon(tab) on the taskbar, a tooltip will appear with the incorrect name of the application "File searcher" Exp: Hovering over an icon(tab) on the taskbar displays "File Searcher" Act: Hovering over the icon(tab) on the taskbar displays "File searcher" Req: 1	Run "File Searcher.exe" The application is displayed on the taskbar as an icon (tab) Move the mouse cursor over the icon(tab) on the taskbar. The tooltip "File searcher" is displayed Bug: "File searcher" is displayed instead of "File Searcher" when hovering over an icon(tab) in the taskbar"	Always	Minor	Low	Cosmetic flaw	No		incorrect_name1
4	"File Searcher" workspace does not adjust(adapt) when resizing the application window	When resizing the "File Searcher" window (manually using the mouse or by clicking on the "Maximize" window control button), the workspace does not adjust(adapt) to the current window size Exp: Workspace adjust(adapts) when application window is resized Act: Workspace does not adjust(adapt) when application window is resized Req: -	Run "File Searcher.exe" Click on the "Maximize" window control button Bug: Workspace does not adjust(adapt) when window is resized	Always	Medium	High	Missing feature	No	Perhaps this is not a bug, but a feature of the application, since it is not specified in the requirements, but this functionality can significantly improve the quality of the application. Please consider this question.	incorrect view1ng
5	Menu bar disappears in "File Searcher" when changing default language to English	When the user selects the English line in the "Language" menu, the names of the main menu tabs (Main, Language, About) disappear, but they remain active for use Exp: When changing the default language to "English", the application changes all text to English Act: When changing the default language to "English", the names of the main menu bars are disappeared Req: 7a	Run "File Searcher.exe" Click on the menu bar, tab "Language" Click "English" in the submenu Bug: When changing the default language in "File Searcher" to English, the names of the main menu bars disappear	Always	Major	High	Unexpected behavior	No		change_language
6	"Russian language" crashes when closing "File Searcher" to "English language"	When the user changes the default language in the "Language" menu to Russian and closes the "File Searcher", when the application is restarted, it opens in English Exp: When changing the default language (Russian, English), the application uses the selected language Act: When changing the default language (Russian, English), the application uses only English Req: 7a	Run "File Searcher.exe" Click the "Language" tab on the menu bar Click "Russian" in the submenu Close "File Searcher" Run "File Searcher.exe" Bug: When setting the default language to "Russian" or "English", the application should save this state and use the selected language when restarting	Always	Major	High	Variance from specs	No		
7	Names of file type groups in the combo box are not translated when changing the language in "File Searcher" to Russian	When changing the default language in the "File Searcher" to Russian, the names of the file type groups in the combo box remain in English Exp: When changing the default language to Russian, the names of the file type groups in the combo box are changed to: Audio, Video, Office Act: When changing the default language to Russian, the names of the file type groups in the combo box remain: Audio, Video, Office Req: 7a	Run "File Searcher.exe" Click the "Language" tab on the menu bar Click "Russian" in the submenu Click the combo box dropdown menu Bug: When changing the default language to Russian, the names of the file type groups in the combo box remain: Audio, Video, Office	Always	Minor	Normal	Localization issue	No		Language_Russia n
8	The ability to add new languages to "File Searcher" is not fully implemented	When you try to select and add a new default language from the "Language" menu in the "Other" tab, a window appears with the notification "See help for details!" Exp: In the "Language" menu in the "Other" tab, it is possible to select and add a new default language Act: In the menu "Language" in the tab "Other" there is an item "Management" when clicked, a window appears with the notification "See help for details!" Req: 7b	Run "File Searcher.exe" Click on the menu bar, tab "Language" Hover your mouse over the "Others" tab Click "Management" in the submenu that appears Bug: Click "Management" in the submenu that appears Bug: When trying to add a new default language to the "File Searcher", the application asks for help, but such a menu item is not available	Always	Medium	High	Missing feature	No	This functionality has not been revised and does not provide an explanation of how the user can solve their need to add a new language.	Add_language

9	"File Searcher" crashes when "Where to search" field is empty	If the user does not specify a directory in the "Where to search" field and clicks the "Search" button, the application crashes. Exp: The application continues to run and reports that the "Where to search" field cannot be empty Act: The field "Where to search" is empty and when you click on the button "Search" the application crashes Req: -	Run "File Searcher.exe" Leave the field "Where to search" empty Press the "Search" button Bug: The application crashes if you leave the "Where to search" field empty and start the process of searching for files	Always	Critical	ASAP	System crash	No		Empty_Field
10	"File Searcher" crashes when entering invalid data in the "Where to search" field	If the user enters incorrect data in the "Where to search" field and clicks the "Search" button, the application crashes. Exp: The application continues to run and gives messages that invalid data was entered Act: After entering incorrect data in the "Where to search" field and starting a file search, the application crashes Req: -	Run "File Searcher.exe" Enter invalid data (e.g. "123") in the "Where to search" field Press the "Search" button Bug: The application crashes if you specify invalid data in the "Where to search" field and start the process of searching for files	Always	Critical	ASAP	System crash	No		Invalid_Data
11	The "Where to search" field can only contain 10 characters	When entering a directory to search in the "Where to search" field, it can only contain a path length of 10 characters Exp: The "Where to search" field can contain a path length to search for files more than 10 characters Act: The "Where to search" field has a path length of 10 characters Req: -	Run "File Searcher.exe" Enter any characters (e.g. numbers 1-10) Bug: In the "Where to search" field, you cannot specify the path to search for files if it consists of 11 or more characters	Always	Medium	ASAP	Missing feature	No	This functionality should be improved as it brings inconvenience for users, since the length of the directory name can be more than 10 characters and there is no way to specify it for searching	
12	The format for specifying and displaying the directory path is incorrect	When specifying a directory to search for files in the "Where to search" field, and displaying the full path in the result table, it is not strictly formatted. Any number of backslashes and slashes ("", ","") are allowed after specifying the local disk name. Exp: The default format for specifying the directory path used by Windows (e.g. E:\New) Act: The format for specifying the directory path can contain a backslash and a slash ("\", ","") in any number (E: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1. Run "File Searcher.exe" 2. Enter in the field "Where to search" the path "E: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Always	Medium	High	Cosmetic flaw	No	This functionality is not critical for the application to work. But it does not fit the Windows OS standards. This requirement should be clarified with the customer to eliminate this inaccuracy.	Format_Path
13	Missing *.mid extension for "Audio" file type in combo box	When selecting the "Audio" file type, the *.mid extension is missing in the combo box Exp: File type in combo box "Audio (*.mp3, *.ogg, *.wav, *.mid)" Act: File type in combo box "Audio (*.mp3, *.ogg, *.wav)" Req: 4a	1. Run "File Searcher.exe" 2. Click on the combo box dropdown 3. Select "Audio (*.mp3, *.ogg, *.wav)" Bug: In combo box, file type "Audio" is missing extension "*.mid"	Always	Medium	High	Cosmetic flaw	No		Lose_MID
14	"File Searcher" does not find files with extension "*.mid"	When selecting the "Audio" file type in the combo box, the application does not find files with the extension "*.mid" Exp: The application finds all files with extensions listed in the category "Audio (*.mp3, ".ogg, *.wav, *.mid)" Act: Application does not find files with extension "*.mid" Req: 4a	1. Run "File Searcher" 2. Enter the directory with audio files in the "Where to search" field 3. Click on the combo box dropdown 4. Select "Audio (*.mp3, *.ogg, *.wav)" 5. Press the "Search" button Bug: Application does not find files with "*.mid" extension	Always	Major	High	Variance from specs	No		Not_Found_MID
15	"File Searcher" does not find files with extension "*.xlsx"	When selecting "Office" file type in the combo box, the application does not find files with the extension "*.xlsx" Exp: The application finds all files with extensions listed in the category "Office (*.doc, *.docx, *.xls, *.xlsx)" Act: Application does not find files with extension "*.xlsx" Req: 4c	1. Run "File Searcher.exe" 2. Enter the directory with office files in the "Where to search" field 3. Click on the combo box dropdown 4. Select "Office (*.doc *.docx, *.xls, *.xlsx)" 5. Press the "Search" button Bug: Application does not find files with "*.xlsx" extension	Always	Major	High	Incorrect operation	No		Not_Found_XLSX
16	Fields in the results table are not adjustable in width	If the result has a long name or path, it's not possible to see the entire data. The result table does not have the ability to format by width Exp: The data in the results table is displayed in full Act: It is not possible to see the name and path of the data in the table in full Req: 5	Enter the directory with the files in the "Where to search" field Click on the combo box dropdown	Always	Medium	High	Cosmetic flaw	No		Column_Result

		I						1		
17	An empty string is displayed in the search results table	When performing any search, the result table shows an empty string Exp: The result table displays the found results Act: The result table displays the found results and an empty string Req: -	1. Run "File Searcher.exe" 2. Enter the directory with the files in the "Where to search" field 3. Click on the combo box dropdown 4. Select a category of file types 5. Press the "Search" button Bug: An empty string is displayed at the bottom of the results table	Always	Minor	Normal	Cosmetic flaw	No		Empty_String
18	Loss of table results when 51 or more files are found	If the number of found results becomes 51 or more, the "DateTime" column disappears in the table of found files Exp : All found files are displayed in the right panel as a table with data Act : Not all data is displayed for the found files, there is no "DateTime" column Req : 3, 5	1. Run "File Searcher.exe" 2. Enter in the "Where to search" field a directory with files of the same type in the amount of 51 or more 3. Click on the combo box dropdown 4. Select a category of file types 5. Press the "Search" button Bug: If the number of found results becomes 51 or more, the column "DateTime" disappears in the table of found files	Always	Critical	ASAP	Data corruption/loss	No		Lost DataTime, Valid_DataTime
19	Incorrect data displayed in the results table during multiple searches	In various searches, the last of the results where more files were found is included in the next search results where fewer files were found, and is displayed at the bottom of the table. Exp: Correct data is displayed in the results table Act: Incorrect data is displayed in the results table Req: -	1. Run "File Searcher.exe" 2. Enter a directory with 3 files of the same type in the "Where to search" field 3. Click on the combo box dropdown 4. Select a category of file types 5. Press the "Search" button 6. Enter in the "Where to search" field another directory with 4 or more files of the same type 7. Repeat steps 3-5 8. Repeat steps 2-5 Bug: The last of the results where more files were found falls into the next search results where there are fewer files found and is displayed at the bottom of the table.	Always	Major	ASAP	Incorrect operation	No		Incorrect_Date
20	Running multiple versions of "File Searcher"	The user has the ability to open and use multiple versions of the application Exp: - Act: Run multiple versions of the application Req:	Run "File Searcher.exe" Repeat step 1 any number of times Bug: -	Always	Minor	Low	Documentation issue	No	This functionality is not a bug and requires clarification from the customer on its correct implementation.	
21	Application starts searching during long scan and crashes	When scanning a large number of directories, the application crashes with an error. After that, it continues scanning for some time without the possibility of interacting with it and closes itself Exp: If the total scan time is more than 1 hour, the application does not start searching Act: The application starts searching, gives an error and closes after a while Req: 6b	1. Run "File Searcher.exe" 2. Enter a directory with a large amount of data in the "Where to search" field 3. Click on the combo box dropdown 4. Select a category of file types 5. Press the "Search" button Bug: The application starts searching if the scan time is more than 1 hour	Always	Major	ASAP	Incorrect operation	No	It may be necessary to think about telling the user about the duration of the application and offer a choice of actions.	<u>Big_Data</u>
	Link to Aplication	https://drive.google. com/file/d/13hrwT97ziS34xhbl.JHQC5jWxTeue0j8v/view? usp=sharing								