INTRODUCTION

Structural health monitoring (SHM) is the process of using damage detection and characterisation techniques for critical structures like bridges, wind turbines, and tunnels. It is a non-destructive in- situ structural evaluation method that employs several types of sensors embedded or attached to the structures. SHM helps us to increase the longevity of the structure thereby reducing the over consumption of the materials involved in construction

The structural health monitoring process includes installing sensors, data acquisition, data transfer, and diagnostics through which the structure's safety, strength, integrity, and performance are monitored. If overloading or any other defects are observed, proper correction measures are suggested.

The beam like structures is usually a fundamental member that is employed in large scale architecture of civil. In the most general terms, damage can be defined as changes introduced into a system that adversely affect its current or future performance. Damage in a structure are common phenomenon and can lead to breakdown. The service life of the structure must be smooth and safe. For damage detection specifically in Structural Health Monitoring (SHM)deals with observing the changes in mode shapes and beam natural frequencies

Objectives:

- Identify damage or deterioration in structures.
- Provide real-time or periodic assessments of structural conditions.
- Enhance safety by predicting and preventing structural failures.
- Optimize maintenance and reduce life-cycle costs.
- Extend the lifespan of structures.

Structural Health Monitoring in buildings is a proactive and technology-driven approach to ensuring the safety and longevity of structures. It provides valuable insights into the condition of critical components, enabling informed decision-making and efficient maintenance practices. This proactive approach helps detect potential issues, such as damage or deterioration, in real-time or through periodic assessments. Monitoring

the strain and deformation in these load-bearing elements is crucial for assessing the overall health of the building.




Fig1.1: SHM in Building


The finite element method (FEM) and finite element analysis (FEA) are numerical simulation techniques used to analyse real-time experiments through analytical models using advanced software; hence, complicated analysis, e.g., of stiffness and damping, can be carried out using the FEM technique very easily and reliably, even for multi-story buildings. In one study, a 15% stiffness reduction was found after analysing the nine columns, and a 1.67% stiffness reduction was found in the overall building structure. The FEM was used for steel bracing to identify damage by adopting two methods; namely, the Bayesian estimation method and the weighted least squares methods in the initial stages for the eigen-sensitivity-based FE model.

1.1 Types of Structural Health Monitoring

• **Static structural health monitoring** is aimed at the measurement of slow-varying parameters over a long period of time (e.g. inclination, rotation, static displacement,

crack monitoring etc.): in other words, when the load is applied slowly, static analysis is what we need. Because the change that we want to analyse happens gradually and over time, for static monitoring data is recorded by the sensors at regular intervals, with punctual measuring.

• Dynamic structural health monitoring handles dynamic loading (actions having high acceleration), such as people walking, wind, waves, traffic, blasts and earthquakes; that means that when we deal with "fast" impacts, involving frequencies and vibrations, dynamic analysis is the type of monitoring we want. That involves a type of sampling that is continuous: sensors keep measuring the environment around them and when a "peak" is detected the information is then stored. The difference with static SHM, which involves punctual measuring, is that with dynamic SHM data is recorded for a few seconds before, during and after the "peak": that means that much more data is collected.






Fig1.2: Dynamic response of a multi-story building using SHM

1.2 The Purpose of Structural health Monitoring:

• Improve performance (safety and functionality) of existing structures.

- The placement of sensors during construction works enables observers to assess the structure's condition and specify its remaining life span.
- Evaluate the integrity of a structure after earthquakes.
- Structural monitoring and assessment are essential for on-time and costeffective maintenance. So, it reduces construction work and increases maintenance activities.
- The SHM process collects data on the realistic performance of structures. This data can help design better structures in the future.
- Shift towards a performance-based design philosophy.

1.3Levels of SHM

SHM can be classified into five levels:

- Level 1, detection of a damage
- Level 2, localization of a damage;
- Level 3, quantification of a damage
- Level 4, typification of a damage
- Level 5, assessment of the structure's integrity. State-of-the-art SHM methods readily achieve up to Level 4.




Fig 1.3: Levels of SHM

1.4Advantages of Structural Health Monitoring (SHM):

- 1. Early Detection of Issues:
 - Advantage: SHM allows for the early detection of structural issues, enabling timely intervention before significant damage occurs.
 - Explanation: By continuously monitoring the structural health, deviations from the expected behaviour can be identified early on, helping prevent catastrophic failures.
- 2. Optimized Maintenance:
 - Advantage: SHM facilitates targeted and cost-effective maintenance strategies.

• Explanation: Rather than relying on fixed maintenance schedules, SHM provides real-time data, allowing maintenance efforts to be directed precisely where and when needed, potentially reducing overall maintenance costs.

3. Enhanced Safety:

- Advantage: Improved safety of structures and occupants.
- Explanation: SHM helps identify potential risks and weaknesses in a structure, allowing for proactive measures to be taken to ensure the safety of the building and its occupants.

4. Extended Lifespan of Structures:

- Advantage: By addressing issues early and optimizing maintenance, SHM can contribute to extending the lifespan of structures.
- Explanation: Regular monitoring and maintenance help mitigate the effects of aging, deterioration, and external factors, contributing to the longevity of the structure.

5. Data-Driven Decision-Making:

- Advantage: SHM provides a wealth of data for informed decision-making.
- Explanation: Engineers and stakeholders can make decisions based on real-time data, enabling a more accurate assessment of structural health and the implementation of effective interventions.

6. Reduced Downtime:

- Advantage: Minimization of downtime for critical infrastructure.
- Explanation: Proactive maintenance and early issue detection can reduce the need for emergency repairs, minimizing disruptions and downtime for essential services.

7. Customized Maintenance Plans:

- Advantage: SHM allows for the development of customized maintenance plans.
- Explanation: Maintenance activities can be tailored to the specific needs of the structure, optimizing the allocation of resources and minimizing unnecessary interventions.

1.5 Disadvantages of Structural Health Monitoring (SHM):

1. Cost:

- Disadvantage: Implementing SHM systems can have significant upfront costs.
- Explanation: The installation of sensors, data acquisition systems, and related infrastructure can be expensive, especially for retrofitting existing structures.

2. Sensor Reliability:

- Disadvantage: The reliability of sensors over time may be a concern.
- Explanation: Sensors can degrade or malfunction over time, leading to potential inaccuracies in the collected data. Regular calibration and maintenance are necessary to address this issue.

3. Data Management:

- Disadvantage: Handling and analysing large volumes of data can be challenging.
- Explanation: The continuous monitoring generates substantial amounts of data that need to be processed and interpreted, requiring robust data management systems and analytical tools.

4. Integration with Existing Structures:

- Disadvantage: Retrofitting older structures for SHM can be challenging.
- Explanation: Incorporating monitoring systems into existing buildings may require
 modifications that are not always straightforward, especially in structures not
 originally designed for such monitoring.

5. Complexity of Interpretation:

- Disadvantage: Interpreting monitoring data may be complex.
- Explanation: Analysing data and distinguishing between normal variations and potential issues may require expertise, and false alarms or overlooked problems can occur.

6. Cybersecurity Concerns:

- Disadvantage: SHM systems are vulnerable to cybersecurity threats.
- Explanation: As SHM systems become more connected and data is transmitted over networks, there is a risk of cybersecurity breaches, potentially compromising the integrity of the monitoring data.

LITERATURE REVIEW

- Ikhlas Abdel-Qader et.al. (2003): The authors propose the use of image-processing algorithms for crack detection as a means to automate and enhance the bridge inspection process. The four edge-detection techniques are Fast Haar Transform (FHT), Fast Fourier Transform (FFT), Sobel, Canny. These techniques are implemented using MATLAB. The results show that the Fast Haar Transform outperforms other methods, making it a promising approach for automating bridge inspections and improving the overall safety and maintenance of the transportation infrastructure.
- Hoon Sohn1 et.al.(2004): Many SHM methods rely on analytical models, which can be uncertain. Some researchers explore unsupervised learning techniques to address this issue. Neural networks are used but have limitations, such as requiring large datasets from both undamaged and damaged structures. Environmental and operational variations of structures remain a challenge. Further work is needed in statistical model development and establishing damage decision criteria. This section covers selecting sensors, their placement, data acquisition hardware, and data normalization.
- Charles R et.al. (2007): SHM research has focused on identifying damage in structures on a global basis, but recent research has begun to recognize the importance of statistical pattern recognition (SPR) in addressing this problem. The challenges in implementing SHM include optimizing sensor selection and placement, identifying features sensitive to small levels of damage, distinguishing changes in features caused by damage from those caused by environmental and operational conditions, and developing robust statistical models for feature discrimination.
- <u>LI Huia et.al.(2011):</u> The paper summarizes the recent progress in SHM in mainland China and highlights the need for further research and development in sensing technology and data analysis. SHM is valuable for monitoring long-term structural performance and for assessing responses during natural disasters. The

paper emphasizes the complexity of structures, loads, environments, and coupled responses, calling for more research in these areas. Model updating techniques are used to adjust FEM based on monitoring results. Multi-scale FEM updating techniques are proposed to account for detailed structural information and damages

- Andre enrico del grosso et.al.(2013): The paper provides insights into maintenance strategies, cost optimization, diagnostic and prognostic algorithms, and the challenges in implementing SHM systems. It also emphasizes the need for guidelines, standards, and regulations in the field of SHM. Two approaches to SHM are discussed: permanent monitoring and periodic monitoring. Permanent monitoring systems continuously collect data and provide real-time information about a structure's health. Periodic monitoring involves temporary sensor installations and data collection at specific intervals. The choice between these approaches depends on factors like the complexity of the structure. The paper identifies several areas for future research, including the development of standards, the use of updated behavioural models, and the impact of SHM on safety coefficients in structural design.
- Hui Xu1 et.al.(2014): The paper discusses a method for estimating the static and dynamic deflection curves of bending beam structures using Fibre Bragg Grating (FBG) strain sensors. Traditional deformation monitoring techniques are limited to short-term measurements, and newer methods, such as GPS, laser image techniques, and FBG sensors, are explored for real-time deformation measurement. The proposed method relies on the geometric equations of a beam structure and FBG sensors to estimate the deflection curve. The proposed method, utilizing FBG sensors and geometric equations, shows promise in accurately estimating static and dynamic deflection curves for bending beam structures. Numerical simulations and experimental tests validate the effectiveness of the approach.
- <u>C.H Tan1 et.al.(2016):</u> Fibre Bragg Grating (FBG) sensors, especially those with Polydimethylsiloxane (PDMS) coatings, show promise for early corrosion detection in civil engineering. research is needed to explore protective coatings for FBG sensors, factors affecting strain transfer, and the impact of temperature on FBG measurements. This research aims to provide a non-destructive and real-time

- corrosion monitoring system for civil engineering structures, which could help in reducing maintenance costs and enhancing safety.
- Health Monitoring System Using Stream Processing and Artificial Neural Network Techniques (SPANNeT) for real-time monitoring and warning of bridge structures. The structural damage detection algorithm is based on Weighted Attack Graph (WAG), considering bending strain intervals. The system is tested in laboratory and real-world settings, demonstrating accurate warning generation and at least 90% data communication reliability. Future work may include addressing additional warning criteria and enhancing damage localization and prediction.
- Soumalya Sarkar et.al.(2016): Propose and apply a deep learning technique for characterizing damage, specifically cracks in composite materials. Use a deep autoencoder (DAE) based on unsupervised representational learning theory. The proposed framework is tested on frames with varying load conditions. Metrics such as the number of correct cracks detected and the normalized distance between original and estimated crack lengths are used for evaluation. The framework exhibits consistency in characterizing cracks at different load levels.
- <u>Tao Wang et.al.(2017):</u> The method involves using distributed long-gage macrostrain sensors based on fibre Bragg grating (FBG) technology. The distributed macro-strain is obtained, and the classical conjugated beam theory is applied to calculate dynamic displacement. The proposed method shows promise for long-term structural health monitoring, providing an efficient and accurate way to monitor dynamic displacements in flexural structures. However, the study suggests that the sensor gage length should be limited to less than 1/20 of the beam length for precise measurements, especially in structures with complex vibrations.
- Chirag G. Wani et.al.(2019): The methodology includes modal analysis of healthy and cracked beams, and the study presents results for different crack locations and depths. The research contributes to the field of structural health monitoring and damage detection in beams. The proposed PSO algorithm demonstrates its effectiveness in accurately detecting and locating cracks, providing a valuable tool for ensuring the safety and integrity of structural elements. Particle Swarm Optimization (PSO) algorithm is applied for faster and accurate results, programmed in MATLAB© software. Experimental and simulation results show convergence with an error up to 10%.

- Aamar Danish et.al.(2020): The methodology involves placing sensors at critical locations on the structure, collecting data on dynamic properties, and analysing the effects of loading and vibrations on the structure. The wireless sensor's data is transmitted to a base station gateway for real-time monitoring and analysis. The results of the study indicate that the wireless SHM sensor effectively detected damage in the RC beam during various loading stages. The acceleration responses were analysed, and frequency domain representation using Fast Fourier Transform (FFT) revealed changes in amplitude related to the extent of structural damage.
- Jieming Yin et.al.(2020): This paper proposes an FBG-based monitoring system for quasi-distributed strain measurement in beam-like structures. FBG is created by exposing a segment of an optical fiber to alter its refractive index permanently. The Bragg wavelength, representing the altered segment, is crucial for strain measurement. Changes in axial strain and temperature affect the Bragg wavelength, allowing FBG to estimate strain information. The strain mode shape is derived from the identified displacement mode shape, obtained experimentally through modal analysis. Multiple FBGs with different Bragg wavelengths can be used to form a sensing network, enabling easy and cost-effective monitoring of beam-like structures. The overall algorithm involves experimental modal analysis, fitting displacement mode shapes, acquiring strain mode shapes, obtaining dynamic strain data, and reconstructing dynamic displacement. The proposed method is validated experimentally using a cantilever beam, demonstrating its effectiveness in estimating deflection based on strain measurements.
- Zhong Jiawei et.al. (2021): The paper discusses the application of Structural Health Monitoring (SHM) in various engineering fields, emphasizing its importance in ensuring the safety and stability of structures. The paper highlights that SHM systems are adaptable and can be tailored to specific environmental and structural conditions. The aim is to ensure real-time monitoring to safeguard the structural integrity of these critical infrastructure elements. By using SHM, researchers can qualitatively and quantitatively analyse damage, potentially preventing structural problems before they occur. The paper also presents a new framework for predicting the remaining life of ancient structures based on deformation data from SHM systems.
- <u>Constantin E. Chalioris et.al. (2021):</u> The study presents a custom-made, portable, and low-cost structural health monitoring (SHM) system that uses PZT-based

electro-mechanical admittance (EMA) methodology for damage detection and evaluation in flexural reinforced concrete beams. Statistical index values were calculated based on the signals of the PZT transducers to represent the differences between their baseline response and their response at each loading/damage level. The findings indicate that the proposed SHM system can effectively assess structural damage caused by concrete cracking and steel yielding in flexural beams under monotonic and cyclic loading.


• Run-Zhou You et.al.(2023): The paper introduces an Equivalent Estimation Method (EEM) for quasi-distributed deflection estimation in bridge health monitoring. It utilizes onboard strain data from a self-designed sensing bar, establishing a versatile equivalent analysis model through an innovative Inverse Finite Element Method (IFEM). The proposed EEM is computationally efficient, independent of bridge typology, and requires no prior loading or material information. Experimental validation confirms its excellent quasi-distributed sensing capability, highlighting its potential for real-time applications in bridge health monitoring.

2.10BJECTIVES:

- Evaluate beam deflection through measurement to ensure adherence to structural performance standards
- Implement efficient methods for beam crack identification for improving structural integrity
- Enhance beam performance through data acquisition, precise quantification methods, and accurate positioning

METHODOLOGY

The methodology used during the health assessment of the chosen structure is discussed in this section. The main steps and working mechanism of the manufactured sensor for structural health monitoring of a structure are shown in Figure. First, the structure is selected on which the health monitoring operation is to be performed then the sensors are placed on it, upon excitement the data collected by the sensors is transferred to the acquisition system and stored. The collected data is then observed to detect the variation produced due to the excitation of the structure.



Main steps for structural health assessment

Structural health monitoring (SHM) of beams involves the use of various techniques and methodologies to assess the condition, performance, and integrity of the beams over time. The goal is to detect any potential damage or deterioration early on, enabling timely maintenance or repair interventions. Here's a general methodology for structural health monitoring of beams:

Sensor Installation:

Place sensors at critical locations on the beam. Common sensors include accelerometers, strain gauges, displacement sensors, and sometimes even non-destructive testing (NDT) methods like ultrasound or acoustic emission sensors. Ensure proper calibration of the sensors for accurate measurements.

• Data Acquisition:

Collect data from the sensors during different loading conditions and over time. This data can include measurements of strains, accelerations, displacements, and other relevant parameters.

• Baseline Measurement:

Establish a baseline for the beam's behaviour under normal or healthy conditions. This involves collecting data when the structure is in good condition and not subjected to unusual loads.

• Analysis and Modelling:

Analyse the collected data to understand the structural behaviour. Finite element modelling or analytical methods may be used to simulate the expected response of the beam.

Compare the measured data with the baseline to identify any deviations or anomalies.

Damage Detection:

Implement damage detection algorithms to identify any changes or abnormalities in the structural response. These algorithms can be based on statistical methods, pattern recognition, or machine learning.

• Continuous Monitoring:

Implement a continuous monitoring system to regularly collect and analyze data over the beam's lifespan. This allows for the detection of gradual deterioration or unexpected changes.

• Alarm and Warning Systems:

Establish threshold values for key parameters based on the baseline and expected behaviour. Implement alarm and warning systems to alert engineers or maintenance personnel when measured values exceed predefined thresholds.

• Regular Inspection and Maintenance:

Combine SHM with regular visual inspections to ensure a comprehensive assessment of the structural health. Schedule maintenance or repairs based on the SHM findings.


Documentation and Reporting:

Maintain detailed records of monitoring data, analysis results, and any interventions made.

Generate reports documenting the structural health and any recommended actions.

• Adaptive Strategies:

Develop adaptive strategies that can evolve based on the changing conditions of the structure.



Flowchart of the sensor working for structural health assessment

REFERENCES

- Run-Zhou You, Ting-Hua Yi, Liang Ren a, Hong-Nan Li Equivalent estimation method (EEM) for quasi-distributed bridge-deflection measurement using only strain data, 29 August 2023.
- Mohsen Mousavia Damien Hollowaya, J.C. Oliviera, Amir H. Gandomi, A Spline Method based on the Crack Induced Deflection for Bridge Damage Detection, 22 August 2020.
- Aamar Danish, Faran Tayyab & Muhammad Usama Salim, Health assessment based on dynamic characteristics of reinforced concrete beam using real-time wireless structural health monitoring sensor, 29 Jul 2020.
- Ittipong Khemapech, Watsawee Sansrimahachai, and Manachai Toahchoodee, A real-time Health Monitoring and warning system for bridge structures, 2016 IEEE Region 10 Conference
- Tao Wang1,2 and Yongsheng Tang, Dynamic displacement monitoring of flexural structures with distributed long-gage macro-strain sensors, Advances in Mechanical Engineering 2017, 16 February 2017
- Chirag G. Wani, Sanjay Rukhande, Nitesh Yelve, Vibration based detection of damage in fixed I-Beam using Particle Swarm Optimization, 2019 International Conference on Nascent Technologies in Engineering
- Hui Xu, Wei-Xin Ren, and Zuo-Cai Wang, Deflection Estimation of Bending Beam Structures Using Fiber Bragg Grating Strain Sensors, Sage journal November 7, 2016
- Jieming Yin, Yinjieming , Zechao Wang , Yuegang Tan , Bending Deflection
 Estimation of the Beam-like Structure Based on Strain Measurements from a Fiber
 Bragg Grating Sensing Network, 2020 Global Reliability and Prognostics and Health
 Management
- Soumalya Sarkar, Kishore K. Reddy, Michael Giering, and Mark R. Gurvich, Deep Learning for Structural Health Monitoring: A Damage Characterization Application,
 : Annual Conference of the Prognostics and Health Management Society 2016

- Arka Ghosh, David J. Edwards, M. Reza Hosseini, Riyadh Al-Ameri, Real-time structural health monitoring for concrete beams: a cost-effective 'Industry 4.0' solution using piezo sensors, May 2020 International Journal of Building Pathology and Adaptation.
- Harvey Burd, Burcu Gulen, Yiyan Liu, Michael Devriendt, Ben Gilson, Vision-based monitoring data to inform new assessment techniques for tunnelling-induced damage in historic masonry buildings
- Hoon Sohn1, Charles R. Farrar1 Francois Hemez1 and Jerry Czarnecki; A Review of Structural Health Monitoring Literature 1996 – 2001, 2002-01-01.
- K Tharun Kumar Reddy, Srikanth Koniki, Digital image correlation for structural health monitoring – a review, ICMED 2021
- Adam B. Noel, Abderrazak Abdaoui, Tarek Elfouly, Mohamed Hossam Ahmed, Ahmed Badawy, and Mohamed S. Shehata, Structural Health Monitoring Using Wireless Sensor Networks: A Comprehensive Survey, IEEE Communications Surveys & Tutorials, 07 April 2017
- Zhong Jiawei, The Application of Structural Health Monitoring in Different Engineering Fields, IOP Conference Series 2021: Earth and Environmental Science.
- Andrea Enrico Del Grosso, Structural Health Monitoring: research and practice,
 Conference on Smart Monitoring, Assessment and Rehabilitation of Civil Structures
 SMAR 2013.
- LI Huia, OU Jinpinga, Structural Health Monitoring: From Sensing Technology Stepping to Health Diagnosis, The Twelfth East Asia-Pacific Conference on Structural Engineering and Construction, 1 October 2011.
- Ikhlas Abdel-Qader, P.E.; Osama Abudayyeh, P.E., M. ASCE; and Michael E. Kelly, Analysis of Edge-Detection Techniques for Crack Identification in Bridges, Journal of Computing in Civil Engineering, Sep 15, 2003
- Charles R Farrar and Keith Worden, An introduction to structural health monitoring, 15th February 2007.