




Configurer une nouvelle règle

24 octobre 2022

Table des matières

1	Topologie	3
2	Configuration une nouvelle règle.....	4


1 Topologie




2 Configuration d'une nouvelle règle

Nous allons maintenant configurer une première règle sur notre pare-feu afin d'autoriser la connexion à l'interface Web de pfSense depuis le WAN. Cela nous permettra de configurer pfSense directement depuis notre machine physique.


Pour ce faire, accédez au menu **Firewall**, puis cliquez sur **Rules**.



Ajoutez une nouvelle règle pour le segment WAN.



Créez une règle autorisant les connexions HTTPS (port 443) entrantes sur l'adresse IP WAN.



Source

Source

☐ Invert match

any

Source Address

/

Display Advanced

The **Source Port Range** for a connection is typically random and almost never equal to the destination port. In most cases this setting must remain at its default value, any.

Destination

Destination

☐ Invert match

WAN address

Destination Address

/

Destination Port Range

HTTPS (443)

From

Custom

To

HTTPS (443)

Custom

Specify the destination port or port range for this rule. The "To" field may be left empty if only filtering a single port.

Extra Options

Log

☐ Log packets that are handled by this rule

Hint: the firewall has limited local log space. Don't turn on logging for everything. If doing a lot of logging, consider using a remote syslog server (see the [Status: System Logs: Settings](#) page).

Description

A description may be entered here for administrative reference. A maximum of 52 characters will be used in the ruleset and displayed in the firewall log.

Advanced Options

Display Advanced

Save

Cliquez sur **Apply Changes**. La nouvelle règle est maintenant effective.

Firewall / Rules / WAN

The firewall rule configuration has been changed.
The changes must be applied for them to take effect.

✓ Apply Changes

Floating

WAN

LAN1

Rules (Drag to Change Order)

	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
<input checked="" type="checkbox"/>	0 / 0 B	*	Reserved Not assigned by IANA	*	*	*	*	*		Block bogon networks	⚙
<input type="checkbox"/>	✓ 0 / 0 B	IPv4 TCP	*	*	WAN address	443 (HTTPS)	*	none			📌 ✎ 📄 🗑

⬆ Add

⬇ Add

🗑 Delete

💾 Save

➕ Separator

📘

Firewall / Rules / WAN

The changes have been applied successfully. The firewall rules are now reloading in the background.
Monitor the filter reload progress.

🗑

Floating

WAN

LAN1

Rules (Drag to Change Order)

	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
<input checked="" type="checkbox"/>	0 / 0 B	*	Reserved Not assigned by IANA	*	*	*	*	*		Block bogon networks	⚙
<input type="checkbox"/>	✓ 0 / 0 B	IPv4 TCP	*	*	WAN address	443 (HTTPS)	*	none			📌 ✎ 📄 🗑

⬆ Add

⬇ Add

🗑 Delete

💾 Save

➕ Separator

📘

Sur votre machine physique, ouvrez un navigateur et connectez-vous à l'URL <https://192.168.230.142> correspondant à l'adresse IP de votre interface WAN. La connexion devrait fonctionner.

