Automated Detection of COVID-19 using Convolutional Neural Networks and Generative Adversarial Networks

By Ultan Kearns

Supervised by Dr Paul Greaney

Research Question and Reasoning

- The research was conducted to see if augmenting datasets could improve CNN model performance
- The need for this research is due to data-shortages in COVID-19
- The use of Frankenstein datasets, poorly spliced sets from multiple sources was visible in early models
- The research aims to correct this by synthetically augmenting the sets and balancing minority classes within them

Datasets Used in This Study

- Three Datasets were used in this study
- Radiography Dataset – comprising of 30306 X-ray / Mask images of patients who were diagnosed with COVID, Viral Pneumonia, and healthy patients
- COVID chest X-ray dataset – Made up of X-rays of patients afflicted with COVID-19, MERs, SARS, and ARDS among other classes – contained 357 images and 11 classes
- COVID-19 Xray Dataset – Early dataset from 2020, lacked data and is comprised of 188 X-ray images of healthy and COVID afflicted patients
- The final dataset used was the Extensive COVID-19 X-ray and CT Chest images dataset – comprised of 17099 X-ray and CT images and is augmented with different techniques.
- Extensive COVID-19 set contains 9,544 X-ray images and 8,055 CT images

Literature Review

- Many researchers have seen improvements when synthetically augmenting sets across various problem domains
- A number of different approaches have been set up to synthetically augment data
- Traditional GANs also showed promise when creating synthetic data across a range of domains
- Current CNN models for automating COVID diagnosis are achieving a validation accuracy of > 98%
- Models discussed here are evaluated using a test set so the models may be overfitting validation set

Lessons Learned From The Literature Review

- Analysis of COVID-19 CNN models discussed could be biased given there was no test set evaluation – we rectified this
- The use of GANs showed significant improvements to many models
- The limited data used to evaluate the COVID-19 models discussed may have inflated accuracy(1 model used only 40 images in total for train / validation)
- Through augmentation we can greatly increase the size of datasets
- There are a number of methodologies to improve CNN model accuracy in this problem domain(segmenting images, augmentation,etc.)
- From the literature review we have seen that there was promise in continuing this research.

Design & Implementation – Part 1

- To start baseline models were used as a metric
- Baseline models were trained using only the original dataset
- Transfer learning was also employed in the creation of these CNNs
- Transfer learning models used ImageNet(large dataset with over 1000 classes) for training
- Transfer learning models were then appended with 2 additional layers to train and classify
- The following Transfer Learning architectures were used: Xception, ResNet50V2, & EfficientNetV2S

Design & Implementation – Part 2

- Next we moved onto GANs
- The DCGAN was developed first for each dataset
- Multiple DCGAN models were created to generate new images for each class in every database
- The reason for multiple DCGAN models being used for each class is due to being unable to tell subtle difference between classes
- The use of DCGANs showed promising results
- VAEs were incorporated also but had many issues when creating the synthetic data
- Most of the VAEs produced no output or a copy of the same image over and over again(mode collapse)

Synthetic Mask vs Real Mask

Radiography



Real mask
From Dataset

Synthetic Mask Created From
The DCGAN

Synthetic Vs Real X-ray Radiography



Real X-ray

Synthetically
generated X-ray

Synthetic vs Real X-rays Extensive COVID 19 DB



Example of Real X-ray



Example of Synthetic X-ray

Synthetic Vs Real CT Extensive COVID-19



Real CT Example



Synthetically
Generated Example

Synthetic Vs Real X-rays - X-ray Dataset

COVID-19



Real Example of
Pneumonia X-ray

Example of Synthetic
X-ray

DCGAN Results

- As shown in the previous slides a number of synthetic images produced show similarities when compared to original images
- All images created by DCGAN had a resolution of 128 * 128 (computational limitations)
- Increasing the output resolution could possibly have improved performance of CNNs
- Some of the synthetic images appear to lack quality of originals – due to variety of factors(variation in ds, lower resolution, too many features,etc.)
- Despite limitations – DCGANs produced output similar to real examples

CNN model performance improvements

- Overall a number of CNN models showed improvement to accuracy and loss when trained on the augmented sets
- In attempt to eliminate biased results the models were trained on the augmented set and evaluated on original data
- Split was the same for original data and the synthetic images were filtered from the validation and test sets
- Top models included EfficientNetV2S model for the radiography which had an accuracy of ~95% when augmented and loss of 0.1374, prior to augmentation had accuracy of ~88% and a loss of 0.3217 on the test set – set was augmented by 30,627 images
- The EfficientNetV2S for the Extensive CT class also showed improvement when compared to the original, the model achieved an accuracy of ~96% and a loss of 0.1124 in comparison with the original model which had an accuracy of ~94% and a loss of 0.2353 - set was augmented by 2,700 images
- X-Ray COVID 19 dataset(contains 188 images total when non-augmented) also greatly benefited with one model(ResNet50V2) going from having an extremely high loss of 23.94 and an accuracy of ~47% to having a loss of 0.24 and an accuracy of ~87%
- The X-ray COVID-19 dataset was augmented by using 2,000 additional synthetic examples for training using a DCGAN

Limitations of Study

- Financial limitations – Colab pro is very expensive and need lots of computational power for GANs
- Computational limitations – could only train GANs/ CNNs of a certain size to avoid crashes
- Resolution of GAN images – links back to computational limitations, high resolution GAN images take a lot of power to output
- Possible bias in datasets – given these datasets were sourced online bias is possible

Conclusions

- Overall, there seems to be promise of using generative deep learning to inflate datasets in this problem domain
- The use of transfer-learning also has shown promise as the TL models appear to be performing better than the original models on certain datasets
- More research is needed to see if these models are suited for use in clinical settings
- The models diagnosis should always be evaluated by a medical professional and used to aid them in diagnosing the patient
- There are always risks of false-positives and false-negatives
- More research is also needed to see if the results are transferable to other problem domains