2022 Catalog



You and Roman





## 2022 Catalog Index

02 Company

04 Interlok

23 **Technical Specification** 

24 **Collection Index** 













## A professional approach to fulfil our commitments

Professionalism is key to Roman's reputation as a leading producer of ceramic tiles. With a truly multinational team, we work hard to maintain an efficient communication flow, making sure we make good on our commitments. A holistic approach to the development of human resources gives our personnel a chance to grow, refining their skills and deepening their expertise while gaining an understanding of the company's operations as a whole. Such an approach promotes teamwork, allowing us to fulfil, and even exceed, our customers' expectations.

# Cutting edge technology and uncompromising quality

Roman has perfected techniques that make its ceramic tiles among the most durable and appealing in the market. Sophisticated, Italian-made equipment and innovative processes ensure excellent colour consistency and vibrant hues with low maintenance year after year. Strict controls at each stage of manufacturing guarantee that each tile leaving the factory complies with the highest international and ISO standards. Plus, even the biggest delivery commitment or the tightest deadline is easily met, thanks to the company's one-roof, fully computerized system.




### Matching beauty.


Interlok system allows the installation of ceramic tiles in a neat and easy way, combining each other different surfaces with a unique shape. It is possible to choose between a wide range of looks for walls, to design scenographic compositions of great visual impact.




### 30x60

dBangka	20
dBelitung	19
dBrick	8
dCanyon	14
dCaravista	6
dCastillo	9
dPyramid	7
dQuarry	11
dRavelin	10
dRiverstone	18
dSemeru	17
dSimplex	13
dTrento	12
dTriassic	16





GL638O49 dCaravista Winter 30x60 - Gol AS



GL638051 dCaravista Summer 30x60 - Gol AS



GL638050 dCaravista Autumn 30x60 - Gol AS






GL638057 dPyramid Bone 30x60 - Gol AS




GL638058 dPyramid Beige 30x60 - Gol AS





GL638O38 dBrick Terra 3Ox6O cm - Gol A





GL638O22 dCastillo Crema 30x60 - Gol A





GL638O68 dRavelin Mountain 30x60 - Gol AS



GL638070 dRavelin Tundra 30x60 - Gol AS



GL638O69 dRavelin Savanna 30x60 - Gol AS





GL638001 dQuarry Beige 30x60 - Gol A



GL638066 dQuarry Grey 30x60 - Gol A




GL638002 dQuarry Brown 30x60 - Gol A





GL638062 dTrento Carrara 30x60 - Gol AS







GL638072 dSimplex Sabbia 30x60 - Gol AS






GL638006 dCanyon Sand 30x60 - Gol A



GL638009 dCanyon Charcoal 30x60 - Gol A









GL638060 dTriassic Fossil 30x60 - Gol AS






GL638054 dSemeru Natural 30x60 - Gol AS



GL638055 dSemeru Stone 30x60 - Gol AS





GL638044 dRiverstone Sand 30x60 - Gol AS




dRiverstone Bruno 30x60 - Gol AS



GL638045 dRiverstone Misto 30x60 - Gol AS



GL638O47 **dRiverstone Grigio** 3Ox6O - Gol AS










GL638079 dBelitung Brown 30x60 - Gol AS



GL638080 dBelitung Grey 30x60 - Gol AS






GL638077 dBangka Fossil 30x60 - Gol AS



GL638076 **dBangka Grey** 30x60 - Gol AS

## Laying Pattern



# Packaging Information

FACTORY	SIZE (CM)	PCS/BOX	APPROX. SQM/BOX	APPROX. WEIGHT/ BOX (KG)	BOXES/ PALLET	PALLETS/ CONTAINER	APPROX. WEIGHT/ PALLET (KG)	BOXES/ CONTAINER	APPROX. GROSS WEIGHT/ CONTAINER (TONNE)	APPROX. SQM/ CONTAINER
INTERLOK										
RCI	30x60	6	-	21.5	40 20	24 1	885 455	980	21.7	990

#### NOTE

- Slight variations of shades/colours and surface finishes are inherent due to the nature of ceramic tile production process.
- Packing information may vary depending on specification of each motive and size.

### Technical Specification



TECHNICAL	TEST METHOD OR	FLOO	R TILE	WALL TILE		
CHARACTERISTIC	AS PER NORM	ISO 13006 REQUIREMENT	ROMAN	ISO 13006 REQUIREMENT	ROMAN	
Length and Width	ISO 10545 - 2	± 0.6 %	± 0.4 %	± 0.5 %	± 0.4 %	
Side Straightness	Side Straightness ISO 10545 - 2		± 0.3 %	± 0.3 %	± 0.3 %	
Rectangularity	ISO 10545 - 2	± 0.6 %	± 0.4 %	± 0.5 %	± 0.4 %	
Center Curvature & Edge Curvature	ISO 10545 - 2	± 0.5 %	- 0.15 % to + 0.25 %	- 0.3 % to + 0.5 %	- 0.15 % to + 0.25 %	
Warpage	ISO 10545 - 2	± 0.5 %	± 0.3 %	± 0.5 %	± 0.3 %	
Thickness	ISO 10545 - 2	± 5.0 %	± 4.0 %	± 10 %	± 3.0 %	
Water Absorption	ISO 10545 - 3	B1b ≤ 3.0 %	B1 < 3.0 %	B3 > 10 %	B3 Less than 18 %	
Modulus of Rupture	ISO 10545 - 4	B1b 30 Ind. Min. 27N/mm²	≥ 35 N/mm²	≥ 15 N/mm²	≥ 17 N/mm²	
Crazing Resistance	ISO 10545 -11	Required	Resistant	Required	Resistant	
Chemical Resistance	ISO 10545 - 13	Minimum Class GB	Minimum Class GB	Minimum Class GB	Minimum Class GB	
Stain Resistance	ISO 10545 - 14	Minimum Class 3	Minimum Class 4	Minimum Class 3	Minimum Class 5	
Abrasion Resistance	ISO 10545 - 7	Group I to V	Group III to V	Not Required	Not Required	

#### NOTE


- The governing sizes and weights are subject to the usual variations expected of fired ceramic productions.
- The colours illustrated in this brocure are produced near to actual colours.

### Roman

# Collection Index 2022

### Interlok

**Tiles** 



### Office PT. SATYA LANGGENG SENTOSA

marketing@romanceramics.com

### **Export Inquiry**

export@romanceramics.com

#### House of Roman

Quadra Centrum Jl. Taman Aries Blok E1.3 Meruya, Jakarta Phone : (O21) 256 84 730

Jl. RS. Fatmawati No. 6A, Jakarta Phone : (O21) 7591 4925

Pusat Bahan Bangunan dan Interior Jl. Mangga Dua Raya Blok F2 No.1, Jakarta Phone : (O21) 601 1537

Kirana Boutique Office Blok F1 No.1-2 Jl. Boulevard Raya. Kelapa Gading, Jakarta

Phone: (O21) 2936 5218

Jl. S. Parman No. 78, Semarang Phone : (024) 850 1243

Jl. Mayjen Sungkono No. 46, Surabaya

Phone: (O31) 566 9780

Jl. Prof. H.M. Yamin SH No. 34, Medan

Phone: (061) 4561 562

Bumi Indraprasta, Home & Living Center Jl. Panyawangan Kav.6 - B No. 6 Kota Baru Parahyangan, Bandung Barat

Phone: (022) 8779 3262

Jl. Cokroaminoto No. 160, Ubung, Denpasar

Phone: (0361) 909 3478

April 2022



Visit our website



