2022 Catalog



You and Roman





## 2022 Catalog Index

02 Company

04 Interlok Hexagonal

13 **Technical Specification** 

14 **Collection Index** 













## A professional approach to fulfil our commitments

Professionalism is key to Roman's reputation as a leading producer of ceramic tiles. With a truly multinational team, we work hard to maintain an efficient communication flow, making sure we make good on our commitments. A holistic approach to the development of human resources gives our personnel a chance to grow, refining their skills and deepening their expertise while gaining an understanding of the company's operations as a whole. Such an approach promotes teamwork, allowing us to fulfil, and even exceed, our customers' expectations.

# Cutting edge technology and uncompromising quality

Roman has perfected techniques that make its ceramic tiles among the most durable and appealing in the market. Sophisticated, Italian-made equipment and innovative processes ensure excellent colour consistency and vibrant hues with low maintenance year after year. Strict controls at each stage of manufacturing guarantee that each tile leaving the factory complies with the highest international and ISO standards. Plus, even the biggest delivery commitment or the tightest deadline is easily met, thanks to the company's one-roof, fully computerized system.




## Uncompromising uniqueness.

Geometrical beauty and unmatched durability; Interlok Hexagonal is Roman's line of unique floor tiles to create fantasies of neatly defined shapes, giving your settings a dynamic feel.



#### 34x39 HEXAGONAL20CM


dCampanili	6
dModesto	9
dSantorini	10
dTravessa	8
dTribeca	7





















GH348O66 dTravessa Medium 34x39 - Gol. A




GH348067 dTravessa Dark 34x39 - Gol. A

#### DECORATIVE TILES:



GH348070 dTravessa Cube 34x39 - Gol. A









GH348O63 dModesto Charcoal 34X39cm - Gol. A

#### DECORATIVE TILES:



GH348064 **dModesto Mix\*** 34X39cm - Gol. A

\*Wide Variety of design within 1 box . Consist of random design within plenty 1 box (up to 15 random design)





GH348059 dSantorini Blue\* 34X39cm - Gol. A

\*Wide Variety of design within 1 box . Consist of random design with plenty random design within 1 box

### Laying Pattern



ALTERNATIVE 1 dModesto Grigio - dModesto Mix













ALTERNATIVE 2 dModesto Chsrcoal - dModesto Mix















ALTERNATIVE 7







ALTERNATIVE 5





ALTERNATIVE 4 IModesto Perla - dModesto Grigio dModesto Mix



ALTERNATIVE 1 dTribeca Natural







ALTERNATIVE 6 dTravessa Dark - dTravessa Medium dTravessa Light

# Packaging Information

FACTORY	SIZE (CM)	PCS/BOX	APPROX. SQM/BOX	APPROX. WEIGHT/ BOX (KG)	BOXES/ PALLET	PALLETS/ CONTAINER	APPROX. WEIGHT/ PALLET (KG)	BOXES/ CONTAINER	APPROX. GROSS WEIGHT/ CONTAINER (TONNE)	APPROX. SQM/ CONTAINER
INTERLOK HEXAGONAL										
RCI	HEXAGONAL 20cm	10	-	17.2	52 26	20 7	919 472	1222	21.7	1210

#### NOTE

- Slight variations of shades/colours and surface finishes are inherent due to the nature of ceramic tile production process.
- Packing information may vary depending on specification of each motive and size.
- The colours illustrated in this brocure are produced near to actual colours.

### Technical Specification



TECHNICAL	TEST METHOD OR	FLOO	R TILE	WALL TILE		
CHARACTERISTIC	AS PER NORM	ISO 13006 REQUIREMENT	ROMAN	ISO 13006 REQUIREMENT	ROMAN	
Length and Width	ISO 10545 - 2	± 0.6 %	± 0.4 %	± 0.5 %	± 0.4 %	
Side Straightness	ISO 10545 - 2	± 0.5 %	± 0.3 %	± 0.3 %	± 0.3 %	
Rectangularity	ISO 10545 - 2	± 0.6 %	± 0.4 %	± 0.5 %	± 0.4 %	
Center Curvature & Edge Curvature	ISO 10545 - 2	± 0.5 %	- 0.15 % to + 0.25 %	- 0.3 % to + 0.5 %	- 0.15 % to + 0.25 %	
Warpage	ISO 10545 - 2	± 0.5 %	± 0.3 %	± 0.5 %	± 0.3 %	
Thickness	ISO 10545 - 2	± 5.0 %	± 4.0 %	± 10 %	± 3.0 %	
Water Absorption	ISO 10545 - 3	B1b ≤ 3.0 %	B1 < 3.0 %	B3 > 10 %	B3 Less than 18 %	
Modulus of Rupture	ISO 10545 - 4	B1b 3O Ind. Min. 27N/mm²	≥ 35 N/mm²	≥ 15 N/mm²	≥ 17 N/mm²	
Crazing Resistance	ISO 10545 -11	Required	Resistant	Required	Resistant	
Chemical Resistance	ISO 10545 - 13	Minimum Class GB	Minimum Class GB	Minimum Class GB Minimum Class		
Stain Resistance	ISO 10545 - 14	Minimum Class 3	Minimum Class 4	Minimum Class 3	Minimum Class 5	
Abrasion Resistance	ISO 10545 - 7	Group I to V	Group III to V	Not Required	Not Required	

#### NOTE

• The governing sizes and weights are subject to the usual variations expected of fired ceramic productions.

#### Roman

### Collection Index 2022

Interlok

Hexagonal

34x39

HEXAGONAL20CM

dCampanili	6
dModesto	9
dSantorini	10
dTravessa	8
dTribeca	7



#### Office PT. SATYA LANGGENG SENTOSA

marketing@romanceramics.com

#### **Export Inquiry**

export@romanceramics.com

#### House of Roman

Quadra Centrum Jl. Taman Aries Blok E1.3 Meruya, Jakarta Phone : (O21) 256 84 730

Jl. RS. Fatmawati No. 6A, Jakarta Phone : (O21) 7591 4925

Pusat Bahan Bangunan dan Interior Jl. Mangga Dua Raya Blok F2 No.1, Jakarta Phone : (O21) 601 1537

Kirana Boutique Office Blok F1 No.1-2 Jl. Boulevard Raya. Kelapa Gading, Jakarta

Phone: (O21) 2936 5218

Jl. S. Parman No. 78, Semarang Phone : (024) 850 1243

Jl. Mayjen Sungkono No. 46, Surabaya

Phone: (O31) 566 9780

Jl. Prof. H.M. Yamin SH No. 34, Medan

Phone: (061) 4561 562

Bumi Indraprasta, Home & Living Center Jl. Panyawangan Kav.6 - B No. 6 Kota Baru Parahyangan, Bandung Barat

Phone: (022) 8779 3262

Jl. Cokroaminoto No. 160, Ubung, Denpasar

Phone: (0361) 909 3478

April 2022



Visit our website



