

ROMAN  
GRANIT



STEPTILE

2021

ROMAN  
GRANIT

A PERFECT  
LOOK IN  
A PERFECT  
BODY.

A premium collection, bringing prestigious settings to life while redefining trends for modern living. There are many reasons for architects, interior designers, and final consumers to choose RomanGranit for their residential and commercial spaces: from the superior quality and reliability of the line, to the creative solutions it offers to both interior and exterior environments.



ROMAN  
GRANIT

# ROMANGRANIT MEANS:



## POLISHED GLOSSY TECHNICAL PORCELAIN

Has unique design characteristic where the granular body appears on the surface and becomes the hallmark of the design. The "One tone Body-Surface" color technology and polished glossy finishes makes it captivately impressive and recommended for higher traffic areas



## THE REAL GLAZED PORCELAIN TILES

Manufactured according to the highest standards of quality, using indonesia's best white clay exposed to high pressure and temperatures exceeding 1200°C, Roman Granit is a Category 1A, (ISO13006)product. Thanks to its near zero water absorption, this real glazed porcelain tiles are sure preserve its ever lasting beauty.



## DIGITAL TECNICA

An extraordinary technology that perfectly reproduces the actual effect of natural surfaces. Wood, marble and stone have never felt so real.



## RECTIFIED EDGE

RomanGranit's products are all rectified: sizes are exact and tiles can be installed with minimum joints.

# SUPERIOR FEATURES FOR UNIQUE PRODUCTS.



### POLISHED

RomanGranit polished tiles are perfect to bring a shiny and glossy effect to any prestigious environment.



### GLOSS ON MATT

This beautiful RomanGranit surface combines glossy and satin finishes to achieve unparalleled brilliance.



### COLORED BODY

RomanGranit products are available in coloured or normal alternatives, providing a wide range of solutions for any space.



### BIG SIZES

RomanGranit offers products in the 80x80cm & 100x100cm format as well as in the 120x60cm size, guaranteeing versatile applications in wide interior settings.

R O M A N  
**GRANIT**


STEP TILE



---

---

Indoor and Outdoor intertwine in this collection characterized by its wide display of diversity and precision. Anyone, everywhere, finds the perfect solution to design their own reality according to no one else's rules.



VARIETY  
+DURABILITY

# dSANMARTIN

STEPTILE  
120X30 CM



**BGTB2018** dSanmartin Chiaro

dSanmartin Chiaro



---

# dPALAIS

STEPTILE  
120X30 CM




**BGTB2017** dPalais Arabescato

dPalais Arabescato



# dSTRIATO

STEPTILE  
120X30 CM



**BGTB2012** dStriato Grigio

dStriato Grigio



---


---

# dRINJANI

STEPTILE  
120X30 CM



**BGTB2501C** dRinjani Perla



**BGTB2503C** dRinjani Charcoal

dRinjani Perla



---

# dCONCRETO

STEPTILE  
120X30 CM



**BGTB2004** dConcreto Charcoal

dConcreto Charcoal



---

---

# dROMANO

STEPTILE  
120X30 CM



**BGTB2026** dRomano Brown

dRomano Brown



# dTRAVERTINE

STEPTILE  
120X30 CM



**BGTB2001** dTravertine Noce

dTravertine Noce



# dBUCKINGHAM

STEPTILE  
120X30 CM



BGTB2021 dBuckingham Bruno

dBuckingham Bruno



# dHYBRIDA

STEPTILE  
120X30 CM



**BGTB2201** dHybrida Cherry



**BGTB2202** dHybrida Wengue

dHybrida Wengue



# dCASTANEA

STEPTILE  
120X30 CM



**BGTB5501** dCastanea Maple




**BGTB5503** dCastanea Antique

dCastanea Maple



# dBARREL

STEPTILE  
120X30 CM



**BGTB3001** dBarrel Walnut



**BGTB3002** dBarrel Rosato

dBarrel walnut



# 120x30

dConcreto	8
dBarrel	14
dBuckingham	11
dCastanea	13
dHybrida	12
dPalais	5
dRinjani	7
dRomano	9
dSanmartin	4
dStriato	6
dTravertine	10

# TECHNICAL CHARACTERISTICS & PACKING DATA

TECHNICAL CHARACTERISTIC	TEST METHOD OR AS PER NORM	ISO 13006 REQUIREMENT	ROMANGRANIT
Length and Width	ISO 10545-2	± 0.6%	± 0.10%
Side Straightness	ISO 10545-2	± 0.5%	± 0.10%
Rectangularity	ISO 10545-2	± 0.6%	± 0.10%
Centre & Edge Curvature	ISO 10545-2	± 0.5%	- 0.15% to + 0.25%
Warpage	ISO 10545-2	± 0.5%	± 0.25%
Thickness	ISO 10545-2	± 5.0%	± 4.0%
Water Absorption	ISO 10545-3	Group B1a ≤ 0.5%	- 0.15% to + 0.25%
Modulus of Rupture	ISO 10545-4	Group B1a 35 Ind. Min. 32 N/mm	≥ 40 N/mm <sup>2</sup>
Crazing Resistance	ISO 10545-11	Required	Resistant
Chemical Resistance	ISO 10545-13	Minimum Class GB	Minimum Class GB
Stain Resistance	ISO 10545-14	Minimum Class III	Minimum Class IV
Abrasion Resistance	ISO 10545-7	Group I to V	Group III to V

- The colors illustrated in this brochure are produced near to actual colors.

- Slight variations of shades/colours and surface finishes are inherent due to the nature of ceramic tile production process.

## STANDARD PACKING DATA

FACTORY	TYPE	SIZE	PIECES/BOX	APPROX. SQM/BOX	APPROX. WEIGHT KG/BOX	BOXES/ PALLET	PALLET/ CONTAINER	APPROX. WEIGHT KG/PALLET	APPROX. WEIGHT TONNE/CONT.	APPROX. SQM/CONT.	APPROX. BOX/CONT.
SRKI	Rectified	120x30	4	1,44	39,6	15	30	619	18,6	648	450

- The governing sizes and weights are subject to usual variations expected of fired ceramic productions.

- Packing information may vary depending on specification of each motif and size.

**Office**

**PT. SATYA LANGGENG SENTOSA**

marketing@romanceramics.com

**Export Inquiry**

export@romanceramics.com

**HOUSE OF ROMAN**

Quadra Centrum

Jl. Taman Aries Blok E1.3, Meruya, Jakarta  
Phone : (021) 256 84 730

Jl. RS. Fatmawati No. 6A, Jakarta

Phone : (021) 7591 4925

Pusat Bahan Bangunan dan Interior

Jl. Mangga Dua Raya Blok F2 No.1,  
Jakarta Phone : (021) 601 1537

Kirana Boutique Office Block F1 No. 1-2

Jl. Boulevard Raya. Kelapa Gading, Jakarta  
Phone : (021) 2936 5218

Jl. S. Parman No. 78, Semarang

Phone : (024) 850 1243

Jl. Mayjen Sungkono No. 46, Surabaya

Phone : (031) 566 9780

Jl. Prof. H.M. Yamin SH No. 34, Medan

Phone : (061) 4561 562

Bumi Indraprasta, Home & Living Center

Jl. Panyawangan Kav.6 - B No. 6.

Kota Baru Parahyangan, Padalarang, Bandung Barat

Phone : (022) 8779 3262

Jl. Cokroaminoto no. 160, Denpasar

[www.romangranit.com](http://www.romangranit.com)

@romangranit.id

Roman Ceramics



Agustus 2021



Visit our website

