




Webber ELECTRO
CORP


Rewire the Planet

Building Next-Gen Indian Stack for Global Electrification



**Electronics + Software
Powering
EVs, Micro Mobility,
Telecom, C&I and Utility BESS**

Comprehensive Electronics Platform




Battery Management Systems (12-1200V)

- 12V-96V: 75K+ units Deployed for EVs/Inverters
- 48V-1200V for BESS




4G/IoT Telematics

Geofencing and Live Monitoring



Charger & Inverters (Roadmap)



Analytics & Predictive Maintenance Platform for BESS (Roadmap)

Lifecycle Management
& Predictive Maintenance
for Utility/C&I Energy Storage

Trusted By Leading OEMs



75K+
Deployments
across
2W, 3W, ESS &
Drones

**GREAVES
ELECTRIC
MOBILITY**



**KINETIC
GREEN**



eka



TERRA MOTORS



BAXY | Mobility


Su-Kam®

**General
Aeronautics**



Current Traction (with BMS)

Major Customers
75K+ Units Deployed



Livguard
energy unlimited

Eastman
Empowering Lives



Su-Kam



75+ Team



Manuj Agrawal

Founder & CEO

B.Tech + M.Tech, IIT Kharagpur



Bhanu Marwaha

COO, Partner

Ex Simple Energy, Ex Maxwell



Ajay Kumar

VP, Growth & Program

B.Tech IIT Kanpur, 10+ Years Exp.



Jyoti Ranjan Swain

Founding Team Member

Senior Software Engineer



Nishant Anurag

Senior Hardware Design Engineer

Ph.D., IIT Guwahati



Suyog Aundhe

Manager

Product Integration

The Secret Sauce - First Principle Design Approach

Industry First Features

Easy Battery Paralleling



No dependence on
CAN
communication for
battery swapping
applications
(Patentable)

Enhanced Battery
Capacity. Ensures
fully charged battery
(Patentable)



Better Charging Algorithms

Highest Balancing
Current and Algorithms
for faster equilibrium



Faster Cell Balancing

Metal Core PCBs for
2x better
thermal performance.
Extended Peak
Performance
(Patented)



Thermal Stability

Better Reliability



Designed with reliable
communication
protocols, high side
MOSFET switching
and low thermal and
structural stress

+ Insulation Monitoring
+ Isolated CAN Communication


WBMS-SW 16S/24S

For high performance

2-wheelers and E-Rickshaws

Current Rating: 60A and 80A

Balancing Current : ~200mA




WBMS-SWLT 16S

For compact applications

Current Rating: 45A and 60A

Balancing Current : 120mA



BMS Product Portfolio

- AIS 156 PH-2 Certified
- Isolated CAN Communication Interface
- μ SD Card and Buzzer integration for AIS-156 PH-2
- Unique Temperature sensor-based algorithms for Early Detection of Thermal Runaway
- Extremely Reliable Short Circuit Protection
- Pre-discharge control/MOSFET Failure detection
- Cell Open Wire Detection/Deep Discharge Prevention
- State of Power control to optimize between vehicle performance/range
- Charging profile control for faster balancing
- Parallel Battery Pack Operation without Intercommunication

BMS Product Portfolio


WBMS-SW 16S/32S Contactor

For high performance

3-wheelers and Forklifts

Current Rating: 100-250A

Balancing Current : 400mA



WBMS-SW 60/80A



45,000+



General
Aeronautics



7,500+

GREAVES
ELECTRIC
MOBILITY



25,000+



KINETIC
GREEN



TERRA MOTORS

12,000+



WBMS-SW-Mini 45A



25,000+



WBMS-SW-Contactor 200A



5000+



Our Partners



Incubator & Investor



Hardware Design Partners



EMS Partners



Semiconductor Supply Chain



Join the revolution of Energy Transition with us!

In Top 10 Finalists

**UBER GREEN
MOBILITY
INNOVATION
CHALLENGE**

connect@webberrec.com | +91-9425408221

2nd Runner-up

