

ANTARA "Eternal Learner" V3 Launch Protocol

Official operational directive for the 5-node parallel benchmarking gauntlet. Optimized for RTX/CPU load balancing and statistical rigor (Mean $\pm$ Std).

1. ● URGENT: Node 5 (CPU i5)

Task: HAT (The "Longest Pole" - Start this immediately). Requires 3 sequential seeds.

```
python Phase_IV_Ablation/benchmark_runner.py --method HAT --device cpu --wandb --suffix _V3 --seed 42; python Phase_IV_Ablation/benchmark_runner.py --method HAT --device cpu --wandb --suffix _V3 --seed 123; python Phase_IV_Ablation/benchmark_runner.py --method HAT --device cpu --wandb --suffix _V3 --seed 456
```

2. Node 1 (RTX 5060 8GB)

Task: ANTARA_FULL (V9.4 Hardened Proof).

```
python Phase_IV_Ablation/benchmark_runner.py --method ANTARA_FULL --device cuda --wandb --suffix _V3 --seed 42; python Phase_IV_Ablation/benchmark_runner.py --method ANTARA_FULL --device cuda --wandb --suffix _V3 --seed 123; python Phase_IV_Ablation/benchmark_runner.py --method ANTARA_FULL --device cuda --wandb --suffix _V3 --seed 456
```

3. Node 2 (RTX 3050 6GB)

Task: A-GEM (Baseline Parity with GEM).

```
python Phase_IV_Ablation/benchmark_runner.py --method A-GEM --device cuda --wandb --
suffix _V3 --seed 42; python Phase_IV_Ablation/benchmark_runner.py --method A-GEM --
device cuda --wandb --suffix _V3 --seed 123; python
Phase_IV_Ablation/benchmark_runner.py --method A-GEM --device cuda --wandb --suffix
_V3 --seed 456
```

4. Node 3 (RTX 3050 6GB)

Task: DER++ (SOTA Replay Comparison).

```
python Phase_IV_Ablation/benchmark_runner.py --method DER++ --device cuda --wandb --
seed 42 --suffix _V3; python Phase_IV_Ablation/benchmark_runner.py --method DER++ --
device cuda --wandb --seed 123 --suffix _V3; python
Phase_IV_Ablation/benchmark_runner.py --method DER++ --device cuda --wandb --seed
456 --suffix _V3
```

5. Node 4 (CPU i5)

Task: EWC + NAIVE (Lightweight Foundations).

```
python Phase_IV_Ablation/benchmark_runner.py --method EWC --device cpu --wandb --
suffix _V3 --seed 42; python Phase_IV_Ablation/benchmark_runner.py --method EWC --
device cpu --wandb --suffix _V3 --seed 123; python
Phase_IV_Ablation/benchmark_runner.py --method EWC --device cpu --wandb --suffix _V3
--seed 456; python Phase_IV_Ablation/benchmark_runner.py --method NAIVE --device cpu
--wandb --suffix _V3 --seed 42; python Phase_IV_Ablation/benchmark_runner.py --
method NAIVE --device cpu --wandb --suffix _V3 --seed 123; python
Phase_IV_Ablation/benchmark_runner.py --method NAIVE --device cpu --wandb --suffix
_V3 --seed 456
```

Final Code Audit (V3)

- **Seed Logic:** Explicit --seed injection for Mean $\pm$ Std reporting.
- **Baseline Alignment:** Switched REPLAY $\rightarrow$ A-GEM for Related Work consistency.

- **Compute Fallback:** CPU routing for memory-heavy HAT/EWC tasks.
- **WandB Consistency:** Global _V3 tag for unified dashboard filtering.

Sir, the gauntlet is mathematically and logically sound. I recommend you fire the HAT command on Machine 5 immediately. Standing by for telemetry.