

screenshots

The screenshot shows the MySQL Workbench interface. The SQL Editor contains the following commands:

```

foreign key(Location_id) references Location(Location_id));

insert into Employees
values(1001,'priya','F',28,'2024-01-15','engineer',50000,3,101),
(1002,'Anu','F',30,'2025-11-21','HR',45000,1,102),
(1003,'Arun','M',32,'2016-08-30','Accountant',55000,2,103);

select * from Employees;

```

The Result Grid shows the output of the SQL commands:

Employee_id	Employee_name	Gender	Age	Hire_date	Designation	Salary	Department_id	Location_id
1001	priya	F	28	2024-01-15	engineer	50000	3	101
1002	Anu	F	30	2025-11-21	HR	45000	1	102
1003	Arun	M	32	2016-08-30	Accountant	55000	2	103

The Action Output shows the execution details:

#	Time	Action	Message	Duration / Fetch
4	23:10:45	insert into Departments values(1,HR), (2,Finance), (3,IT)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
5	23:11:06	create table Location(Location_id int primary key, Location_name varchar(30))	0 row(s) affected	0.032 sec
6	23:11:06	insert into Location values(101,Chennai), (102,Bangalore), (103,Hyderabad)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
7	23:11:21	create table Employees(Employee_id int Primary key, Employee_name varchar(50), Gender enum('M','F'), A...	0 row(s) affected	0.047 sec
8	23:11:21	insert into Employees values(1001,priya,'F',28,'2024-01-15','engineer',50000,3,101), (1002,'Anu','F',30,2025...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
9	23:12:55	select * from Employees LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Execution of employee table with values

The screenshot shows the MySQL Workbench interface. The SQL Editor contains the following commands:

```

foreign key(Department_id) references Departments(Department_id),
foreign key(Location_id) references Location(Location_id));

insert into Employees
values(1001,'priya','F',28,'2024-01-15','engineer',50000,3,101),
(1002,'Anu','F',30,'2025-11-21','HR',45000,1,102),
(1003,'Arun','M',32,'2016-08-30','Accountant',55000,2,103);

-- DDL commands

alter table employees
add Email varchar(50),
modify Designation varchar(300),
drop column age,
rename column Hire_date to Date_of_joining;

rename table Departments to Department_info;
rename table Location to Locations;

```

The Action Output shows the execution details:

#	Time	Action	Message	Duration / Fetch
5	23:11:06	create table Location(Location_id int primary key, Location_name varchar(30))	0 row(s) affected	0.032 sec
6	23:11:06	insert into Location values(101,Chennai), (102,Bangalore), (103,Hyderabad)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
7	23:11:21	create table Employees(Employee_id int Primary key, Employee_name varchar(50), Gender enum('M','F'), A...	0 row(s) affected	0.047 sec
8	23:11:21	insert into Employees values(1001,priya,'F',28,'2024-01-15','engineer',50000,3,101), (1002,'Anu','F',30,2025...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
9	23:12:55	select * from Employees LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
10	23:15:13	alter table employees add Email varchar(50), modify Designation varchar(300), drop column age, rename col...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.125 sec

Using Alter command changes performed

MySQL Workbench

DDL practice SQL File 2 SQL File 3

Limit to 1000 rows

```

40 -- DDL commands
41
42 alter table employees
43 add Email varchar(50),
44 modify Designation varchar(300),
45 drop column age,
46 rename column Hire_date to Date_of_joining;
47
48
49 Truncate table Employees;
50 select * from Employees;

```

Result Grid

Employee_id	Employee_name	Gender	Date_of_joining	Designation	Salary	Department_id	Location_id	Email
1	NAME	NAME	NAME	NAME	NAME	NAME	NAME	NAME

Table: employees

Columns:

- Employee_id int PK
- Employee_name varchar(50)
- Gender enum('M','F')
- Date_of_joining date
- Designation varchar(300)
- Salary decimal(10,0)
- Department_id int
- Location_id int
- Email varchar(50)

Output

Action Output

#	Time	Action	Message	Duration / Fetch
10	23:15:13	alter table employees add Email varchar(50), modify Designation varchar(300), drop column age, rename col...	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.125 sec
11	23:16:11	rename table Departments to Department_info	0 row(s) affected	0.015 sec
12	23:16:11	rename table Location to Locations	0 row(s) affected	0.016 sec
13	23:16:53	Truncate table Employees	0 row(s) affected	0.047 sec
14	23:17:37	lect * from Employees	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL ...	0.000 sec
15	23:17:44	select * from Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Using Truncate employee table data is deleted

MySQL Workbench

DDL practice SQL File 2 SQL File 3

Limit to 1000 rows

```

58 create table Departments(
59   Department_id int Primary key unique,
60   Department_name varchar(100) unique not null);
61
62 insert into Departments
63 values(1,'HR'),
64 (2,'Finance'),
65 (3,'IT');
66
67 select * from departments
68 order by Department_id;

```

Result Grid

Department_id	Department_name
1	HR
2	Finance
3	IT

Table: employees

Columns:

- Employee_id int AI PK
- Employee_name varchar(50)
- Gender enum('M','F')
- Age int
- Hire_date date
- Designation varchar(100)
- Salary decimal(10,0)
- Department_id int
- Location_id int

Output

Action Output

#	Time	Action	Message	Duration / Fetch
34	23:38:46	insert into Location values('chennai'), ('Bangalore'), ('Hyderabad')	Error Code: 1136. Column count doesn't match value count at row 1	0.000 sec
35	23:45:18	insert into Location(Location_name) values('chennai'), ('Bangalore'), ('Hyderabad')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
36	23:45:35	elect * from Location	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL ...	0.000 sec
37	23:45:46	select * from Location LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
38	23:47:56	select * from departments LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
39	23:48:47	select * from departments order by Department_id LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Department table with constraints

MySQL Workbench

DDL practice SQL File 2" SQL File 3"

```

69
70 create table Location(
71     Location_id int primary key auto_increment,
72     Location_name varchar(30) unique not null);
73
74 insert into Location(Location_name)
75 values('chennai'),
76 ('Bangalore'),
77 ('Hyderabad');
78 select * from Location
79 order by Location_id;

```

Result Grid

Location_id	Location_name
1	chennai
2	Bangalore
3	Hyderabad

Table: employees

Columns:

- Employee_id int AI PK
- Employee_name varchar(50)
- Gender enum('M','F')
- Age int
- Hire_date date
- Designation varchar(100)
- Salary decimal(10,0)
- Department_id int
- Location_id int

Output

#	Time	Action	Message	Duration / Fetch
35	23:45:18	insert into Location(Location_name) values(chennai), (Bangalore), (Hyderabad)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.000 sec
36	23:45:35	select * from Location	Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL ...	0.000 sec
37	23:45:46	select * from Location LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
38	23:47:56	select * from departments LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
39	23:48:47	select * from departments order by Department_id LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
40	23:50:07	select * from Location order by Location_id LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Location table with constraints

MySQL Workbench

DDL practice SQL File 2" SQL File 3"

```

90 Department_id int,
91 Location_id int,
92 foreign key(Department_id) references Departments(Department_id),
93 foreign key(Location_id) references Location(Location_id));
94
95 insert into Employees(Employee_name,Gender,Age,Hire_date,Designation,Salary,Department_id,Location_id)
96 values('priya','F',28,'2024-01-15','engineer',50000,3,1),
97 ('Anu','F',30,'2025-11-21','HR',45000,1,2),
98 ('Arun','M',32,'2016-08-30','Accountant',55000,2,3);
99
100 select* from employees;

```

Result Grid

Employee_id	Employee_name	Gender	Age	Hire_date	Designation	Salary	Department_id	Location_id
1	priya	F	28	2024-01-15	engineer	50000	3	1
2	Anu	F	30	2025-11-21	HR	45000	1	2
3	Arun	M	32	2016-08-30	Accountant	55000	2	3

Table: employees

Columns:

- Employee_id int AI PK
- Employee_name varchar(50)
- Gender enum('M','F')
- Age int
- Hire_date date
- Designation varchar(100)
- Salary decimal(10,0)
- Department_id int
- Location_id int

Output

#	Time	Action	Message	Duration / Fetch
39	23:48:47	select * from departments order by Department_id LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
40	23:50:07	select * from Location order by Location_id LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
41	23:57:54	insert into Employees(Employee_name,Gender,Age,Hire_date,Designation,Salary,Department_id,Location_id)	Error Code: 1136. Column count doesn't match value count at row 2	0.000 sec
42	23:58:32	select * from employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
43	23:58:56	insert into Employees(Employee_name,Gender,Age,Hire_date,Designation,Salary,Department_id,Location_id)	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
44	23:59:09	select * from employees LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Employee table with constraints