

Cucumber Report

Jul 28, 2022, 12:25:16 PM

Start : Jul 28, 12:24:51.666 PM

End : Jul 28, 12:25:15.246 PM

Duration : 23.580 s

Features







PASSED - 1
FAILED - 8
SKIPPED - 0

Scenarios

PASSED - 57
FAILED - 166
SKIPPED - 0

Steps

PASSED - 489
FAILED - 166
SKIPPED - 7



Feature		Scenario					Step			
Name	Duration	T	P	F	S	T	P	F	S	
<u>Checking Basic Authorization</u>	3.039 s	7	7	0	0	21	21	0	0	
<u>Creating User Details</u>	17.102 s	76	0	76	0	221	138	76	7	
<u>Delete Record in Morbidity API</u>	1.071 s	6	0	6	0	18	12	6	0	
<u>Checking Get Https Request in Morbidity</u>	2.218 s	23	13	10	0	69	59	10	0	
<u>Update Morbidity Details in Morbidity Api</u>	0.993 s	10	4	6	0	30	24	6	0	
<u>Checking Get Https Request in Recipe</u>	2.382 s	30	13	17	0	90	73	17	0	
<u>Delete User record in User Api</u>	0.470 s	5	1	4	0	15	11	4	0	
<u>Checking Get Https request in User API</u>	2.259 s	28	8	20	0	84	64	20	0	
<u>Update User Details in UserAPI</u>	3.410 s	38	11	27	0	114	87	27	0	


Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@Smoketest		1	1	0	0	1	1	0	0
@SanityTest		9	6	3	0	7	1	6	0
@InNoAuth		1	1	0	0	1	1	0	0
@Authorization		7	7	0	0	1	1	0	0
@SmokeTest		77	11	66	0	9	1	8	0
@BatchMorbidityPostRequest		2	0	2	0	1	0	1	0
@RegressionTest		187	40	147	0	8	0	8	0
@Morbidity		13	0	13	0	1	0	1	0
@POstMorbitySinglePayload		2	0	2	0	1	0	1	0
@GetMorbidityAPI		36	13	23	0	2	0	2	0
@PostMorbidityInvalidPayload		11	0	11	0	1	0	1	0
@UserPost		61	0	61	0	1	0	1	0
@UserGet		89	8	81	0	2	0	2	0
@UserPostAPIwithInvalidFirstName		6	0	6	0	1	0	1	0
@UserPostAPIwithInvalidLastName		6	0	6	0	1	0	1	0
@UserPostAPIwithInvalidCity		6	0	6	0	1	0	1	0
@UserPostAPIwithInvalidState		4	0	4	0	1	0	1	0

Tag	Scenario				Feature				
	Name	T	P	F	S	T	P	F	S
@UserPostAPIwithInvalidCountry		11	0	11	0	1	0	1	0
@UserPostAPIwithInvalidContact		4	0	4	0	1	0	1	0
@UserPostAPIwithInvalidEmail		4	0	4	0	1	0	1	0
@UserPostAPIwithInvalidAllergy		3	0	3	0	1	0	1	0
@UserPostAPIwithInvalidUserType		6	0	6	0	1	0	1	0
@UserPostAPIInvalidDieticianId		7	0	7	0	1	0	1	0
@Regressiontest		10	1	9	0	2	0	2	0
@UserPostAPIInvalidSameEmailId		1	0	1	0	1	0	1	0
@UserPostAPIWithInvalidSameContact		1	0	1	0	1	0	1	0
@MorbidityDelete		6	0	6	0	1	0	1	0
@MorbidityDeleteUser		2	0	2	0	1	0	1	0
@MorbidityDELETEwithoutMorbidityName		1	0	1	0	1	0	1	0
@MorbidityDELETEwithoutMorbidityTEST_ID		2	0	2	0	1	0	1	0
@MorbidityDeletewithNon-existingMorbidityName		1	0	1	0	1	0	1	0
@GetAllMorbidity		1	1	0	0	1	0	1	0
@MorbidityName		1	1	0	0	1	0	1	0
@MorbidityNameWithWrondEndpoint		1	1	0	0	1	0	1	0


Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
	@MorbidityNamewithInvalidDetails	6	1	5	0	1	0	1	0
	@MorbidityNamewithDifferentMethods	3	3	0	0	1	0	1	0
	@GetMorbidityTestId	1	1	0	0	1	0	1	0
	@GetMorbidityByTestIdWithwrongEndpoint	1	1	0	0	1	0	1	0
	@RegresstionTest	6	1	5	0	1	0	1	0
	@MorbidityBytestIdwithInvaliddetails	6	1	5	0	1	0	1	0
	@MorbidityByldwithdifferentRequest	3	3	0	0	1	0	1	0
	@PuTMorbidity	10	4	6	0	1	0	1	0
	@AllRecipes	1	1	0	0	1	0	1	0
	@GetRecipeAPI	30	13	17	0	1	0	1	0
	@INVALIDENDPOINT	1	1	0	0	1	0	1	0
	@GetRecipeByFoodCategory	2	2	0	0	1	0	1	0
	@GetRecipeByFoodCategoryINVALID	3	0	3	0	1	0	1	0
	@GetRecipeByIngredient	5	3	2	0	1	0	1	0
	@GetRecipeByINVALIDIngreident	2	0	2	0	1	0	1	0
	@GetRecipeByNutrient	2	2	0	0	1	0	1	0
	@GetRecipeByNutrientINVALIDNUTRIENTDETAILS	4	0	4	0	1	0	1	0

Tag	Scenario	Feature							
		T	P	F	S	T	P	F	S
Name									
@GetRecipeByRecipeType		4	4	0	0	1	0	1	0
@GetRecipeByRecipeTypeInvalid		8	0	8	0	1	0	1	0
@UserDELETE		5	1	4	0	1	0	1	0
@UserApiDELETE		5	1	4	0	1	0	1	0
@UserApiDELETEWithInvalidEndPoint		1	0	1	0	1	0	1	0
@UserApiDELETEWithInvalidParams		3	0	3	0	1	0	1	0
@GetAllUser		1	1	0	0	1	0	1	0
@GetAllUserENDOINT		1	1	0	0	1	0	1	0
@ GetUserByValidFIRSTNAME		1	1	0	0	1	0	1	0
@ GetUserByInvalidFIRSTNAME		5	0	5	0	1	0	1	0
@ GetUserByVALIDCONTACT		1	1	0	0	1	0	1	0
@ GetUserByINVALIDCONTACT		3	0	3	0	1	0	1	0
@ GetUserByValidEMAIL		1	1	0	0	1	0	1	0
@ GetUserByInvalidEMAIL		2	0	2	0	1	0	1	0
@ GetUserByValidUser		2	2	0	0	1	0	1	0
@ GetUserByInValidUser		6	0	6	0	1	0	1	0
@ GetUserByValidDieticianID		1	1	0	0	1	0	1	0


Tag	Scenario	Feature							
		T	P	F	S	T	P	F	S
Name									
@GetUserByInvalidDieticianID		4	0	4	0	1	0	1	0
@UserPUT		38	11	27	0	1	0	1	0
@UserPUTApi		38	11	27	0	1	0	1	0
@UserPutApiWithInvlidEndPoint		1	0	1	0	1	0	1	0
@UserPutApiWithInvlidFirstname		4	1	3	0	1	0	1	0
@UserPutAPIWithInvalidLastname		4	1	3	0	1	0	1	0
@UserPutAPIWithInvalidContact		4	1	3	0	1	0	1	0
@UserPutAPIWithInvalidCity		3	0	3	0	1	0	1	0
@UserPutAPIWithInvalidState		3	1	2	0	1	0	1	0
@UserPutAPIWithInvalidCountry		3	1	2	0	1	0	1	0
@UserPutAPIWithInvalidEmailID		4	1	3	0	1	0	1	0
@UserPutAPIWithInvalidFoodCategory		4	2	2	0	1	0	1	0
@UserPutAPIWithInvalidAllergy		4	2	2	0	1	0	1	0
@UserPutAPIWithInvalidParams		3	0	3	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Checking Basic Authorization</u>	7	7	0	0	3.039 s
2	<u>Creating User Details</u>	76	0	76	0	17.102 s
3	<u>Delete Record in Morbidity API</u>	6	0	6	0	1.071 s
4	<u>Checking Get Https Request in Morbidity</u>	23	13	10	0	2.218 s
5	<u>Update Morbidity Details in Morbidity Api</u>	10	4	6	0	0.993 s
6	<u>Checking Get Https Request in Recipe</u>	30	13	17	0	2.382 s
7	<u>Delete User record in User Api</u>	5	1	4	0	0.470 s
8	<u>Checking Get Https request in User API</u>	28	8	20	0	2.259 s
9	<u>Update User Details in UserAPI</u>	38	11	27	0	3.410 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking Basic Authorization</u>	<u>Checking API Authorization</u>	3	3	0	0	1.503 s
2	<u>Checking Basic Authorization</u>	<u>Checking API Authorization</u>	3	3	0	0	0.030 s
3	<u>Checking Basic Authorization</u>	<u>Checking API Authorization with Invalid details</u>	3	3	0	0	0.021 s
4	<u>Checking Basic Authorization</u>	<u>Checking API Authorization with Invalid details</u>	3	3	0	0	0.021 s
5	<u>Checking Basic Authorization</u>	<u>Checking API Authorization with basic auth</u>	3	3	0	0	0.929 s
6	<u>Checking Basic Authorization</u>	<u>Checking API Authorization with basic auth</u>	3	3	0	0	0.277 s
7	<u>Checking Basic Authorization</u>	<u>Checking API Authorization with basic auth</u>	3	3	0	0	0.167 s
8	<u>Creating User Details</u>	<u>Check if user able to send Batch of record</u>	3	2	1	0	1.538 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Creating User Details</u>	<u>Check if user able to send Batch of record</u>	3	2	1	0	0.232 s
10	<u>Creating User Details</u>	<u>PostMorbidity with valid details</u>	3	2	1	0	0.252 s
11	<u>Creating User Details</u>	<u>PostMorbidity with valid details</u>	3	2	1	0	0.140 s
12	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.117 s
13	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.114 s
14	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.113 s
15	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.104 s
16	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.111 s
17	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.086 s
18	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.089 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
19	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.096 s
20	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.100 s
21	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.096 s
22	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.094 s
23	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.149 s
24	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.081 s
25	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.081 s
26	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.081 s
27	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.072 s
28	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.069 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
29	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.076 s
30	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.060 s
31	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.061 s
32	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.064 s
33	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.074 s
34	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.079 s
35	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.074 s
36	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.084 s
37	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.068 s
38	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.091 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
39	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.070 s
40	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.056 s
41	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.057 s
42	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.058 s
43	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.049 s
44	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.061 s
45	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.060 s
46	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.046 s
47	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.060 s
48	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.061 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
49	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.056 s
50	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.050 s
51	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.055 s
52	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.070 s
53	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.071 s
54	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.069 s
55	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.075 s
56	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.066 s
57	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.071 s
58	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.074 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
59	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.063 s
60	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.061 s
61	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.060 s
62	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.073 s
63	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.056 s
64	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.054 s
65	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.047 s
66	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.066 s
67	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.066 s
68	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.071 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
69	Creating User Details	check User Post request	3	2	1	0	0.085 s
70	Creating User Details	check User Post request	3	2	1	0	0.067 s
71	Creating User Details	check User Post request	3	2	1	0	0.060 s
72	Creating User Details	check User Post request	3	2	1	0	0.078 s
73	Creating User Details	check User Post request	3	2	1	0	0.071 s
74	Creating User Details	check User Post request	3	2	1	0	0.072 s
75	Creating User Details	check User Post request	2	0	1	1	0.028 s
76	Creating User Details	check User Post request	2	0	1	1	0.040 s
77	Creating User Details	check User Post request	2	0	1	1	0.020 s
78	Creating User Details	check User Post request	2	0	1	1	0.018 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
79	Creating User Details	check User Post request	2	0	1	1	0.039 s
80	Creating User Details	check User Post request	2	0	1	1	0.022 s
81	Creating User Details	check User Post request	2	0	1	1	0.021 s
82	Creating User Details	check User Post request	3	2	1	0	0.067 s
83	Creating User Details	check User Post request	3	2	1	0	0.048 s
84	Delete Record in Morbidity API	Morbidity Delete http request	3	2	1	0	0.335 s
85	Delete Record in Morbidity API	Morbidity Delete http request	3	2	1	0	0.182 s
86	Delete Record in Morbidity API	Morbidity Delete without MorbidityName	3	2	1	0	0.176 s
87	Delete Record in Morbidity API	Morbidity Delete without Test_ID	3	2	1	0	0.118 s
88	Delete Record in Morbidity API	Morbidity Delete with Non-existing Test_ID	3	2	1	0	0.115 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
89	<u>Delete Record in Morbidity API</u>	<u>Morbidity Delete with Non-existing MorbidityName</u>	3	2	1	0	0.104 s
90	<u>Checking Get Https Request in Morbidity</u>	<u>GET HTTP REQUEST</u>	3	3	0	0	0.326 s
91	<u>Checking Get Https Request in Morbidity</u>	<u>Check if we are getting record of a particular MorbidityName</u>	3	3	0	0	0.095 s
92	<u>Checking Get Https Request in Morbidity</u>	<u>Check MorbidityName with Wrong Endpoint</u>	3	3	0	0	0.091 s
93	<u>Checking Get Https Request in Morbidity</u>	<u>Check if we are getting record of a particular MorbidityName with invalid details</u>	3	2	1	0	0.084 s
94	<u>Checking Get Https Request in Morbidity</u>	<u>Check if we are getting record of a particular MorbidityName with invalid details</u>	3	3	0	0	0.081 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
95	<u>Checking Get Https Request in Morbidity</u>	<u>Check if we are getting record of a particular MorbidityName with invalid details</u>	3	2	1	0	0.076 s
96	<u>Checking Get Https Request in Morbidity</u>	<u>Check if we are getting record of a particular MorbidityName with invalid details</u>	3	2	1	0	0.073 s
97	<u>Checking Get Https Request in Morbidity</u>	<u>Check if we are getting record of a particular MorbidityName with invalid details</u>	3	2	1	0	0.083 s
98	<u>Checking Get Https Request in Morbidity</u>	<u>Check if we are getting record of a particular MorbidityName with invalid details</u>	3	2	1	0	0.091 s
99	<u>Checking Get Https Request in Morbidity</u>	<u>Check MorbidityName API With different requests</u>	3	3	0	0	0.066 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-0	Checking Get Https Request in Morbidity	Check MorbidityName API With different requests	3	3	0	0	0.078 s
10-1	Checking Get Https Request in Morbidity	Check MorbidityName API With different requests	3	3	0	0	0.068 s
10-2	Checking Get Https Request in Morbidity	Check MorbidityTestId with valid id and endpoint	3	3	0	0	0.077 s
10-3	Checking Get Https Request in Morbidity	Check MorbidityTestId with valid id and wrong endpoint	3	3	0	0	0.082 s
10-4	Checking Get Https Request in Morbidity	Check MorbidityId with invalid details	3	2	1	0	0.084 s
10-5	Checking Get Https Request in Morbidity	Check MorbidityId with invalid details	3	3	0	0	0.082 s
10-6	Checking Get Https Request in Morbidity	Check MorbidityId with invalid details	3	2	1	0	0.079 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-7	<u>Checking Get Https Request in Morbidity</u>	<u>Check MorbidityId with invalid details</u>	3	2	1	0	0.070 s
10-8	<u>Checking Get Https Request in Morbidity</u>	<u>Check MorbidityId with invalid details</u>	3	2	1	0	0.064 s
10-9	<u>Checking Get Https Request in Morbidity</u>	<u>Check MorbidityId with invalid details</u>	3	2	1	0	0.073 s
11-0	<u>Checking Get Https Request in Morbidity</u>	<u>Check MorbidityId with different endpoints</u>	3	3	0	0	0.092 s
11-1	<u>Checking Get Https Request in Morbidity</u>	<u>Check MorbidityId with different endpoints</u>	3	3	0	0	0.092 s
11-2	<u>Checking Get Https Request in Morbidity</u>	<u>Check MorbidityId with different endpoints</u>	3	3	0	0	0.085 s
11-3	<u>Update Morbidity Details in Morbidity Api</u>	<u>morbidity Api PUT request with morbidity data</u>	3	3	0	0	0.199 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11-4	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with morbidity data</u>	3	3	0	0	0.145 s
11-5	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with invalid morbidity name</u>	3	2	1	0	0.098 s
11-6	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with invalid morbidity name</u>	3	2	1	0	0.090 s
11-7	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with invalid morbidity testid</u>	3	2	1	0	0.073 s
11-8	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with invalid morbidity testid</u>	3	2	1	0	0.080 s
11-9	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with missing morbidity testunit in request body</u>	3	2	1	0	0.059 s
12-0	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with missing morbidity markerref in request body</u>	3	2	1	0	0.060 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-1	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with missing endpoint params</u>	3	3	0	0	0.062 s
12-2	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with missing endpoint params</u>	3	3	0	0	0.065 s
12-3	<u>Checking Get Https Request in Recipe</u>	<u>Check all the recipes available</u>	3	3	0	0	0.032 s
12-4	<u>Checking Get Https Request in Recipe</u>	<u>Check all the recipes available Invalid Endpoint</u>	3	3	0	0	0.015 s
12-5	<u>Checking Get Https Request in Recipe</u>	<u>Check the recipes FoodCategory Endpoint</u>	3	3	0	0	0.105 s
12-6	<u>Checking Get Https Request in Recipe</u>	<u>Check the recipes FoodCategory Endpoint</u>	3	3	0	0	0.102 s
12-7	<u>Checking Get Https Request in Recipe</u>	<u>Check the recipes FoodCategory Endpoint with Invalid</u>	3	2	1	0	0.108 s
12-8	<u>Checking Get Https Request in Recipe</u>	<u>Check the recipes FoodCategory Endpoint with Invalid</u>	3	2	1	0	0.113 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-9	Checking Get Https Request in Recipe	Check the recipes FoodCategory Endpoint with Invalid	3	2	1	0	0.082 s
13-0	Checking Get Https Request in Recipe	Check the recipes FoodIngredient Endpoint	3	3	0	0	0.077 s
13-1	Checking Get Https Request in Recipe	Check the recipes FoodIngredient Endpoint	3	3	0	0	0.075 s
13-2	Checking Get Https Request in Recipe	Check the recipes FoodIngredient Endpoint	3	3	0	0	0.073 s
13-3	Checking Get Https Request in Recipe	Check the recipes FoodIngredient Endpoint	3	2	1	0	0.072 s
13-4	Checking Get Https Request in Recipe	Check the recipes FoodIngredient Endpoint	3	2	1	0	0.081 s
13-5	Checking Get Https Request in Recipe	To get all the Recipe Nutrient record with valid data	3	3	0	0	0.087 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
13-6	Checking Get Https Request in Recipe	To get all the Recipe Nutrient record with valid data	3	3	0	0	0.072 s
13-7	Checking Get Https Request in Recipe	To get all the Recipe Nutrient record with Invalid data	3	2	1	0	0.076 s
13-8	Checking Get Https Request in Recipe	To get all the Recipe Nutrient record with Invalid data	3	2	1	0	0.073 s
13-9	Checking Get Https Request in Recipe	To get all the Recipe Nutrient record with Invalid data	3	2	1	0	0.075 s
14-0	Checking Get Https Request in Recipe	To get all the Recipe Nutrient record with Invalid data	3	2	1	0	0.060 s
14-1	Checking Get Https Request in Recipe	To get all the Recipe Type with Valid Records	3	3	0	0	0.066 s
14-2	Checking Get Https Request in Recipe	To get all the Recipe Type with Valid Records	3	3	0	0	0.061 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
14-3	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with Valid Records</u>	3	3	0	0	0.077 s
14-4	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with Valid Records</u>	3	3	0	0	0.076 s
14-5	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with InValid Records</u>	3	2	1	0	0.072 s
14-6	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with InValid Records</u>	3	2	1	0	0.061 s
14-7	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with InValid Records</u>	3	2	1	0	0.065 s
14-8	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with InValid Records</u>	3	2	1	0	0.071 s
14-9	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with InValid Records</u>	3	2	1	0	0.067 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15-0	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with InValid Records</u>	3	2	1	0	0.062 s
15-1	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with InValid Records</u>	3	2	1	0	0.068 s
15-2	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with InValid Records</u>	3	2	1	0	0.068 s
15-3	<u>Delete User record in User Api</u>	<u>check if user able to delete User record in UserAPI</u>	3	3	0	0	0.088 s
15-4	<u>Delete User record in User Api</u>	<u>check if user able to delete User record in UserAPI</u>	3	2	1	0	0.086 s
15-5	<u>Delete User record in User Api</u>	<u>check if user able to delete User record in UserAPI</u>	3	2	1	0	0.097 s
15-6	<u>Delete User record in User Api</u>	<u>check if user able to delete User record in UserAPI</u>	3	2	1	0	0.095 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15-7	<u>Delete User record in User Api</u>	<u>check if user able to delete User record in UserAPI</u>	3	2	1	0	0.073 s
15-8	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with valid</u>	3	3	0	0	0.037 s
15-9	<u>Checking Get Https request in User API</u>	<u>To get all the Users available</u>	3	3	0	0	0.015 s
16-0	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with valid FirstName</u>	3	3	0	0	0.071 s
16-1	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid FirstName</u>	3	2	1	0	0.051 s
16-2	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid FirstName</u>	3	2	1	0	0.066 s
16-3	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid FirstName</u>	3	2	1	0	0.080 s
16-4	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid FirstName</u>	3	2	1	0	0.086 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
16-5	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid FirstName</u>	3	2	1	0	0.076 s
16-6	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with valid contact info</u>	3	3	0	0	0.069 s
16-7	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid contact info</u>	3	2	1	0	0.067 s
16-8	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid contact info</u>	3	2	1	0	0.061 s
16-9	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid contact info</u>	3	2	1	0	0.065 s
17-0	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with valid Email</u>	3	3	0	0	0.065 s
17-1	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid Email</u>	3	2	1	0	0.090 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
17-2	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid Email</u>	3	2	1	0	0.083 s
17-3	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with valid User Type</u>	3	3	0	0	0.090 s
17-4	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with valid User Type</u>	3	3	0	0	0.084 s
17-5	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid User Type</u>	3	2	1	0	0.092 s
17-6	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid User Type</u>	3	2	1	0	0.083 s
17-7	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid User Type</u>	3	2	1	0	0.089 s
17-8	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid User Type</u>	3	2	1	0	0.103 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17-9	Checking Get Https request in User API	To get all the Users available with invalid User Type	3	2	1	0	0.089 s
18-0	Checking Get Https request in User API	To get all the Users available with invalid User Type	3	2	1	0	0.092 s
18-1	Checking Get Https request in User API	To get all the Users available with valid Dietician Id	3	3	0	0	0.108 s
18-2	Checking Get Https request in User API	To get all the Users available with invalid Dietician Id	3	2	1	0	0.084 s
18-3	Checking Get Https request in User API	To get all the Users available with invalid Dietician Id	3	2	1	0	0.072 s
18-4	Checking Get Https request in User API	To get all the Users available with invalid Dietician Id	3	2	1	0	0.053 s
18-5	Checking Get Https request in User API	To get all the Users available with invalid Dietician Id	3	2	1	0	0.068 s
18-6	Update User Details in UserAPI	check User Put request	3	3	0	0	0.100 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18-7	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.070 s
18-8	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.071 s
18-9	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.090 s
19-0	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.082 s
19-1	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.066 s
19-2	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.069 s
19-3	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.071 s
19-4	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.086 s
19-5	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.099 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
19-6	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.097 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
19-7	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.105 s
19-8	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.054 s
19-9	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.077 s
20-0	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.107 s
20-1	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.088 s
20-2	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.086 s
20-3	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.063 s
20-4	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.066 s
20-5	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.083 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
20-6	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.076 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
20-7	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.055 s
20-8	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.105 s
20-9	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.096 s
21-0	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.120 s
21-1	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.086 s
21-2	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.089 s
21-3	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.081 s
21-4	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.087 s
21-5	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.086 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
21-6	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.080 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
21-7	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.075 s
21-8	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.086 s
21-9	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.113 s
22-0	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.115 s
22-1	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.089 s
22-2	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.076 s
22-3	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.099 s

Checking Basic Authorization

PASSED	DURATION - 3.039 s	Scenarios Total - 7 Pass - 7 Fail - 0 Skip - 0		Steps Total - 21 Pass - 21 Fail - 0 Skip - 0	
/ 12:24:51.666 PM // 12:24:54.705 PM /					

Checking API Authorization

PASSED	DURATION - 1.503 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:24:51.670 PM // 12:24:53.173 PM /					
Checking Basic Authorization					
@Smoketest @SanityTest @InNoAuth @Authorization					



#	Step / Hook Details	Status	Duration
1	Given User create a http request	PASSED	0.576 s
2	When User calls "GetMorbidity" request in no auth	PASSED	0.906 s
3	Then user should receive error code	PASSED	0.004 s

Checking API Authorization

PASSED	DURATION - 0.030 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:24:53.186 PM // 12:24:53.216 PM /					
Checking Basic Authorization					
@SmokeTest @Authorization					



#	Step / Hook Details	Status	Duration
1	Given User create a http request with basic auth	PASSED	0.008 s
2	When User calls "GetMorbidity" http request with basic auth	PASSED	0.021 s
3	Then user should receive success code	PASSED	0.001 s

Checking API Authorization with Invalid details

PASSED	DURATION - 0.021 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:24:53.226 PM // 12:24:53.247 PM /				
<i>Checking Basic Authorization</i>				
<i>@SmokeTest @Authorization</i>				


#	Step / Hook Details	Status	Duration
1	Given User create a http request with invalid details	PASSED	0.002 s
2	When User call "GetRecipe" http request with invalid username	PASSED	0.016 s
3	Then user should receive unauthorized message	PASSED	0.001 s

Checking API Authorization with Invalid details

PASSED	DURATION - 0.021 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:24:53.257 PM // 12:24:53.278 PM /				
<i>Checking Basic Authorization</i>				
<i>@SmokeTest @Authorization</i>				


#	Step / Hook Details	Status	Duration
1	Given User create a http request with invalid details	PASSED	0.001 s
2	When User call "GetRecipe" http request with invalid Password	PASSED	0.017 s
3	Then user should receive unauthorized message	PASSED	0.001 s

Checking API Authorization with basic auth




#	Step / Hook Details	Status	Duration
1	Given User create a http request with basic auth	PASSED	0.001 s
2	When User calls http request with different methods "Authorization" 0	PASSED	0.924 s
3	Then user should receive unauthorized message	PASSED	0.002 s

Checking API Authorization with basic auth



#	Step / Hook Details	Status	Duration
1	Given User create a http request with basic auth	PASSED	0.003 s
2	When User calls http request with different methods "Authorization" 1	PASSED	0.266 s
3	Then user should receive unauthorized message	PASSED	0.004 s

Checking API Authorization with basic auth




#	Step / Hook Details	Status	Duration
1	Given User create a http request with basic auth	PASSED	0.004 s
2	When User calls http request with different methods "Authorization" 2	PASSED	0.158 s
3	Then user should receive unauthorized message	PASSED	0.002 s

Creating User Details




Check if user able to send Batch of record



#	Step / Hook Details	Status	Duration
1	Given User creates POSTMethod EndPoint from sheet "BatchPostMorbidity1"	PASSED	0.540 s
2	When User calls "PostMorbidity" request with "PostbatchRequest"	PASSED	0.137 s


#	Step / Hook Details	Status	Duration
3	<p>Then User receive http statusCode and response body</p> <pre>java.lang.AssertionError: expected:<200> but was:<500> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.MorbidityBatch_Post.user_receive_http_status_code_and_response_body(MorbidityBatch_Post.java:52) at ?.User receive http statusCode and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/MorbidityBatch_Post.feature:12) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.859 s

Check if user able to send Batch of record




#	Step / Hook Details	Status	Duration
1	Given User creates POSTMethod EndPoint from sheet "BatchPostMorbidity"	PASSED	0.175 s
2	When User calls "PostMorbidity" request with "PostbatchRequest"	PASSED	0.031 s
3	<p>Then User receive http statusCode and response body</p> <pre>java.lang.AssertionError: expected:<200> but was:<500> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.MorbidityBatch_Post.user_receive_http_status_code_and_response_body(MorbidityBatch_Post.java:52) at ?.User receive http statusCode and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/MorbidityBatch_Post.feature:22) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.025 s

PostMorbidity with valid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 0	PASSED	0.161 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.021 s
3	Then User receive HTTP "PostMorbidity" response body and verify test_Id created using "GetMorbidity" in "Get" request <code>java.lang.AssertionError: expected:<PRE_BL> but was:<null></code> <code>at org.junit.Assert.fail(Assert.java:89)</code> <code>at org.junit.Assert.failNotEquals(Assert.java:835)</code> <code>at org.junit.Assert.assertEquals(Assert.java:120)</code> <code>at org.junit.Assert.assertEquals(Assert.java:146)</code> <code>at stepDefinitions.Mordibity_Post.user_receive_http_response_body_and_verify_test_id_created_using_in_request(Mordibity_Post.java:65)</code> <code>at ?.User receive HTTP "PostMorbidity" response body and verify test_Id created using "GetMorbidity" in "Get" request(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:12)</code> * Not displayable characters are replaced by '?'.	FAILED	0.070 s


PostMorbidity with valid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 1	PASSED	0.069 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.024 s
3	Then User receive HTTP "PostMorbidity" response body and verify test_Id created using "GetMorbidity" in "Get" request	FAILED	0.042 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<PRE_BL> but was:<null> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:120) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body_and_verify_test_id_created_using_in_request(Mordibity_Post.java:65) at ?.User receive HTTP "PostMorbidity" response body and verify test_id created using "GetMorbidity" in "Get" request(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:12) * Not displayable characters are replaced by '?'.</pre>		

PostMorbidity with invalid details




#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 2	PASSED	0.074 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.016 s
3	Then User receive HTTP "PostMorbidity" response body <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:78) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.027 s

PostMorbidity with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 3	PASSED	0.073 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.007 s
3	<p>Then User receive HTTP "PostMorbidity" response body</p> <p>org.junit.ComparisonFailure: expected:<Missing[Items OR Invalid Entry.Check on ['MorbidityName'].]MorbidityMarkerRef...> but was:<Missing[Items OR Invalid Entry.Check on ['MorbidityName',]MorbidityMarkerRef...></p> <p>at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:77) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.033 s


PostMorbidity with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 4	PASSED	0.076 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.010 s
3	Then User receive HTTP "PostMorbidity" response body	FAILED	0.025 s


#	Step / Hook Details	Status	Duration
	<pre>org.junit.ComparisonFailure: expected:<Missing Items O[r] Invalid Entry.Check...> but was:<Missing Items O[R] Invalid Entry.Check...> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:77) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.</pre>		

PostMorbidity with invalid details

FAILED <i>DURATION - 0.104 s</i> <i>/ 12:25:00.656 PM // 12:25:00.760 PM /</i> <i>Creating User Details</i> <i>@Morbidity @PostMorbidityInvalidPayload</i> <i>@GetMorbidityAPI @RegressionTest</i>		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
--	--	---	---


#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 5	PASSED	0.069 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "PostMorbidity" response body <pre>org.junit.ComparisonFailure: expected:<[Missing Items Or Invalid Entry.check on ['MorbidityTestUnit']]> but was:<[error occurred]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:77) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.020 s

PostMorbidity with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 6	PASSED	0.074 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.015 s
3	<p>Then User receive HTTP "PostMorbidity" response body</p> <pre>org.junit.ComparisonFailure: expected:<[Invalid Entry]> but was:<[error occurred]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:77) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.022 s

PostMorbidity with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 7	PASSED	0.058 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.013 s
3	<p>Then User receive HTTP "PostMorbidity" response body</p> <pre>org.junit.ComparisonFailure: expected:<[Invalid Entry]> but was:<[error occurred]></pre>	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	<pre>at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:77) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.</pre>		


PostMorbidity with invalid details

FAILED	DURATION - 0.089 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:00.973 PM // 12:25:01.062 PM /	Creating User Details			

@Morbidity @PostMorbidityInvalidPayload
 @GetMorbidityAPI @RegressionTest


#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 8	PASSED	0.061 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "PostMorbidity" response body <code>org.junit.ComparisonFailure: expected:<[Invalid Entry]> but was:<[error occurred]></code> <code>at org.junit.Assert.assertEquals(Assert.java:117)</code> <code>at org.junit.Assert.assertEquals(Assert.java:146)</code> <code>at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:77)</code> <code>at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25)</code> <code>* Not displayable characters are replaced by '?'.</code>	FAILED	0.014 s

PostMorbidity with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 9	PASSED	0.063 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.017 s
3	Then User receive HTTP "PostMorbidity" response body org.junit.ComparisonFailure: expected:<[Invalid Entry]> but was:<[error occurred]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:77) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.	FAILED	0.016 s


PostMorbidity with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 10	PASSED	0.071 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.015 s
3	Then User receive HTTP "PostMorbidity" response body org.junit.ComparisonFailure: expected:<[Invalid Entry]> but was:<[error occurred]>	FAILED	0.014 s


#	Step / Hook Details	Status	Duration
	<pre>at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:77) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.</pre>		

PostMorbidity with invalid details




#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 11	PASSED	0.060 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.018 s
3	Then User receive HTTP "PostMorbidity" response body <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:78) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.017 s

PostMorbidity with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 12	PASSED	0.059 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "PostMorbidity" response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:78) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.	FAILED	0.020 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 0	PASSED	0.103 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.018 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.027 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties ("UserId") level: "error" schema: {"loadingURI":"file:/C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/target/test-classes/JsonSchema/UserPostResSchema.json#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "required" required: ["Message","UserId"] missing: ["UserId"] Actual: {"Message": "User detail already exists. Check on [Firstname, Contact , Email]"}</pre> <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:58) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:508) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:690) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:103) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:48) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:13) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 0	PASSED	0.061 s
2	When User calls "UserApiWrong" Https Request with "POST"	PASSED	0.013 s
3	<p>Then User receive HTTP "Status code" and response body</p> <pre>io.restassured.module.jsv.JsonSchemaValidationException: com.fasterxml.jackson.core.JsonParseException: Unexpected character ('<' (code 60)): expected a valid value (JSON String, Number, Array, Object or token 'null', 'true' or 'false') at [Source: (StringReader); line: 1, column: 2] at io.restassured.module.jsv.JsonSchemaValidator.matchesSafely(JsonSchemaValidator.java:233) at io.restassured.module.jsv.JsonSchemaValidator.matchesSafely(JsonSchemaValidator.java:75) at org.hamcrest.TypeSafeMatcher.matches(TypeSafeMatcher.java:65) at io.restassured.internal.assertion.BodyMatcher.validate(BodyMatcher.java:82) at io.restassured.internal.assertion.BodyMatcherGroup.lambda\$validate\$0(BodyMatcherGroup.java:30) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.ArrayList\$ArrayListSpliterator.forEachRemaining(ArrayList.java:1655) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578) at io.restassured.internal.assertion.BodyMatcherGroup.validate(BodyMatcherGroup.java:30) at io.restassured.internal.assertion.BodyMatcherGroup\$validate\$4.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:495) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:690) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)</pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:103) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:48) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:25) Caused by: com.fasterxml.jackson.core.JsonParseException: Unexpected character ('<' (code 60)): expected a valid value (JSON String, Number, Array, Object or token 'null', 'true' or 'false') at [Source: (StringReader); line: 1, column: 2] at com.fasterxml.jackson.core.JsonParser._constructError(JsonParser.java:2391) at com.fasterxml.jackson.core.base.ParserMinimalBase._reportError(ParserMinimalBase.java:735) at com.fasterxml.jackson.core.base.ParserMinimalBase._reportUnexpectedChar(ParserMinimalBase.java:659) at com.fasterxml.jackson.core.json.ReaderBasedJsonParser._handleOddValue(ReaderBasedJsonParser.java:2005) at com.fasterxml.jackson.core.json.ReaderBasedJsonParser.nextToken(ReaderBasedJsonParser.java:802) at com.fasterxml.jackson.databind.MappingIterator.hasNextValue(MappingIterator.java:246) at com.github.fge.jackson.JsonNodeReader.readNode(JsonNodeReader.java:149) at com.github.fge.jackson.JsonNodeReader.fromReader(JsonNodeReader.java:129) at com.github.fge.jackson.JsonLoader.fromReader(JsonLoader.java:186) at com.github.fge.jackson.JsonLoader.fromString(JsonLoader.java:199) at io.restassured.module.jsv.JsonSchemaValidator.matchesSafely(JsonSchemaValidator.java:214) at io.restassured.module.jsv.JsonSchemaValidator.matchesSafely(JsonSchemaValidator.java:75) at org.hamcrest.TypeSafeMatcher.matches(TypeSafeMatcher.java:65) at io.restassured.internal.assertion.BodyMatcher.validate(BodyMatcher.java:82) at io.restassured.internal.assertion.BodyMatcherGroup.lambda\$validate\$0(BodyMatcherGroup.java:30) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.ArrayList\$ArrayListSpliterator.forEachRemaining(ArrayList.java:1655) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578) at io.restassured.internal.assertion.BodyMatcherGroup.validate(BodyMatcherGroup.java:30) at io.restassured.internal.assertion.BodyMatcherGroup\$validate\$4.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:495) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:690) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. </pre>		

#	Step / Hook Details	Status	Duration
	<pre> java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:103) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:48) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:89) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:41) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:542) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:770) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:464) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'.</p>		


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 1	PASSED	0.063 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.017 s
3	<p>Then User receive HTTP "Status code" and response body</p> <pre> java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) </pre>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<p>at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:37)</p> <p>* Not displayable characters are replaced by '?'.</p>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 2	PASSED	0.065 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.010 s
3	<p>Then User receive HTTP "Status code" and response body</p> <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:37) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.003 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 3	PASSED	0.053 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.017 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> <i> at org.junit.Assert.fail(Assert.java:89)</i> <i> at org.junit.Assert.failNotEquals(Assert.java:835)</i> <i> at org.junit.Assert.assertEquals(Assert.java:647)</i> <i> at org.junit.Assert.assertEquals(Assert.java:633)</i> <i> at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52)</i> <i> at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:37)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 4	PASSED	0.052 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:37) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 5	PASSED	0.060 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:37) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 6	PASSED	0.042 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.017 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> <i> at org.junit.Assert.fail(Assert.java:89)</i> <i> at org.junit.Assert.failNotEquals(Assert.java:835)</i> <i> at org.junit.Assert.assertEquals(Assert.java:647)</i> <i> at org.junit.Assert.assertEquals(Assert.java:633)</i> <i> at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52)</i> <i> at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:37)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 7	PASSED	0.045 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.013 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:54) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 8	PASSED	0.047 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.015 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:54) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 9	PASSED	0.057 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.017 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:54) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 10	PASSED	0.063 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:54) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 11	PASSED	0.063 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.008 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:54) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 12	PASSED	0.067 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.016 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> <i>at org.junit.Assert.fail(Assert.java:89)</i> <i>at org.junit.Assert.failNotEquals(Assert.java:835)</i> <i>at org.junit.Assert.assertEquals(Assert.java:647)</i> <i>at org.junit.Assert.assertEquals(Assert.java:633)</i> <i>at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52)</i> <i>at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:54)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 12	PASSED	0.052 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.015 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:71) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 13	PASSED	0.075 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:71) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 14	PASSED	0.054 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:71) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 15	PASSED	0.044 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.010 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:71) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 16	PASSED	0.041 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.015 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:71) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 17	PASSED	0.046 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.011 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:71) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 18	PASSED	0.039 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.009 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:88) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 19	PASSED	0.047 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.013 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:88) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 19	PASSED	0.047 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.010 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:88) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 20	PASSED	0.036 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.010 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:88) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 21	PASSED	0.047 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.012 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:103) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 22	PASSED	0.047 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.013 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> <i> at org.junit.Assert.fail(Assert.java:89)</i> <i> at org.junit.Assert.failNotEquals(Assert.java:835)</i> <i> at org.junit.Assert.assertEquals(Assert.java:647)</i> <i> at org.junit.Assert.assertEquals(Assert.java:633)</i> <i> at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52)</i> <i> at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:103)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 23	PASSED	0.044 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.011 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:103) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 24	PASSED	0.039 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.010 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:103) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 25	PASSED	0.041 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.012 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:118) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 26	PASSED	0.058 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.011 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:118) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 27	PASSED	0.053 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.015 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:118) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 28	PASSED	0.058 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.009 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> <i>at org.junit.Assert.fail(Assert.java:89)</i> <i>at org.junit.Assert.failNotEquals(Assert.java:835)</i> <i>at org.junit.Assert.assertEquals(Assert.java:647)</i> <i>at org.junit.Assert.assertEquals(Assert.java:633)</i> <i>at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52)</i> <i>at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:118)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 29	PASSED	0.058 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.016 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:133) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 30	PASSED	0.054 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.011 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:133) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 31	PASSED	0.060 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.008 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> <i>at org.junit.Assert.fail(Assert.java:89)</i> <i>at org.junit.Assert.failNotEquals(Assert.java:835)</i> <i>at org.junit.Assert.assertEquals(Assert.java:647)</i> <i>at org.junit.Assert.assertEquals(Assert.java:633)</i> <i>at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52)</i> <i>at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:133)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.002 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 32	PASSED	0.061 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.012 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:133) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 33	PASSED	0.049 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.013 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:148) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 34	PASSED	0.048 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.012 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:148) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 35	PASSED	0.046 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.012 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:148) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 36	PASSED	0.057 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.015 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:148) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 37	PASSED	0.041 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:148) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 38	PASSED	0.041 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.011 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:148) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 39	PASSED	0.041 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.006 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:148) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 40	PASSED	0.061 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.004 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:166) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 41	PASSED	0.049 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.017 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:166) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 42	PASSED	0.060 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.009 s
3	<p>Then User receive HTTP "Status code" and response body</p> <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:166) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 43	PASSED	0.066 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.017 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> <i>at org.junit.Assert.fail(Assert.java:89)</i> <i>at org.junit.Assert.failNotEquals(Assert.java:835)</i> <i>at org.junit.Assert.assertEquals(Assert.java:647)</i> <i>at org.junit.Assert.assertEquals(Assert.java:633)</i> <i>at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52)</i> <i>at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:180)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.002 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 44	PASSED	0.055 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.012 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:180) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 45	PASSED	0.051 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.008 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:180) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 46	PASSED	0.059 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.017 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> <i>at org.junit.Assert.fail(Assert.java:89)</i> <i>at org.junit.Assert.failNotEquals(Assert.java:835)</i> <i>at org.junit.Assert.assertEquals(Assert.java:647)</i> <i>at org.junit.Assert.assertEquals(Assert.java:633)</i> <i>at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52)</i> <i>at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:180)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 47	PASSED	0.057 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.013 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:180) * Not displayable characters are replaced by '?'.</pre>		

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 48	PASSED	0.057 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.013 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:180) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	When User calls "UserApi" Https Request with "POST" <pre>java.lang.AssertionError: 1 expectation failed. JSON path message doesn't match. Expected: User detail already Exists. \nCheck on [Firstname, Contact , Email] Actual: null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:508) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1687) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor133.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1692) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)</pre>	FAILED	0.028 s

#	Step / Hook Details	Status	Duration
	<pre> at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at stepDefinitions.User_PostStepDef.user_calls_http_request_with(User_PostStepDef.java:40) at ?.User calls "UserApi" Https Request with "POST"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:197) * Not displayable characters are replaced by '?'. </pre>		
2	Then User receive HTTP "Status code" and response body	SKIPPED	0.000 s

check User Post request




#	Step / Hook Details	Status	Duration
1	<p>When User calls "UserApi" Https Request with "POST"</p> <pre> java.lang.AssertionError: 1 expectation failed. JSON path message doesn't match. Expected: User detail already Exists. \nCheck on [Firstname, Contact , Email] Actual: null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) </pre>	FAILED	0.040 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:508) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1687) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor133.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1692) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at stepDefinitions.User_PostStepDef.user_calls_http_request_with(User_PostStepDef.java:40) at ?.User calls "UserApi" Https Request with "POST"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/ </pre>		

#	Step / Hook Details	Status	Duration
	features/User_Post.feature:197) * Not displayable characters are replaced by '?'.		
2	Then User receive HTTP "Status code" and response body	SKIPPED	0.000 s


check User Post request



#	Step / Hook Details	Status	Duration
1	<p>When User calls "UserApi" Https Request with "POST"</p> <pre>java.lang.AssertionError: 1 expectation failed. JSON path message doesn't match. Expected: User detail already Exists. \nCheck on [Firstname, Contact , Email] Actual: null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:508) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1687) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor133.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009)</pre>	FAILED	0.020 s

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1692) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at stepDefinitions.User_PostStepDef.user_calls_http_request_with(User_PostStepDef.java:40) at ?.User calls "UserApi" Https Request with "POST"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:197) * Not displayable characters are replaced by '?'. </pre>		
2	Then User receive HTTP "Status code" and response body	SKIPPED	0.000 s


check User Post request



#	Step / Hook Details	Status	Duration
1	<p>When User calls "UserApi" Https Request with "POST"</p> <pre>java.lang.AssertionError: 1 expectation failed. JSON path message doesn't match. Expected: User detail already Exists. \nCheck on [Firstname, Contact , Email] Actual: null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:508) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1687) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor133.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1692) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)</pre>	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at stepDefinitions.User_PostStepDef.user_calls_http_request_with(User_PostStepDef.java:40) at ?.User calls "UserApi" Https Request with "POST"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:197) * Not displayable characters are replaced by '?'.		
2	Then User receive HTTP "Status code" and response body	SKIPPED	0.000 s


check User Post request



#	Step / Hook Details	Status	Duration
1	When User calls "UserApi" Https Request with "POST" java.lang.AssertionError: 1 expectation failed. JSON path message doesn't match. Expected: User detail already Exists. \nCheck on [Firstname, Contact , Email] Actual: null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:508) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1687) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor133.invoke(Unknown Source)	FAILED	0.038 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1692) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at stepDefinitions.User_PostStepDef.user_calls_http_request_with(User_PostStepDef.java:40) at ?.User calls "UserApi" Https Request with "POST"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:197) * Not displayable characters are replaced by '?'.		
2	Then User receive HTTP "Status code" and response body	SKIPPED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	When User calls "UserApi" Https Request with "POST" <pre>java.lang.AssertionError: 1 expectation failed. JSON path message doesn't match. Expected: User detail already Exists. \nCheck on [Firstname, Contact , Email] Actual: null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:508) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1687) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor133.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1692) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)</pre>	FAILED	0.021 s

#	Step / Hook Details	Status	Duration
	<pre> at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at stepDefinitions.User_PostStepDef.user_calls_http_request_with(User_PostStepDef.java:40) at ?.User calls "UserApi" Https Request with "POST"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:197) * Not displayable characters are replaced by '?'. </pre>		
2	Then User receive HTTP "Status code" and response body	SKIPPED	0.001 s

check User Post request




#	Step / Hook Details	Status	Duration
1	<p>When User calls "UserApi" Https Request with "POST"</p> <pre> java.lang.AssertionError: 1 expectation failed. JSON path message doesn't match. Expected: User detail already Exists. \nCheck on [Firstname, Contact , Email] Actual: null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) </pre>	FAILED	0.020 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:508) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1687) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor133.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1692) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at stepDefinitions.User_PostStepDef.user_calls_http_request_with(User_PostStepDef.java:40) at ?.User calls "UserApi" Https Request with "POST"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/ </pre>		


#	Step / Hook Details	Status	Duration
	features/User_Post.feature:197) * Not displayable characters are replaced by '?'.		
2	Then User receive HTTP "Status code" and response body	SKIPPED	0.000 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 56	PASSED	0.053 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.013 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:216) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 57	PASSED	0.036 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.010 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:228) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

Delete Record in Morbidity API




Morbidity Delete http request



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method	PASSED	0.003 s
2	When User calls "DeleteMorbidity" "DeleteMorbiditybyTestId" with "Delete" http request from "DELETEMorbidity" 0	PASSED	0.163 s
3	Then User receive HTTP Status code and Verify by calling "GetMorbidity" with "Get" java.lang.AssertionError: expected:<200> but was:<404> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Delete.user_receive_http_status_code_and_verify_by_calling_with(Morbidity_Delete.java:55) at ?.User receive HTTP Status code and Verify by calling "GetMorbidity" with "Get"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Delete.feature:12) * Not displayable characters are replaced by '?'.	FAILED	0.168 s


Morbidity Delete http request



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method	PASSED	0.002 s
2	When User calls "DeleteMorbidity" "DeleteMorbiditybyTestId" with "Delete" http request from "DELETEMorbidity" 1	PASSED	0.155 s
3	Then User receive HTTP Status code and Verify by calling "GetMorbidity" with "Get"	FAILED	0.023 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<404> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Delete.user_receive_http_status_code_and_verify_by_calling_with(Morbidity_Delete.java:55) at ?.User receive HTTP Status code and Verify by calling "GetMorbidity" with "Get"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Delete.feature:12) * Not displayable characters are replaced by '?'.</pre>		

Morbidity Delete without MorbidityName




#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method	PASSED	0.004 s
2	When User calls "DeleteMorbidity" "DeleteMorbiditybyTestId" with "Delete" http request from "DELETEMorbidity" 4	PASSED	0.131 s
3	<p>Then User receive HTTP Status code and Verify by calling "GetMorbidity" with "Get"</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Delete.user_receive_http_status_code_and_verify_by_calling_with(Morbidity_Delete.java:55) at ?.User receive HTTP Status code and Verify by calling "GetMorbidity" with "Get"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Delete.feature:26) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.039 s

Morbidity Delete without Test_ID



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method	PASSED	0.002 s
2	When User calls "DeleteMorbidity" "DeleteMorbiditybyTestId" with "Delete" http request from "DELETEMorbidity" 2	PASSED	0.114 s
3	Then User receive HTTP "Status code" and JsonResponse body <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Delete.user_receive_http_and_json_response_body(Morbidity_Delete.java:64) at ?.User receive HTTP "Status code" and JsonResponse body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Delete.feature:38) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s


Morbidity Delete with Non-existing Test_ID



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method	PASSED	0.002 s
2	When User calls "DeleteMorbidity" "DeleteMorbiditybyTestId" with "Delete" http request from "DELETEMorbidity" 5	PASSED	0.110 s
3	Then User receive HTTP "Status code" and JsonResponse body	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Delete.user_receive_http_and_json_response_body(Morbidity_Delete.java:64) at ?.User receive HTTP "Status code" and JsonResponse body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Delete.feature:49) * Not displayable characters are replaced by '?'.</pre>		

Morbidity Delete with Non-existing MorbidityName




#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method	PASSED	0.003 s
2	When User calls "DeleteMorbidity" "DeleteMorbiditybyTestId" with "Delete" http request from "DELETEMorbidity" 6	PASSED	0.099 s
3	Then User receive HTTP "Status code" and JsonResponse body <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Delete.user_receive_http_and_json_response_body(Morbidity_Delete.java:64) at ?.User receive HTTP "Status code" and JsonResponse body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Delete.feature:62) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

Checking Get Https Request in Morbidity




GET HTTP REQUEST



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.003 s
2	When User calls "GetMorbidity" with "GET" Https Request	PASSED	0.031 s
3	Then User receive HTTP Status code	PASSED	0.289 s



Check if we are getting record of a particular MorbidityName



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbidityByName" Https Request with "GETByName" from "GETMorbidity" and 0	PASSED	0.088 s

#	Step / Hook Details	Status	Duration
3	Then User receive HTTP Status code and response body with MorbidityName	PASSED	0.005 s



Check MorbidityName with Wrong Endpoint

PASSED	DURATION - 0.091 s	 / 12:24:58.075 PM // 12:24:58.166 PM /	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
		Checking Get Https Request in Morbidity		

@SmokeTest @MorbidityNameWithWrondEndpoint
@GetMorbidityAPI

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbidityName" Https Request with "GETByName" from "GETMorbidity" and 1	PASSED	0.088 s
3	Then User receive HTTP Status code and response body with MorbidityName	PASSED	0.001 s

Check if we are getting record of a particular MorbidityName with invalid details



FAILED	DURATION - 0.084 s	 / 12:24:58.173 PM // 12:24:58.257 PM /	Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
		Checking Get Https Request in Morbidity		

@MorbidityNamewithInvalidDetails @GetMorbidityAPI
@RegressionTest

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyName" Https Request with "GETByName" from "GETMorbidity" and 1	PASSED	0.080 s
3	Then User receive HTTP Status code and response body with MorbidityName java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647)	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	<pre>at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_name(Morbidity_Get.java:130) at ?.User receive HTTP Status code and response body with MorbidityName(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Get.feature:39) * Not displayable characters are replaced by '?'.</pre>		

Check if we are getting record of a particular MorbidityName with invalid details

PASSED	DURATION - 0.081 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
	/ 12:24:58.262 PM // 12:24:58.343 PM /			
	Checking Get Https Request in Morbidity			
	@MorbidityNamewithInvalidDetails @GetMorbidityAPI @RegressionTest			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyName" Https Request with "GETByName" from "GETMorbidity" and 2	PASSED	0.078 s
3	Then User receive HTTP Status code and response body with MorbidityName	PASSED	0.001 s


Check if we are getting record of a particular MorbidityName with invalid details

FAILED	DURATION - 0.076 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
	/ 12:24:58.348 PM // 12:24:58.424 PM /			
	Checking Get Https Request in Morbidity			
	@MorbidityNamewithInvalidDetails @GetMorbidityAPI @RegressionTest			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyName" Https Request with "GETByName" from "GETMorbidity" and 3	PASSED	0.073 s
3	Then User receive HTTP Status code and response body with MorbidityName	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_name(Morbidity_Get.java:130) at ?.User receive HTTP Status code and response body with MorbidityName(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/ APIDietician/src/test/java/features/Morbidity_Get.feature:39) * Not displayable characters are replaced by '?'.</pre>		

Check if we are getting record of a particular MorbidityName with invalid details




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyName" Https Request with "GETByName" from "GETMorbidity" and 4	PASSED	0.069 s
3	<p>Then User receive HTTP Status code and response body with MorbidityName</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_name(Morbidity_Get.java:130) at ?.User receive HTTP Status code and response body with MorbidityName(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/ APIDietician/src/test/java/features/Morbidity_Get.feature:39) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s

Check if we are getting record of a particular MorbidityName with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.003 s
2	When User calls "GetMorbiditybyName" Https Request with "GETByName" from "GETMorbidity" and 5	PASSED	0.076 s
3	Then User receive HTTP Status code and response body with MorbidityName <i>java.lang.AssertionError: expected:<404> but was:<200></i> <i> at org.junit.Assert.fail(Assert.java:89)</i> <i> at org.junit.Assert.failNotEquals(Assert.java:835)</i> <i> at org.junit.Assert.assertEquals(Assert.java:647)</i> <i> at org.junit.Assert.assertEquals(Assert.java:633)</i> <i> at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_name(Morbidity_Get.java:130)</i> <i> at ?.User receive HTTP Status code and response body with MorbidityName(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Get.feature:39)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.002 s


Check if we are getting record of a particular MorbidityName with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbiditybyName" Https Request with "GETByName" from "GETMorbidity" and 6	PASSED	0.086 s
3	Then User receive HTTP Status code and response body with MorbidityName	FAILED	0.002 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_name(Morbidity_Get.java:130) at ?.User receive HTTP Status code and response body with MorbidityName(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Get.feature:39) * Not displayable characters are replaced by '?'.</pre>		

Check MorbidityName API With different requests




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyName" Https Request from "GETMorbidity" and 7	PASSED	0.064 s
3	Then User receive HTTP Status code and response body with MorbidityName	PASSED	0.001 s

Check MorbidityName API With different requests




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbiditybyName" Https Request from "GETMorbidity" and 8	PASSED	0.075 s
3	Then User receive HTTP Status code and response body with MorbidityName	PASSED	0.000 s

Check MorbidityName API With different requests

PASSED	DURATION - 0.068 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
	/ 12:24:58.845 PM // 12:24:58.913 PM /			
	Checking Get Https Request in Morbidity			
	@GetMorbidityAPI @RegressionTest @MorbidityNamewithDifferentMethods			



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyName" Https Request from "GETMorbidity" and 9	PASSED	0.066 s
3	Then User receive HTTP Status code and response body with MorbidityName	PASSED	0.000 s

Check MorbidityTestId with valid id and endpoint

PASSED	DURATION - 0.077 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
	/ 12:24:58.920 PM // 12:24:58.997 PM /			
	Checking Get Https Request in Morbidity			
	@GetMorbidityTestId @GetMorbidityAPI @RegressionTest			


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyTestid" Https Request with "GETByID" from "GETMorbidity" and 0	PASSED	0.072 s
3	Then User receive HTTP Status code and response body with MorbidityID	PASSED	0.003 s

Check MorbidityTestId with valid id and wrong endpoint

PASSED	DURATION - 0.082 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:24:59.004 PM // 12:24:59.086 PM /				
<i>Checking GetHttpsRequest in Morbidity</i>				
@GetMorbidityAPI @RegressionTest @GetMorbidityByTestIdWithWrongEndpoint				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbidityTestId" Https Request with "GETByID" from "GETMorbidity" and 1	PASSED	0.079 s
3	Then User receive HTTP Status code and response body with MorbidityID	PASSED	0.001 s

Check MorbidityId with invalid details

FAILED	DURATION - 0.084 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:24:59.091 PM // 12:24:59.175 PM /				
<i>Checking GetHttpsRequest in Morbidity</i>				
@RegressionTest @GetMorbidityAPI @MorbidityByTestIdWithInvalidDetails				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyTestId" Https Request with "GETByID" from "GETMorbidity" and 1	PASSED	0.081 s
3	Then User receive HTTP Status code and response body with MorbidityID java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_id(Morbidity_Get.java:108) at ?.User receive HTTP Status code and response body with MorbidityID(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	APIDietician/src/test/java/features/Morbidity_Get.feature:90) * Not displayable characters are replaced by '?'.		

Check MorbidityId with invalid details

PASSED	DURATION - 0.082 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
	/ 12:24:59.180 PM // 12:24:59.262 PM /			
	Checking Get Https Request in Morbidity			
	@RegrsstionTest @GetMorbidityAPI @MorbidityBytestIdwithInvaliddetails			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbiditybyTestid" Https Request with "GETByID" from "GETMorbidity" and 2	PASSED	0.077 s
3	Then User receive HTTP Status code and response body with MorbidityID	PASSED	0.002 s


Check MorbidityId with invalid details

FAILED	DURATION - 0.079 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
	/ 12:24:59.267 PM // 12:24:59.346 PM /			
	Checking Get Https Request in Morbidity			
	@RegrsstionTest @GetMorbidityAPI @MorbidityBytestIdwithInvaliddetails			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyTestid" Https Request with "GETByID" from "GETMorbidity" and 3	PASSED	0.076 s
3	Then User receive HTTP Status code and response body with MorbidityID java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89)	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	<pre> at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_id(Morbidity_Get.java:108) at ?.User receive HTTP Status code and response body with MorbidityID(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/ APIDietician/src/test/java/features/Morbidity_Get.feature:90) * Not displayable characters are replaced by '?'. </pre>		

Check MorbidityId with invalid details

FAILED <i>/ 12:24:59.352 PM // 12:24:59.422 PM /</i> <i>Checking Get Https Request in Morbidity</i> <i>@RegrsstionTest @GetMorbidityAPI</i> <i>@MorbidityBytestIdwithInvaliddetails</i>		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
--	--	---	---



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbiditybyTestid" Https Request with "GETByID" from "GETMorbidity" and 4	PASSED	0.067 s
3	Then User receive HTTP Status code and response body with MorbidityID <code>java.lang.AssertionError: expected:<404> but was:<200></code> <code>at org.junit.Assert.fail(Assert.java:89)</code> <code>at org.junit.Assert.failNotEquals(Assert.java:835)</code> <code>at org.junit.Assert.assertEquals(Assert.java:647)</code> <code>at org.junit.Assert.assertEquals(Assert.java:633)</code> <code>at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_id(Morbidity_Get.java:108)</code> <code>at ?.User receive HTTP Status code and response body with MorbidityID(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/ APIDietician/src/test/java/features/Morbidity_Get.feature:90)</code> * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check MorbidityId with invalid details

FAILED	DURATION - 0.064 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:24:59.427 PM // 12:24:59.491 PM /				
<i>Checking Get Https Request in Morbidity</i>				
@RegressionTest @GetMorbidityAPI @MorbidityBytestIdwithInvaliddetails				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyTestid" Https Request with "GETByID" from "GETMorbidity" and 5	PASSED	0.062 s
3	Then User receive HTTP Status code and response body with MorbidityID java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_id(Morbidity_Get.java:108) at ?.User receive HTTP Status code and response body with MorbidityID(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Get.feature:90) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


Check MorbidityId with invalid details

FAILED	DURATION - 0.073 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:24:59.496 PM // 12:24:59.569 PM /				
<i>Checking Get Https Request in Morbidity</i>				
@RegressionTest @GetMorbidityAPI @MorbidityBytestIdwithInvaliddetails				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.003 s
2	When User calls "GetMorbiditybyTestid" Https Request with "GETByID" from "GETMorbidity" and 6	PASSED	0.068 s
3	Then User receive HTTP Status code and response body with MorbidityID	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_id(Morbidity_Get.java:108) at ?.User receive HTTP Status code and response body with MorbidityID(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Get.feature:90) * Not displayable characters are replaced by '?'.</pre>		

Check MorbidityId with different endpoints





#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbiditybyTestid" Https Request from "GETMorbidity" and 7	PASSED	0.089 s
3	Then User receive HTTP Status code and response body with MorbidityID	PASSED	0.001 s

Check MorbidityId with different endpoints



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbiditybyTestid" Https Request from "GETMorbidity" and 8	PASSED	0.089 s
3	Then User receive HTTP Status code and response body with MorbidityID	PASSED	0.001 s



Check MorbidityId with different endpoints

PASSED	DURATION - 0.085 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:24:59.773 PM // 12:24:59.858 PM /				
Checking Get Https Request in Morbidity				



@MorbidityByIdwithdifferentRequest @GetMorbidityAPI
@RegressionTest

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbiditybyTestid" Https Request from "GETMorbidity" and 9	PASSED	0.081 s
3	Then User receive HTTP Status code and response body with MorbidityID	PASSED	0.000 s

Update Morbidity Details in Morbidity Api



FAILED	DURATION - 0.993 s		Scenarios Total - 10 Pass - 4 Fail - 6 Skip - 0		Steps Total - 30 Pass - 24 Fail - 6 Skip - 0	
/ 12:25:01.485 PM // 12:25:02.478 PM /						

morbidity Api PUT request with morbidity data

PASSED	DURATION - 0.199 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:01.486 PM // 12:25:01.685 PM /				
Update Morbodity Details in Morbodity Api				
@SanityTest @PuTMorbidity				


#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "0"	PASSED	0.077 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.034 s
3	Then User receive morbidity PUT request sucess "200" and response body	PASSED	0.088 s

morbidity Api PUT request with morbidity data

PASSED	DURATION - 0.145 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:01.692 PM // 12:25:01.837 PM /				
Update Morbodity Details in Morbodity Api				
@SanityTest @PuTMorbidity				


#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "1"	PASSED	0.067 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.026 s
3	Then User receive morbidity PUT request sucess "200" and response body	PASSED	0.051 s

morbidity Api PUT request with invalid morbidity name



#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "2"	PASSED	0.066 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.031 s
3	Then User receive morbidity PUT request failed "404" and error message <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Put.user_receive_morbidity_put_request_failed_and_error_message(Morbidity_Put.java:67) at ?.User receive morbidity PUT request failed "404" and error message(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Put.feature:21) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s


morbidity Api PUT request with invalid morbidity name



#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "3"	PASSED	0.058 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.029 s
3	Then User receive morbidity PUT request failed "404" and error message	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Put.user_receive_morbidity_put_request_failed_and_error_message(Morbidity_Put.java:67) at ?.User receive morbidity PUT request failed "404" and error message(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Put.feature:21) * Not displayable characters are replaced by '?'.</pre>		

morbidity Api PUT request with invalid morbidity testid




#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "4"	PASSED	0.048 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.024 s
3	<p>Then User receive morbidity PUT request failed "404" and error message</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Put.user_receive_morbidity_put_request_failed_and_error_message(Morbidity_Put.java:67) at ?.User receive morbidity PUT request failed "404" and error message(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Put.feature:32) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

morbidity Api PUT request with invalid morbidity testid



#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "5"	PASSED	0.052 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.027 s
3	<p>Then User receive morbidity PUT request failed "404" and error message</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Put.user_receive_morbidity_put_request_failed_and_error_message(Morbidity_Put.java:67) at ?.User receive morbidity PUT request failed "404" and error message(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Put.feature:32)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.000 s


morbidity Api PUT request with missing morbidity testunit in request body



#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "6"	PASSED	0.051 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.007 s
3	Then User receive morbidity PUT request failed "400" and error message	FAILED	0.000 s



#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Put.user_receive_morbidity_put_request_failed_and_error_message(Morbidity_Put.java:71) at ?.User receive morbidity PUT request failed "400" and error message(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Put.feature:43) * Not displayable characters are replaced by '?'.</pre>		

morbidity Api PUT request with missing morbidity markerref in request body




#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "7"	PASSED	0.050 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.010 s
3	<p>Then User receive morbidity PUT request failed "400" and error message</p> <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Put.user_receive_morbidity_put_request_failed_and_error_message(Morbidity_Put.java:71) at ?.User receive morbidity PUT request failed "400" and error message(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Put.feature:53) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

morbidity Api PUT request with missing endpoint params

PASSED	DURATION - 0.062 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:02.345 PM // 12:25:02.407 PM /				
<i>Update Morbodity Details in Morbodity Api</i>				
@RegressionTest @PuTMorbidity				

#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "8"	PASSED	0.051 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.010 s
3	Then User receive morbidity PUT request failed "405" and error message	PASSED	0.000 s

morbidity Api PUT request with missing endpoint params


PASSED	DURATION - 0.065 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:02.413 PM // 12:25:02.478 PM /				
<i>Update Morbodity Details in Morbodity Api</i>				
@RegressionTest @PuTMorbidity				

#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "9"	PASSED	0.054 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.010 s
3	Then User receive morbidity PUT request failed "405" and error message	PASSED	0.000 s

Checking Get Https Request in Recipe




Check all the recipes available



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When user calls "GetRecipe" http with Get method	PASSED	0.026 s
3	Then User receive HTTP Status code and response body	PASSED	0.002 s


Check all the recipes available Invalid Endpoint



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When user calls "getRecipe" http with Get method	PASSED	0.012 s


#	Step / Hook Details	Status	Duration
3	Then User receive HTTP Status code and response body	PASSED	0.001 s

Check the recipes FoodCategory Endpoint





#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetFoodCategory" http request with "GetRecipeByFoodCategory" from "GETRecipes" and 0	PASSED	0.101 s
3	Then User receive HTTP Status code in "GetRecipesByFoodCategory" method and response body	PASSED	0.001 s

Check the recipes FoodCategory Endpoint





#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetFoodCategory" http request with "GetRecipeByFoodCategory" from "GETRecipes" and 1	PASSED	0.099 s
3	Then User receive HTTP Status code in "GetRecipesByFoodCategory" method and response body	PASSED	0.001 s

Check the recipes FoodCategory Endpoint with Invalid

FAILED	DURATION - 0.108 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:02.777 PM // 12:25:02.885 PM /				
<i>Checking Get Https Request in Recipe</i>				
@GetRecipeAPI @RegressionTest @GetRecipeByFoodCategoryINVALID				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetFoodCategory" http request with "GetRecipeByFoodCategory" from "GETRecipes" and 4	PASSED	0.103 s
3	Then User receive HTTP Status code in "GetRecipesByFoodCategory" method and response body java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipesByFoodCategory" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:39) * Not displayable characters are replaced by '?'.	FAILED	0.003 s


Check the recipes FoodCategory Endpoint with Invalid

FAILED	DURATION - 0.113 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:02.897 PM // 12:25:03.010 PM /				
<i>Checking Get Https Request in Recipe</i>				
@GetRecipeAPI @RegressionTest @GetRecipeByFoodCategoryINVALID				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.003 s
2	When User calls "GetFoodCategory" http request with "GetRecipeByFoodCategory" from "GETRecipes" and 5	PASSED	0.107 s
3	Then User receive HTTP Status code in "GetRecipesByFoodCategory" method and response body	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipesByFoodCategory" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:39) * Not displayable characters are replaced by '?'.</pre>		

Check the recipes FoodCategory Endpoint with Invalid





#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetFoodCategory" http request with "GetRecipeByFoodCategory" from "GETRecipes" and 6	PASSED	0.078 s
3	Then User receive HTTP Status code in "GetRecipesByFoodCategory" method and response body <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipesByFoodCategory" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:39) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s

Check the recipes FoodIngredient Endpoint

PASSED	DURATION - 0.077 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:03.102 PM // 12:25:03.179 PM /				
Checking Get Https Request in Recipe				
@GetRecipeByIngredient @GetRecipeAPI @RegressionTest				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetRecipeByIngredient" http request with "GetRecipeByIngredient" from "GETRecipes" and 0	PASSED	0.074 s
3	Then User receive HTTP Status code in "GetRecipesByIngredient" method and response body	PASSED	0.001 s

Check the recipes FoodIngredient Endpoint

PASSED	DURATION - 0.075 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:03.187 PM // 12:25:03.262 PM /				
Checking Get Https Request in Recipe				
@GetRecipeByIngredient @GetRecipeAPI @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetRecipeByIngredient" http request with "GetRecipeByIngredient" from "GETRecipes" and 1	PASSED	0.072 s
3	Then User receive HTTP Status code in "GetRecipesByIngredient" method and response body	PASSED	0.001 s

Check the recipes FoodIngredient Endpoint

PASSED	DURATION - 0.073 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:03.269 PM // 12:25:03.342 PM /				
<i>Checking Get Https Request in Recipe</i>				
@GetRecipeByIngredient @GetRecipeAPI @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByIngredient" http request with "GetRecipeByIngredient" from "GETRecipes" and 2	PASSED	0.071 s
3	Then User receive HTTP Status code in "GetRecipesByIngredient" method and response body	PASSED	0.001 s

Check the recipes FoodIngredient Endpoint

FAILED	DURATION - 0.072 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:03.348 PM // 12:25:03.420 PM /				
<i>Checking Get Https Request in Recipe</i>				
@GetRecipeByIngredient @GetRecipeAPI @RegressionTest @GetRecipeByINVALIDIngredient				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByIngredient" http request with "GetRecipeByIngredient" from "GETRecipes" and 4	PASSED	0.070 s
3	Then User receive HTTP Status code in "GetRecipesByIngredient" method and response body java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at stepDefinitions.Recipe_Given.user_receive_http_status_code_in_method_and_response_body(Recipe_Given.java:115) at ?.User receive HTTP Status code in "GetRecipesByIngredient" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Given.feature:66) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check the recipes FoodIngredient Endpoint

FAILED	DURATION - 0.081 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:03.428 PM // 12:25:03.509 PM /				
<i>Checking Get Https Request in Recipe</i>				
@GetRecipeByIngredient @GetRecipeAPI @RegressionTest @GetRecipeByINVALIDIngredient				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeIngredient" http request with "GetRecipeByIngredient" from "GETRecipes" and 5	PASSED	0.078 s
3	Then User receive HTTP Status code in "GetRecipesByIngredient" method and response body java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Given_user_receive_http_status_code_in_method_and_response_body(Recipe_Given.java:115) at ?.User receive HTTP Status code in "GetRecipesByIngredient" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Given.feature:66) * Not displayable characters are replaced by '?'.	FAILED	0.002 s



To get all the Recipe Nutrient record with valid data

PASSED	DURATION - 0.087 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:03.515 PM // 12:25:03.602 PM /				
<i>Checking Get Https Request in Recipe</i>				
@GetRecipeAPI @RegressionTest @GetRecipeByNutrient				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s



#	Step / Hook Details	Status	Duration
2	When User calls "GetRecipeByNutrient" http request with "GetRecipeByNutrient" from "GETRecipes" and 0	PASSED	0.085 s
3	Then User receive HTTP Status code in "GetRecipesByNutrient" method and response body	PASSED	0.000 s

To get all the Recipe Nutrient record with valid data

PASSED	DURATION - 0.072 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:03.608 PM // 12:25:03.680 PM /				
Checking Get Https Request in Recipe				
@GetRecipeAPI @RegressionTest @GetRecipeByNutrient				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByNutrient" http request with "GetRecipeByNutrient" from "GETRecipes" and 1	PASSED	0.070 s
3	Then User receive HTTP Status code in "GetRecipesByNutrient" method and response body	PASSED	0.001 s


To get all the Recipe Nutrient record with Invalid data

FAILED	DURATION - 0.076 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:03.687 PM // 12:25:03.763 PM /				
Checking Get Https Request in Recipe				
@GetRecipeByNutrientINVALIDNUTRIENTDETAILS @GetRecipeAPI @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByNutrient" http request with "GetRecipeByNutrient" from "GETRecipes" and 4	PASSED	0.073 s
3	Then User receive HTTP Status code in "GetRecipesByNutrient" method and response body java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail Assert.java:89)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipesByNutrient" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:90) * Not displayable characters are replaced by '?'. </pre>		


To get all the Recipe Nutrient record with Invalid data

FAILED	DURATION - 0.073 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:03.767 PM // 12:25:03.840 PM /	Checking Get Https Request in Recipe			

@GetRecipeByNutrientINVALIDNUTRIENTDETAILS
 @GetRecipeAPI @RegressionTest


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByNutrient" http request with "GetRecipeByNutrient" from "GETRecipes" and 5	PASSED	0.070 s
3	Then User receive HTTP Status code in "GetRecipesByNutrient" method and response body <code>java.lang.AssertionError: expected:<404> but was:<200></code> <code>at org.junit.Assert.fail(Assert.java:89)</code> <code>at org.junit.Assert.failNotEquals(Assert.java:835)</code> <code>at org.junit.Assert.assertEquals(Assert.java:647)</code> <code>at org.junit.Assert.assertEquals(Assert.java:633)</code> <code>at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115)</code> <code>at ?.User receive HTTP Status code in "GetRecipesByNutrient" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:90)</code> * Not displayable characters are replaced by '?'.	FAILED	0.001 s

To get all the Recipe Nutrient record with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.000 s
2	When User calls "GetRecipeByNutrient" http request with "GetRecipeByNutrient" from "GETRecipes" and 6	PASSED	0.071 s
3	<p>Then User receive HTTP Status code in "GetRecipesByNutrient" method and response body</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipesByNutrient" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:90) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s



To get all the Recipe Nutrient record with Invalid data



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetRecipeByNutrient" http request with "GetRecipeByNutrient" from "GETRecipes" and 7	PASSED	0.056 s
3	Then User receive HTTP Status code in "GetRecipesByNutrient" method and response body	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipesByNutrient" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:90) * Not displayable characters are replaced by '?'.</pre>		

To get all the Recipe Type with Valid Records



PASSED	DURATION - 0.066 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:03.994 PM // 12:25:04.060 PM /				

Checking Get Https Request in Recipe

@GetRecipeByRecipeType @GetRecipeAPI
@RegressionTest

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.000 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 0	PASSED	0.064 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body	PASSED	0.001 s

To get all the Recipe Type with Valid Records



PASSED	DURATION - 0.061 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:04.066 PM // 12:25:04.127 PM /				

Checking Get Https Request in Recipe

@GetRecipeByRecipeType @GetRecipeAPI
@RegressionTest

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 1	PASSED	0.058 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body	PASSED	0.002 s

To get all the Recipe Type with Valid Records



PASSED	DURATION - 0.077 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:04.131 PM // 12:25:04.208 PM /				

Checking Get Https Request in Recipe

@GetRecipeByRecipeType @GetRecipeAPI
@RegressionTest

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 2	PASSED	0.075 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body	PASSED	0.001 s

To get all the Recipe Type with Valid Records


PASSED	DURATION - 0.076 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:04.214 PM // 12:25:04.290 PM /				

Checking Get Https Request in Recipe

@GetRecipeByRecipeType @GetRecipeAPI
@RegressionTest


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 3	PASSED	0.072 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body	PASSED	0.002 s

To get all the Recipe Type with InValid Records

FAILED	DURATION - 0.072 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:04.296 PM // 12:25:04.368 PM /	Checking Get Https Request in Recipe			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 4	PASSED	0.067 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Given_user_receive_http_status_code_in_method_and_response_body(Recipe_Given.java:115) at ?.User receive HTTP Status code in "GetRecipeByRecipeType" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Given.feature:118) * Not displayable characters are replaced by '?'.	FAILED	0.002 s


To get all the Recipe Type with InValid Records

FAILED	DURATION - 0.061 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:04.374 PM // 12:25:04.435 PM /	Checking Get Https Request in Recipe			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 5	PASSED	0.059 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipeByRecipeType" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:118) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

To get all the Recipe Type with InValid Records




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.003 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 6	PASSED	0.060 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipeByRecipeType" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:118) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

To get all the Recipe Type with InValid Records



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 7	PASSED	0.069 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body <code>java.lang.AssertionError: expected:<404> but was:<200></code> <code> at org.junit.Assert.fail(Assert.java:89)</code> <code> at org.junit.Assert.failNotEquals(Assert.java:835)</code> <code> at org.junit.Assert.assertEquals(Assert.java:647)</code> <code> at org.junit.Assert.assertEquals(Assert.java:633)</code> <code> at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115)</code> <code> at ?.User receive HTTP Status code in "GetRecipeByRecipeType" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:118)</code> * Not displayable characters are replaced by '?'.	FAILED	0.001 s


To get all the Recipe Type with InValid Records



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 8	PASSED	0.063 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipeByRecipeType" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:118) * Not displayable characters are replaced by '?'.</pre>		

To get all the Recipe Type with InValid Records




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 9	PASSED	0.059 s
3	<p>Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipeByRecipeType" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:118) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

To get all the Recipe Type with InValid Records



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 10	PASSED	0.065 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body <code>java.lang.AssertionError: expected:<404> but was:<200></code> <code> at org.junit.Assert.fail(Assert.java:89)</code> <code> at org.junit.Assert.failNotEquals(Assert.java:835)</code> <code> at org.junit.Assert.assertEquals(Assert.java:647)</code> <code> at org.junit.Assert.assertEquals(Assert.java:633)</code> <code> at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115)</code> <code> at ?.User receive HTTP Status code in "GetRecipeByRecipeType" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:118)</code> * Not displayable characters are replaced by '?'.	FAILED	0.001 s


To get all the Recipe Type with InValid Records




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 11	PASSED	0.064 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipeByRecipeType" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:118) * Not displayable characters are replaced by '?'.</pre>		

Delete User record in User Api




check if user able to delete User record in UserAPI




#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method EndPoint	PASSED	0.002 s
2	When User calls "UserApi" http Request with "DELETE" from "UserApiDELETE" and 0	PASSED	0.078 s
3	Then User receive HTTP "Status code" and response body for UserDelete	PASSED	0.008 s

check if user able to delete User record in UserAPI



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method EndPoint	PASSED	0.002 s
2	When User calls "UserApiWrong" http Request with "DELETE" from "UserApiDELETE" and 0	PASSED	0.081 s
3	Then User receive HTTP "Status code" and response body for UserDelete <code>java.lang.AssertionError: expected:<200> but was:<404></code> <code> at org.junit.Assert.fail(Assert.java:89)</code> <code> at org.junit.Assert.failNotEquals(Assert.java:835)</code> <code> at org.junit.Assert.assertEquals(Assert.java:647)</code> <code> at org.junit.Assert.assertEquals(Assert.java:633)</code> <code> at stepDefinitions.User_DeleteStepDef.user_receive_http_and_response_body_for_user_delete(User_DeleteStepDef.java:55)</code> <code> at ?.User receive HTTP "Status code" and response body for UserDelete(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Delete.feature:23)</code> * Not displayable characters are replaced by '?'.	FAILED	0.002 s


check if user able to delete User record in UserAPI



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method EndPoint	PASSED	0.002 s
2	When User calls "UserApi" http Request with "DELETE" from "UserApiDELETE" and 1	PASSED	0.093 s
3	Then User receive HTTP "Status code" and response body for UserDelete	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_DeleteStepDef.user_receive_http_and_response_body_for_user_delete(User_DeleteStepDef.java:55) at ?.User receive HTTP "Status code" and response body for UserDelete(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/ APIDietician/src/test/java/features/User_Delete.feature:34) * Not displayable characters are replaced by '?'.</pre>		

check if user able to delete User record in UserAPI




#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method EndPoint	PASSED	0.001 s
2	When User calls "UserApi" http Request with "DELETE" from "UserApiDELETE" and 2	PASSED	0.092 s
3	Then User receive HTTP "Status code" and response body for UserDelete <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_DeleteStepDef.user_receive_http_and_response_body_for_user_delete(User_DeleteStepDef.java:55) at ?.User receive HTTP "Status code" and response body for UserDelete(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/ APIDietician/src/test/java/features/User_Delete.feature:34) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s


check if user able to delete User record in UserAPI



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method EndPoint	PASSED	0.002 s
2	When User calls "UserApi" http Request with "DELETE" from "UserApiDELETE" and 3	PASSED	0.069 s
3	Then User receive HTTP "Status code" and response body for UserDelete java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_DeleteStepDef.user_receive_http_and_response_body_for_user_delete(User_DeleteStepDef.java:55) at ?.User receive HTTP "Status code" and response body for UserDelete(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Delete.feature:34) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


Checking Get Https request in User API







#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.002 s
2	When User calls Get Https Request with " GetUserApi" Endpoint	PASSED	0.031 s
3	Then User should receive HTTP Status code and response fields	PASSED	0.003 s

To get all the Users available




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls Get Https Request with "UserApiWrong" Endpoint	PASSED	0.012 s
3	Then User should receive HTTP Status code and response fields	PASSED	0.001 s

To get all the Users available with valid FirstName

PASSED	DURATION - 0.071 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:05.436 PM // 12:25:05.507 PM /				
<i>Checking Get Https request in User API</i>				
@UserGet @ GetUserByValidFIRSTNAME @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.002 s
2	When User calls " GetUserByFirstName" Https Request with "GetByFirstName" from excel sheet " GetUser" and 0	PASSED	0.067 s
3	Then User should receive HTTP Status code and response fields for "GetByFirstName"	PASSED	0.000 s

To get all the Users available with invalid FirstName

FAILED	DURATION - 0.051 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:05.511 PM // 12:25:05.562 PM /				
<i>Checking Get Https request in User API</i>				
@UserGet @ GetUserByInvalidFIRSTNAME @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.000 s
2	When User calls " GetUserByFirstName" Https Request with "GetByFirstName" from excel sheet " GetUser" and 1	PASSED	0.049 s
3	Then User should receive HTTP Status code and response fields for "GetByFirstName" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at stepDefinitions.User_GivenUser_should_receive_http_status_code_and_response_fields_for(User_Given.java:151) at ?.User should receive HTTP Status code and response fields for "GetByFirstName"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Given.feature:36) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

To get all the Users available with invalid FirstName

FAILED	DURATION - 0.066 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:05.567 PM // 12:25:05.633 PM /	Checking Get Https request in User API			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls "GetUserByFirstName" Https Request with "GetByFirstName" from excel sheet " GetUser" and 2	PASSED	0.064 s
3	Then User should receive HTTP Status code and response fields for "GetByFirstName" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_GivenUserCreatesGETMethod_ThenUserShouldReceiveHTTPStatusCodeAndResponseFieldsForUser_GivenMethod.stepDefinition(Assert.java:151) at ?.User should receive HTTP Status code and response fields for "GetByFirstName"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Given.feature:36) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


To get all the Users available with invalid FirstName

FAILED	DURATION - 0.080 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:05.636 PM // 12:25:05.716 PM /	Checking Get Https request in User API			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
2	When User calls " GetUserByFirstName" Https Request with "GetByFirstName" from excel sheet " GetUser" and 3	PASSED	0.077 s
3	<p>Then User should receive HTTP Status code and response fields for "GetByFirstName"</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByFirstName"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:36) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

To get all the Users available with invalid FirstName




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByFirstName" Https Request with "GetByFirstName" from excel sheet " GetUser" and 4	PASSED	0.084 s
3	<p>Then User should receive HTTP Status code and response fields for "GetByFirstName"</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByFirstName"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:36) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

To get all the Users available with invalid FirstName




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.002 s
2	When User calls "GetUserByFirstName" Https Request with "GetByFirstName" from excel sheet " GetUser" and 5	PASSED	0.072 s
3	Then User should receive HTTP Status code and response fields for "GetByFirstName" <code>java.lang.AssertionError: expected:<404> but was:<200></code> <code>at org.junit.Assert.fail(Assert.java:89)</code> <code>at org.junit.Assert.failNotEquals(Assert.java:835)</code> <code>at org.junit.Assert.assertEquals(Assert.java:647)</code> <code>at org.junit.Assert.assertEquals(Assert.java:633)</code> <code>at stepDefinitions.User_GivenUserCreatesGETMethod_ThenUserShouldReceiveHTTPStatusCodeAndResponseFieldsForUserGet.java:151</code> <code>at ?.User should receive HTTP Status code and response fields for "GetByFirstName"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_GivenUserCreatesGETMethod_ThenUserShouldReceiveHTTPStatusCodeAndResponseFieldsForUserGet.feature:36)</code> * Not displayable characters are replaced by '?'.	FAILED	0.001 s

To get all the Users available with valid contact info




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls "GetUserByContact" Https Request with "GetByContact" from excel sheet " GetUser" and 0	PASSED	0.067 s
3	Then User should receive HTTP Status code and response fields for "GetByContact"	PASSED	0.000 s

To get all the Users available with invalid contact info

FAILED	DURATION - 0.067 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:05.977 PM // 12:25:06.044 PM /				
<i>Checking Get Https request in User API</i>				
@ GetUserByINVALIDCONTACT @UserGet @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByContact" Https Request with "GetByContact" from excel sheet " GetUser" and 1	PASSED	0.065 s
3	Then User should receive HTTP Status code and response fields for "GetByContact" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_GivenUserShouldReceiveHttpStatusCodeAndResponseFieldsForUser_Given.java:151) at ?.User should receive HTTP Status code and response fields for "GetByContact"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Given.feature:62) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


To get all the Users available with invalid contact info

FAILED	DURATION - 0.061 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:06.049 PM // 12:25:06.110 PM /				
<i>Checking Get Https request in User API</i>				
@ GetUserByINVALIDCONTACT @UserGet @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s



#	Step / Hook Details	Status	Duration
2	When User calls " GetUserByContact" Https Request with "GetByContact" from excel sheet " GetUser" and 2	PASSED	0.060 s
3	<p>Then User should receive HTTP Status code and response fields for "GetByContact"</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByContact"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:62) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

To get all the Users available with invalid contact info




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.002 s
2	When User calls " GetUserByContact" Https Request with "GetByContact" from excel sheet " GetUser" and 3	PASSED	0.062 s
3	<p>Then User should receive HTTP Status code and response fields for "GetByContact"</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByContact"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:62) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

To get all the Users available with valid Email

PASSED	DURATION - 0.065 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:06.184 PM // 12:25:06.249 PM /				
<i>Checking Get Https request in User API</i>				
@ GetUserByValidEMAIL @UserGet @RegressionTest				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.000 s
2	When User calls " GetUserByEmail" Https Request with "GetByEmail" from excel sheet " GetUser" and 0	PASSED	0.063 s
3	Then User should receive HTTP Status code and response fields for "GetByEmail"	PASSED	0.000 s

To get all the Users available with invalid Email

FAILED	DURATION - 0.090 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:06.262 PM // 12:25:06.352 PM /				
<i>Checking Get Https request in User API</i>				
@ GetUserByInvalidEMAIL @UserGet @RegressionTest				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.002 s
2	When User calls " GetUserByEmail" Https Request with "GetByEmail" from excel sheet " GetUser" and 1	PASSED	0.087 s
3	Then User should receive HTTP Status code and response fields for "GetByEmail" <code>java.lang.AssertionError: expected:<404> but was:<200></code> <code>at org.junit.Assert.failAssert.java:89)</code> <code>at org.junit.Assert.failNotEqualsAssert.java:835)</code> <code>at org.junit.Assert.assertEqualsAssert.java:647)</code> <code>at org.junit.Assert.assertEqualsAssert.java:633)</code> <code>at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151)</code> <code>at ?.User should receive HTTP Status code and response fields for "GetByEmail"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:86)</code> * Not displayable characters are replaced by '?'.	FAILED	0.000 s

To get all the Users available with invalid Email

FAILED	DURATION - 0.083 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:06.357 PM // 12:25:06.440 PM /				
Checking Get Https request in User API				
@ GetUserByInvalidEMAIL @UserGet @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByEmail" Https Request with "GetByEmail" from excel sheet " GetUser" and 2	PASSED	0.081 s
3	<p>Then User should receive HTTP Status code and response fields for "GetByEmail"</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByEmail"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:86) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s



To get all the Users available with valid User Type

PASSED	DURATION - 0.090 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:06.446 PM // 12:25:06.536 PM /				
Checking Get Https request in User API				
@UserGet @RegressionTest @ GetUserByValidUser				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.002 s


#	Step / Hook Details	Status	Duration
2	When User calls " GetUserByUserType" Https Request with "GetByUserType" from excel sheet " GetUser" and 0	PASSED	0.088 s
3	Then User should receive HTTP Status code and response fields for "GetByUserType"	PASSED	0.000 s

To get all the Users available with valid User Type

PASSED	DURATION - 0.084 s	 A bar chart showing the execution time for step 2. The x-axis is labeled with 1, 2, and 3. Step 1 has a very small bar near 0. Step 2 has a bar reaching approximately 0.084 on the y-axis. Step 3 has no visible bar.	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	 A green donut chart with the number 3 in the center, indicating 100% success.
	/ 12:25:06.541 PM // 12:25:06.625 PM /			
	Checking Get Https request in User API			
	@UserGet @RegressionTest @GetUserByValidUser			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.002 s
2	When User calls " GetUserByUserType" Https Request with "GetByUserType" from excel sheet " GetUser" and 7	PASSED	0.081 s
3	Then User should receive HTTP Status code and response fields for "GetByUserType"	PASSED	0.000 s


To get all the Users available with invalid User Type

FAILED	DURATION - 0.092 s	 A bar chart showing the execution time for step 2. The x-axis is labeled with 1, 2, and 3. Step 1 has a very small bar near 0. Step 2 has a bar reaching approximately 0.092 on the y-axis. Step 3 has no visible bar.	Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	 A donut chart with a red and green segment, with the number 3 in the center, indicating 67% success.
	/ 12:25:06.630 PM // 12:25:06.722 PM /			
	Checking Get Https request in User API			
	@ GetUserByInValidUser @UserGet @RegressionTest			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByUserType" Https Request with "GetByUserType" from excel sheet " GetUser" and 1	PASSED	0.089 s
3	Then User should receive HTTP Status code and response fields for "GetByUserType"	FAILED	0.001 s
	java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail Assert.java:89)		


#	Step / Hook Details	Status	Duration
	<pre> at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByUserType"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/ APIDietician/src/test/java/features/User_Get.feature:110) * Not displayable characters are replaced by '?'. </pre>		

To get all the Users available with invalid User Type

FAILED	DURATION - 0.083 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:06.729 PM // 12:25:06.812 PM /				
Checking Get Https request in User API				
@ GetUserByInValidUser @UserGet @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByUserType" Https Request with "GetByUserType" from excel sheet " GetUser" and 2	PASSED	0.080 s
3	Then User should receive HTTP Status code and response fields for "GetByUserType" <code>java.lang.AssertionError: expected:<404> but was:<200></code> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByUserType"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/ APIDietician/src/test/java/features/User_Get.feature:110) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

To get all the Users available with invalid User Type



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls "GetUserByUserType" Https Request with "GetByUserType" from excel sheet "GetUser" and 3	PASSED	0.087 s
3	Then User should receive HTTP Status code and response fields for "GetByUserType" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByUserType"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:110) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


To get all the Users available with invalid User Type



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls "GetUserByUserType" Https Request with "GetByUserType" from excel sheet "GetUser" and 4	PASSED	0.102 s
3	Then User should receive HTTP Status code and response fields for "GetByUserType"	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByUserType"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:110) * Not displayable characters are replaced by '?'.</pre>		

To get all the Users available with invalid User Type




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.002 s
2	When User calls "GetUserByUserType" Https Request with "GetByUserType" from excel sheet "GetUser" and 5	PASSED	0.086 s
3	<p>Then User should receive HTTP Status code and response fields for "GetByUserType"</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByUserType"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:110) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

To get all the Users available with invalid User Type




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.002 s
2	When User calls "GetUserByUserType" Https Request with "GetByUserType" from excel sheet "GetUser" and 6	PASSED	0.090 s
3	Then User should receive HTTP Status code and response fields for "GetByUserType" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByUserType"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:110) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

To get all the Users available with valid Dietician Id





#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.003 s
2	When User calls "GetUserByDieticianID" Https Request with "GetByDieticianID" from excel sheet "GetUser" and 0	PASSED	0.104 s
3	Then User should receive HTTP Status code and response fields for "GetByDieticianID"	PASSED	0.001 s

To get all the Users available with invalid Dietician Id

FAILED	DURATION - 0.084 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:07.341 PM // 12:25:07.425 PM /				
<i>Checking Get Https request in User API</i>				
@UserGet @RegressionTest @ GetUserByInvalidDieticianID				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.000 s
2	When User calls " GetUserByDieticianID" Https Request with "GetByDieticianID" from excel sheet " GetUser" and 1	PASSED	0.081 s
3	Then User should receive HTTP Status code and response fields for "GetByDieticianID" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_GivenUserCreatesGETMethod_ThenUserShouldReceiveHTTPStatusCodeAndResponseFieldsForGetByDieticianID(stepDefinitions.java:151) at ?.User should receive HTTP Status code and response fields for "GetByDieticianID"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_GivenUserCreatesGETMethod_ThenUserShouldReceiveHTTPStatusCodeAndResponseFieldsForGetByDieticianID.feature:137) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


To get all the Users available with invalid Dietician Id

FAILED	DURATION - 0.072 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:07.430 PM // 12:25:07.502 PM /				
<i>Checking Get Https request in User API</i>				
@UserGet @RegressionTest @ GetUserByInvalidDieticianID				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
2	When User calls " GetUserByDieticianID" Https Request with "GetByDieticianID" from excel sheet " GetUser" and 2	PASSED	0.070 s
3	Then User should receive HTTP Status code and response fields for "GetByDieticianID" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByDieticianID"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:137) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

To get all the Users available with invalid Dietician Id



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByDieticianID" Https Request with "GetByDieticianID" from excel sheet " GetUser" and 3	PASSED	0.052 s
3	Then User should receive HTTP Status code and response fields for "GetByDieticianID" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByDieticianID"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:137) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

To get all the Users available with invalid Dietician Id




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.000 s
2	When User calls " GetUserByDieticianID" Https Request with "GetByDieticianID" from excel sheet " GetUser" and 4	PASSED	0.065 s
3	Then User should receive HTTP Status code and response fields for "GetByDieticianID" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_GivenUserCreatesGETMethod.user_should_receive_http_status_code_and_response_fields_for(User_GivenUserCreatesGETMethod.java:151) at ?.User should receive HTTP Status code and response fields for "GetByDieticianID"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_GivenUserCreatesGETMethod.feature:137) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Update User Details in UserAPI




check User Put request



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 0	PASSED	0.070 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.029 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request





#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 0	PASSED	0.056 s
2	When User calls "UserApiWrong" Http Request with "PUT"	PASSED	0.011 s
3	Then User receive http "Status code" and response body io.restassured.module.json.JsonSchemaValidationException: com.fasterxml.jackson.core.JsonParseException: Unexpected character ('<' (code 60)): expected a valid value (JSON String, Number, Array, Object or token 'null', 'true' or 'false') at [Source: (StringReader); line: 1, column: 2] at io.restassured.module.json.JsonSchemaValidator.matchesSafely(JsonSchemaValidator.java:233) at io.restassured.module.json.JsonSchemaValidator.matchesSafely(JsonSchemaValidator.java:75) at org.hamcrest.TypeSafeMatcher.matches(TypeSafeMatcher.java:65) at io.restassured.internal.assertion.BodyMatcher.validate(BodyMatcher.java:82) at io.restassured.internal.assertion.BodyMatcherGroup.lambda\$validate\$0(BodyMatcherGroup.java:30) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.ArrayList\$ArrayListSpliterator.forEachRemaining(ArrayList.java:1655)	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578) at io.restassured.internal.assertion.BodyMatcherGroup.validate(BodyMatcherGroup.java:30) at io.restassured.internal.assertion.BodyMatcherGroup\$validate\$4.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:495) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:690) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:103) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:64) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:22) Caused by: com.fasterxml.jackson.core.JsonParseException: Unexpected character ('<' (code 60)): expected a valid value (JSON String, Number, Array, Object or token 'null', 'true' or 'false') at [Source: (StringReader); line: 1, column: 2] at com.fasterxml.jackson.core.JsonParser._constructError(JsonParser.java:2391) at com.fasterxml.jackson.core.base.ParserMinimalBase._reportError(ParserMinimalBase.java:735) at com.fasterxml.jackson.core.base.ParserMinimalBase._reportUnexpectedChar(ParserMinimalBase.java:659) at com.fasterxml.jackson.core.json.ReaderBasedJsonParser._handleOddValue(ReaderBasedJsonParser.java:2005) at com.fasterxml.jackson.core.json.ReaderBasedJsonParser.nextToken(ReaderBasedJsonParser.java:802) at com.fasterxml.jackson.databind.MappingIterator.hasNextValue(MappingIterator.java:246) at com.github.fge.jackson.JsonNodeReader.readNode(JsonNodeReader.java:149) at com.github.fge.jackson.JsonNodeReader.fromReader(JsonNodeReader.java:129) at com.github.fge.jackson.JsonLoader.fromReader(JsonLoader.java:186) at com.github.fge.jackson.JsonLoader.fromString(JsonLoader.java:199) at io.restassured.module.jsv.JsonSchemaValidator.matchesSafely(JsonSchemaValidator.java:214) at io.restassured.module.jsv.JsonSchemaValidator.matchesSafely(JsonSchemaValidator.java:75) at org.hamcrest.TypeSafeMatcher.matches(TypeSafeMatcher.java:65) at io.restassured.internal.assertion.BodyMatcher.validate(BodyMatcher.java:82) at io.restassured.internal.assertion.BodyMatcherGroup.lambda\$validate\$0(BodyMatcherGroup.java:30) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.ArrayList\$ArrayListSpliterator.forEachRemaining(ArrayList.java:1655) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578) at io.restassured.internal.assertion.BodyMatcherGroup.validate(BodyMatcherGroup.java:30) at io.restassured.internal.assertion.BodyMatcherGroup\$validate\$4.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:495) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:690) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:103) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:64) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:89) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:41) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:542) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:770) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:464) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'.</p>		

check User Put request

PASSED	DURATION - 0.071 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:12.012 PM // 12:25:12.083 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @RegressionTest @UserPutApiWithInvlidFirstname				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 1	PASSED	0.054 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.017 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request

FAILED	DURATION - 0.090 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:12.083 PM // 12:25:12.173 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @RegressionTest @UserPutApiWithInvlidFirstname				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 2	PASSED	0.067 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.022 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:34) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

check User Put request

FAILED	DURATION - 0.082 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:12.176 PM // 12:25:12.258 PM /	Update User Details in UserAPI			

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 3	PASSED	0.055 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.026 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:34) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


check User Put request

FAILED	DURATION - 0.066 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:12.264 PM // 12:25:12.330 PM /	Update User Details in UserAPI			

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 4	PASSED	0.048 s



#	Step / Hook Details	Status	Duration
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.018 s
3	<p>Then User receive http "Status code" and response body</p> <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:34) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

check User Put request





#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 5	PASSED	0.052 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.017 s
3	<p>Then User receive http "Status code" and response body</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:49) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

check User Put request

PASSED	DURATION - 0.071 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:12.399 PM // 12:25:12.470 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @UserPutAPIWithInvalidLastname @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 6	PASSED	0.064 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.006 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request

FAILED	DURATION - 0.086 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:12.474 PM // 12:25:12.560 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @UserPutAPIWithInvalidLastname @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 7	PASSED	0.059 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.025 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:49) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

check User Put request

FAILED	DURATION - 0.099 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:12.564 PM // 12:25:12.663 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @UserPutAPIWithInvalidLastname @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 8	PASSED	0.072 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.027 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:49) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


check User Put request

FAILED	DURATION - 0.097 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:12.669 PM // 12:25:12.766 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @RegressionTest @UserPutAPIWithInvalidContact				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 9	PASSED	0.072 s



#	Step / Hook Details	Status	Duration
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.024 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:64) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

check User Put request





#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 10	PASSED	0.075 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.029 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:64) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

check User Put request

PASSED	DURATION - 0.054 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:12.879 PM // 12:25:12.933 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @RegressionTest @UserPutAPIWithInvalidContact				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 11	PASSED	0.033 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.021 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request

FAILED	DURATION - 0.077 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:12.933 PM // 12:25:13.010 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @RegressionTest @UserPutAPIWithInvalidContact				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 12	PASSED	0.051 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.026 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:64) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

check User Put request

FAILED	DURATION - 0.107 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:13.015 PM // 12:25:13.122 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @UserPutAPIWithInvalidCity @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 13	PASSED	0.083 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.023 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:79) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


check User Put request

FAILED	DURATION - 0.088 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:13.129 PM // 12:25:13.217 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @UserPutAPIWithInvalidCity @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 14	PASSED	0.058 s



#	Step / Hook Details	Status	Duration
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.028 s
3	<p>Then User receive http "Status code" and response body</p> <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:79) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Put request




#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 15	PASSED	0.060 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.024 s
3	<p>Then User receive http "Status code" and response body</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:79) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Put request

PASSED	DURATION - 0.063 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:13.315 PM // 12:25:13.378 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @RegressionTest @UserPutAPIWithInvalidState				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 16	PASSED	0.051 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.006 s
3	Then User receive http "Status code" and response body	PASSED	0.003 s

check User Put request

FAILED	DURATION - 0.066 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:13.378 PM // 12:25:13.444 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @RegressionTest @UserPutAPIWithInvalidState				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 17	PASSED	0.051 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.015 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:93) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

check User Put request

FAILED	DURATION - 0.083 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:13.444 PM // 12:25:13.527 PM /	Update User Details in UserAPI			

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 18	PASSED	0.060 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.023 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:93) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


check User Put request

FAILED	DURATION - 0.076 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:13.533 PM // 12:25:13.609 PM /	Update User Details in UserAPI			

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 19	PASSED	0.046 s


#	Step / Hook Details	Status	Duration
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.030 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:107) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

check User Put request




#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 20	PASSED	0.055 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.000 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 21	PASSED	0.076 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.028 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:107) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


check User Put request



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 22	PASSED	0.070 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.026 s
3	Then User receive http "Status code" and response body	FAILED	0.000 s



#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:121) * Not displayable characters are replaced by '?'.</pre>		

check User Put request





#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 23	PASSED	0.091 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.027 s
3	Then User receive http "Status code" and response body <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:121) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Put request

PASSED	DURATION - 0.086 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:14.008 PM // 12:25:14.094 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @UserPutAPIWithInvalidEmailID @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 24	PASSED	0.075 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.010 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request

FAILED	DURATION - 0.089 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:14.100 PM // 12:25:14.189 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @UserPutAPIWithInvalidEmailID @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 25	PASSED	0.067 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.021 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:121) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

check User Put request

FAILED	DURATION - 0.081 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:14.195 PM // 12:25:14.276 PM /	<i>Update User Details in UserAPI</i>			

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 26	PASSED	0.058 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.022 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:136) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


check User Put request

FAILED	DURATION - 0.087 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:14.281 PM // 12:25:14.368 PM /	<i>Update User Details in UserAPI</i>			

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 27	PASSED	0.073 s



#	Step / Hook Details	Status	Duration
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.012 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:136) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

check User Put request





#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 28	PASSED	0.076 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.009 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request

PASSED	DURATION - 0.080 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:14.470 PM // 12:25:14.550 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @UserPutAPIWithInvalidFoodCategory @RegressionTest				



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 29	PASSED	0.068 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.011 s
3	Then User receive http "Status code" and response body	PASSED	0.001 s

check User Put request

PASSED	DURATION - 0.075 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:14.557 PM // 12:25:14.632 PM /				
<i>Update User Details in UserAPI</i>				
@UserPutAPIWithInvalidAllergy @UserPUT @UserPUTApi @RegressionTest				



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 30	PASSED	0.069 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.005 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request

PASSED	DURATION - 0.086 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:25:14.632 PM // 12:25:14.718 PM /				
<i>Update User Details in UserAPI</i>				
@UserPutAPIWithInvalidAllergy @UserPUT @UserPUTApi @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 31	PASSED	0.062 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.014 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request

FAILED	DURATION - 0.113 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:14.727 PM // 12:25:14.840 PM /				
<i>Update User Details in UserAPI</i>				
@UserPutAPIWithInvalidAllergy @UserPUT @UserPUTApi @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 32	PASSED	0.085 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.027 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:151) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

check User Put request

FAILED	DURATION - 0.115 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:14.849 PM // 12:25:14.964 PM /	Update User Details in UserAPI			

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 33	PASSED	0.084 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.031 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:151) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


check User Put request

FAILED	DURATION - 0.089 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:25:14.971 PM // 12:25:15.060 PM /	Update User Details in UserAPI			

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 34	PASSED	0.078 s


#	Step / Hook Details	Status	Duration
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.010 s
3	<p>Then User receive http "Status code" and response body</p> <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:166) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

check User Put request



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 35	PASSED	0.064 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.011 s
3	<p>Then User receive http "Status code" and response body</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:166) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Put request



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 36	PASSED	0.076 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.021 s
3	<p>Then User receive http "Status code" and response body</p> <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:166)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.001 s