

Cucumber Report

Jul 28, 2022, 3:29:05 PM

Start : Jul 28, 3:28:39.296 PM

End : Jul 28, 3:29:04.222 PM

Duration : 24.926 s

Features







PASSED - 1
FAILED - 8
SKIPPED - 0

Scenarios

PASSED - 57
FAILED - 166
SKIPPED - 0

Steps

PASSED - 489
FAILED - 166
SKIPPED - 7



Feature		Scenario					Step			
Name	Duration	T	P	F	S	T	P	F	S	
<u>Checking Basic Authorization</u>	3.699 s	7	7	0	0	21	21	0	0	
<u>Creating User Details</u>	18.269 s	76	0	76	0	221	138	76	7	
<u>Delete Record in Morbidity API</u>	1.235 s	6	0	6	0	18	12	6	0	
<u>Checking Get Https Request in Morbidity</u>	2.552 s	23	13	10	0	69	59	10	0	
<u>Update Morbidity Details in Morbidity Api</u>	1.107 s	10	4	6	0	30	24	6	0	
<u>Checking Get Https Request in Recipe</u>	2.868 s	30	13	17	0	90	73	17	0	
<u>Delete User record in User Api</u>	0.421 s	5	1	4	0	15	11	4	0	
<u>Checking Get Https request in User API</u>	2.055 s	28	8	20	0	84	64	20	0	
<u>Update User Details in UserAPI</u>	2.922 s	38	11	27	0	114	87	27	0	


Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@SmokeTest		78	12	66	0	9	1	8	0
@SanityTest		9	6	3	0	7	1	6	0
@InNoAuth		1	1	0	0	1	1	0	0
@Authorization		7	7	0	0	1	1	0	0
@BatchMorbidityPostRequest		2	0	2	0	1	0	1	0
@RegressionTest		187	40	147	0	8	0	8	0
@Morbidity		13	0	13	0	1	0	1	0
@POstMorbitySinglePayload		2	0	2	0	1	0	1	0
@GetMorbidityAPI		36	13	23	0	2	0	2	0
@PostMorbidityInvalidPayload		11	0	11	0	1	0	1	0
@UserPost		61	0	61	0	1	0	1	0
@UserGet		89	8	81	0	2	0	2	0
@UserPostAPIwithInvalidFirstName		6	0	6	0	1	0	1	0
@UserPostAPIwithInvalidLastName		6	0	6	0	1	0	1	0
@UserPostAPIwithInvalidCity		6	0	6	0	1	0	1	0
@UserPostAPIwithInvalidState		4	0	4	0	1	0	1	0
@UserPostAPIwithInvalidCountry		11	0	11	0	1	0	1	0

Tag	Scenario				Feature			
	Name	T	P	F	S	T	P	F
@UserPostAPIwithInvalidContact	4	0	4	0	1	0	1	0
@UserPostAPIwithInvalidEmail	4	0	4	0	1	0	1	0
@UserPostAPIwithInvalidAllergy	3	0	3	0	1	0	1	0
@UserPostAPIwithInvalidUserType	6	0	6	0	1	0	1	0
@UserPostAPIInvalidDieticianId	7	0	7	0	1	0	1	0
@Regressiontest	10	1	9	0	2	0	2	0
@UserPostAPIInvalidSameEmailId	1	0	1	0	1	0	1	0
@UserPostAPIWithInvalidSameContact	1	0	1	0	1	0	1	0
@MorbidityDelete	6	0	6	0	1	0	1	0
@MorbidityDeleteUser	2	0	2	0	1	0	1	0
@MorbidityDELETEwithoutMorbidityName	1	0	1	0	1	0	1	0
@MorbidityDELETEwithoutMorbidityTEST_ID	2	0	2	0	1	0	1	0
@MorbidityDeletewithNon-existingMorbidityName	1	0	1	0	1	0	1	0
@GetAllMorbidity	1	1	0	0	1	0	1	0
@MorbidityName	1	1	0	0	1	0	1	0
@MorbidityNameWithWrondEndpoint	1	1	0	0	1	0	1	0
@MorbidityNamewithInvalidDetails	6	1	5	0	1	0	1	0


Tag	Scenario	Feature							
		T	P	F	S	T	P	F	S
Name									
<code>@MorbidityNamewithDifferentMethods</code>		3	3	0	0	1	0	1	0
<code>@GetMorbidityTestID</code>		1	1	0	0	1	0	1	0
<code>@GetMorbidityByTestIdWithwrongEndpoint</code>		1	1	0	0	1	0	1	0
<code>@RegressstionTest</code>		6	1	5	0	1	0	1	0
<code>@MorbidityBytestIdwithInvaliddetails</code>		6	1	5	0	1	0	1	0
<code>@MorbidityByldwithdifferentRequest</code>		3	3	0	0	1	0	1	0
<code>@PuTMorbidity</code>		10	4	6	0	1	0	1	0
<code>@AllRecipes</code>		1	1	0	0	1	0	1	0
<code>@GetRecipeAPI</code>		30	13	17	0	1	0	1	0
<code>@INVALIDENDPOINT</code>		1	1	0	0	1	0	1	0
<code>@GetRecipeByFoodCategory</code>		2	2	0	0	1	0	1	0
<code>@GetRecipeByFoodCategoryINVALID</code>		3	0	3	0	1	0	1	0
<code>@GetRecipeByIngredient</code>		5	3	2	0	1	0	1	0
<code>@GetRecipeByINVALIDIngreident</code>		2	0	2	0	1	0	1	0
<code>@GetRecipeByNutrient</code>		2	2	0	0	1	0	1	0
<code>@GetRecipeByNutrientINVALIDNUTRIENTDETAILS</code>		4	0	4	0	1	0	1	0
<code>@GetRecipeByRecipeType</code>		4	4	0	0	1	0	1	0

Tag	Scenario	Feature							
		T	P	F	S	T	P	F	S
Name									
@GetRecipeByRecipeTypeInvalid		8	0	8	0	1	0	1	0
@UserDELETE		5	1	4	0	1	0	1	0
@UserApiDELETE		5	1	4	0	1	0	1	0
@UserApiDELETEWithInvalidEndPoint		1	0	1	0	1	0	1	0
@UserApiDELETEWithInvalidParams		3	0	3	0	1	0	1	0
@GetAllUser		1	1	0	0	1	0	1	0
@GetAllUserENDPOINT		1	1	0	0	1	0	1	0
@ GetUserByValidFIRSTNAME		1	1	0	0	1	0	1	0
@ GetUserByInvalidFIRSTNAME		5	0	5	0	1	0	1	0
@ GetUserByVALIDCONTACT		1	1	0	0	1	0	1	0
@ GetUserByINVALIDCONTACT		3	0	3	0	1	0	1	0
@ GetUserByValidEMAIL		1	1	0	0	1	0	1	0
@ GetUserByInvalidEMAIL		2	0	2	0	1	0	1	0
@ GetUserByValidUser		2	2	0	0	1	0	1	0
@ GetUserByInValidUser		6	0	6	0	1	0	1	0
@ GetUserByValidDieticianID		1	1	0	0	1	0	1	0
@ GetUserByInvalidDieticianID		4	0	4	0	1	0	1	0


Tag	Scenario	Feature						
		T	P	F	S	T	P	F
Name								
@UserPUT	38	11	27	0	1	0	1	0
@UserPUTApi	38	11	27	0	1	0	1	0
@UserPutApiWithInvlidEndPoint	1	0	1	0	1	0	1	0
@UserPutApiWithInvlidFirstname	4	1	3	0	1	0	1	0
@UserPutAPIWithInvalidLastname	4	1	3	0	1	0	1	0
@UserPutAPIWithInvalidContact	4	1	3	0	1	0	1	0
@UserPutAPIWithInvalidCity	3	0	3	0	1	0	1	0
@UserPutAPIWithInvalidState	3	1	2	0	1	0	1	0
@UserPutAPIWithInvalidCountry	3	1	2	0	1	0	1	0
@UserPutAPIWithInvalidEmailID	4	1	3	0	1	0	1	0
@UserPutAPIWithInvalidFoodCategory	4	2	2	0	1	0	1	0
@UserPutAPIWithInvalidAllergy	4	2	2	0	1	0	1	0
@UserPutAPIWithInvalidParams	3	0	3	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Checking Basic Authorization</u>	7	7	0	0	3.699 s
2	<u>Creating User Details</u>	76	0	76	0	18.269 s
3	<u>Delete Record in Morbidity API</u>	6	0	6	0	1.235 s
4	<u>Checking Get Https Request in Morbidity</u>	23	13	10	0	2.552 s
5	<u>Update Morbidity Details in Morbidity Api</u>	10	4	6	0	1.107 s
6	<u>Checking Get Https Request in Recipe</u>	30	13	17	0	2.868 s
7	<u>Delete User record in User Api</u>	5	1	4	0	0.421 s
8	<u>Checking Get Https request in User API</u>	28	8	20	0	2.055 s
9	<u>Update User Details in UserAPI</u>	38	11	27	0	2.922 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking Basic Authorization</u>	<u>Checking API Authorization</u>	3	3	0	0	1.866 s
2	<u>Checking Basic Authorization</u>	<u>Checking API Authorization</u>	3	3	0	0	0.049 s
3	<u>Checking Basic Authorization</u>	<u>Checking API Authorization with Invalid details</u>	3	3	0	0	0.025 s
4	<u>Checking Basic Authorization</u>	<u>Checking API Authorization with Invalid details</u>	3	3	0	0	0.032 s
5	<u>Checking Basic Authorization</u>	<u>Checking API Authorization with basic auth</u>	3	3	0	0	1.245 s
6	<u>Checking Basic Authorization</u>	<u>Checking API Authorization with basic auth</u>	3	3	0	0	0.211 s
7	<u>Checking Basic Authorization</u>	<u>Checking API Authorization with basic auth</u>	3	3	0	0	0.178 s
8	<u>Creating User Details</u>	<u>Check if user able to send Batch of record</u>	3	2	1	0	1.607 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Creating User Details</u>	<u>Check if user able to send Batch of record</u>	3	2	1	0	0.203 s
10	<u>Creating User Details</u>	<u>PostMorbidity with valid details</u>	3	2	1	0	0.299 s
11	<u>Creating User Details</u>	<u>PostMorbidity with valid details</u>	3	2	1	0	0.122 s
12	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.117 s
13	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.090 s
14	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.089 s
15	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.118 s
16	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.127 s
17	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.101 s
18	<u>Creating User Details</u>	<u>PostMorbidity with invalid details</u>	3	2	1	0	0.095 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
19	Creating User Details	PostMorbidity with invalid details	3	2	1	0	0.107 s
20	Creating User Details	PostMorbidity with invalid details	3	2	1	0	0.106 s
21	Creating User Details	PostMorbidity with invalid details	3	2	1	0	0.113 s
22	Creating User Details	PostMorbidity with invalid details	3	2	1	0	0.120 s
23	Creating User Details	check User Post request	3	2	1	0	0.137 s
24	Creating User Details	check User Post request	3	2	1	0	0.077 s
25	Creating User Details	check User Post request	3	2	1	0	0.085 s
26	Creating User Details	check User Post request	3	2	1	0	0.066 s
27	Creating User Details	check User Post request	3	2	1	0	0.074 s
28	Creating User Details	check User Post request	3	2	1	0	0.059 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
29	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.076 s
30	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.070 s
31	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.067 s
32	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.075 s
33	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.068 s
34	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.069 s
35	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.074 s
36	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.077 s
37	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.089 s
38	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.079 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
39	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.073 s
40	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.068 s
41	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.067 s
42	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.074 s
43	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.062 s
44	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.066 s
45	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.070 s
46	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.065 s
47	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.080 s
48	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.069 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
49	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.071 s
50	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.058 s
51	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.061 s
52	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.066 s
53	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.063 s
54	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.067 s
55	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.067 s
56	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.076 s
57	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.071 s
58	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.078 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
59	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.060 s
60	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.065 s
61	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.069 s
62	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.072 s
63	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.077 s
64	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.065 s
65	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.068 s
66	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.077 s
67	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.090 s
68	<u>Creating User Details</u>	<u>check User Post request</u>	3	2	1	0	0.073 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
69	Creating User Details	check User Post request	3	2	1	0	0.084 s
70	Creating User Details	check User Post request	3	2	1	0	0.071 s
71	Creating User Details	check User Post request	3	2	1	0	0.060 s
72	Creating User Details	check User Post request	3	2	1	0	0.071 s
73	Creating User Details	check User Post request	3	2	1	0	0.068 s
74	Creating User Details	check User Post request	3	2	1	0	0.074 s
75	Creating User Details	check User Post request	2	0	1	1	0.054 s
76	Creating User Details	check User Post request	2	0	1	1	0.025 s
77	Creating User Details	check User Post request	2	0	1	1	0.023 s
78	Creating User Details	check User Post request	2	0	1	1	0.022 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
79	Creating User Details	check User Post request	2	0	1	1	0.020 s
80	Creating User Details	check User Post request	2	0	1	1	0.025 s
81	Creating User Details	check User Post request	2	0	1	1	0.031 s
82	Creating User Details	check User Post request	3	2	1	0	0.078 s
83	Creating User Details	check User Post request	3	2	1	0	0.055 s
84	Delete Record in Morbidity API	Morbidity Delete http request	3	2	1	0	0.391 s
85	Delete Record in Morbidity API	Morbidity Delete http request	3	2	1	0	0.186 s
86	Delete Record in Morbidity API	Morbidity Delete without MorbidityName	3	2	1	0	0.201 s
87	Delete Record in Morbidity API	Morbidity Delete without Test_ID	3	2	1	0	0.151 s
88	Delete Record in Morbidity API	Morbidity Delete with Non-existing Test_ID	3	2	1	0	0.128 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
89	<u>Delete Record in Morbidity API</u>	<u>Morbidity Delete with Non-existing MorbidityName</u>	3	2	1	0	0.133 s
90	<u>Checking Get Https Request in Morbidity</u>	<u>GET HTTP REQUEST</u>	3	3	0	0	0.427 s
91	<u>Checking Get Https Request in Morbidity</u>	<u>Check if we are getting record of a particular MorbidityName</u>	3	3	0	0	0.144 s
92	<u>Checking Get Https Request in Morbidity</u>	<u>Check MorbidityName with Wrong Endpoint</u>	3	3	0	0	0.093 s
93	<u>Checking Get Https Request in Morbidity</u>	<u>Check if we are getting record of a particular MorbidityName with invalid details</u>	3	2	1	0	0.096 s
94	<u>Checking Get Https Request in Morbidity</u>	<u>Check if we are getting record of a particular MorbidityName with invalid details</u>	3	3	0	0	0.082 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
95	<u>Checking Get Https Request in Morbidity</u>	<u>Check if we are getting record of a particular MorbidityName with invalid details</u>	3	2	1	0	0.085 s
96	<u>Checking Get Https Request in Morbidity</u>	<u>Check if we are getting record of a particular MorbidityName with invalid details</u>	3	2	1	0	0.087 s
97	<u>Checking Get Https Request in Morbidity</u>	<u>Check if we are getting record of a particular MorbidityName with invalid details</u>	3	2	1	0	0.100 s
98	<u>Checking Get Https Request in Morbidity</u>	<u>Check if we are getting record of a particular MorbidityName with invalid details</u>	3	2	1	0	0.095 s
99	<u>Checking Get Https Request in Morbidity</u>	<u>Check MorbidityName API With different requests</u>	3	3	0	0	0.078 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-0	Checking Get Https Request in Morbidity	Check MorbidityName API With different requests	3	3	0	0	0.075 s
10-1	Checking Get Https Request in Morbidity	Check MorbidityName API With different requests	3	3	0	0	0.069 s
10-2	Checking Get Https Request in Morbidity	Check MorbidityTestId with valid id and endpoint	3	3	0	0	0.116 s
10-3	Checking Get Https Request in Morbidity	Check MorbidityTestId with valid id and wrong endpoint	3	3	0	0	0.091 s
10-4	Checking Get Https Request in Morbidity	Check MorbidityId with invalid details	3	2	1	0	0.102 s
10-5	Checking Get Https Request in Morbidity	Check MorbidityId with invalid details	3	3	0	0	0.067 s
10-6	Checking Get Https Request in Morbidity	Check MorbidityId with invalid details	3	2	1	0	0.084 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10-7	<u>Checking Get Https Request in Morbidity</u>	<u>Check MorbidityId with invalid details</u>	3	2	1	0	0.083 s
10-8	<u>Checking Get Https Request in Morbidity</u>	<u>Check MorbidityId with invalid details</u>	3	2	1	0	0.092 s
10-9	<u>Checking Get Https Request in Morbidity</u>	<u>Check MorbidityId with invalid details</u>	3	2	1	0	0.126 s
11-0	<u>Checking Get Https Request in Morbidity</u>	<u>Check MorbidityId with different endpoints</u>	3	3	0	0	0.081 s
11-1	<u>Checking Get Https Request in Morbidity</u>	<u>Check MorbidityId with different endpoints</u>	3	3	0	0	0.073 s
11-2	<u>Checking Get Https Request in Morbidity</u>	<u>Check MorbidityId with different endpoints</u>	3	3	0	0	0.074 s
11-3	<u>Update Morbidity Details in Morbidity Api</u>	<u>morbidity Api PUT request with morbidity data</u>	3	3	0	0	0.254 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11-4	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with morbidity data</u>	3	3	0	0	0.155 s
11-5	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with invalid morbidity name</u>	3	2	1	0	0.089 s
11-6	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with invalid morbidity name</u>	3	2	1	0	0.088 s
11-7	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with invalid morbidity testid</u>	3	2	1	0	0.080 s
11-8	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with invalid morbidity testid</u>	3	2	1	0	0.080 s
11-9	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with missing morbidity testunit in request body</u>	3	2	1	0	0.067 s
12-0	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with missing morbidity markerref in request body</u>	3	2	1	0	0.078 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-1	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with missing endpoint params</u>	3	3	0	0	0.080 s
12-2	<u>Update Morbodity Details in Morbodity Api</u>	<u>morbidity Api PUT request with missing endpoint params</u>	3	3	0	0	0.083 s
12-3	<u>Checking Get Https Request in Recipe</u>	<u>Check all the recipes available</u>	3	3	0	0	0.066 s
12-4	<u>Checking Get Https Request in Recipe</u>	<u>Check all the recipes available Invalid Endpoint</u>	3	3	0	0	0.025 s
12-5	<u>Checking Get Https Request in Recipe</u>	<u>Check the recipes FoodCategory Endpoint</u>	3	3	0	0	0.109 s
12-6	<u>Checking Get Https Request in Recipe</u>	<u>Check the recipes FoodCategory Endpoint</u>	3	3	0	0	0.108 s
12-7	<u>Checking Get Https Request in Recipe</u>	<u>Check the recipes FoodCategory Endpoint with Invalid</u>	3	2	1	0	0.121 s
12-8	<u>Checking Get Https Request in Recipe</u>	<u>Check the recipes FoodCategory Endpoint with Invalid</u>	3	2	1	0	0.121 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
12-9	Checking Get Https Request in Recipe	Check the recipes FoodCategory Endpoint with Invalid	3	2	1	0	0.104 s
13-0	Checking Get Https Request in Recipe	Check the recipes FoodIngredient Endpoint	3	3	0	0	0.122 s
13-1	Checking Get Https Request in Recipe	Check the recipes FoodIngredient Endpoint	3	3	0	0	0.090 s
13-2	Checking Get Https Request in Recipe	Check the recipes FoodIngredient Endpoint	3	3	0	0	0.080 s
13-3	Checking Get Https Request in Recipe	Check the recipes FoodIngredient Endpoint	3	2	1	0	0.073 s
13-4	Checking Get Https Request in Recipe	Check the recipes FoodIngredient Endpoint	3	2	1	0	0.084 s
13-5	Checking Get Https Request in Recipe	To get all the Recipe Nutrient record with valid data	3	3	0	0	0.105 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
13-6	Checking Get Https Request in Recipe	To get all the Recipe Nutrient record with valid data	3	3	0	0	0.106 s
13-7	Checking Get Https Request in Recipe	To get all the Recipe Nutrient record with Invalid data	3	2	1	0	0.109 s
13-8	Checking Get Https Request in Recipe	To get all the Recipe Nutrient record with Invalid data	3	2	1	0	0.095 s
13-9	Checking Get Https Request in Recipe	To get all the Recipe Nutrient record with Invalid data	3	2	1	0	0.097 s
14-0	Checking Get Https Request in Recipe	To get all the Recipe Nutrient record with Invalid data	3	2	1	0	0.091 s
14-1	Checking Get Https Request in Recipe	To get all the Recipe Type with Valid Records	3	3	0	0	0.093 s
14-2	Checking Get Https Request in Recipe	To get all the Recipe Type with Valid Records	3	3	0	0	0.087 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
14-3	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with Valid Records</u>	3	3	0	0	0.092 s
14-4	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with Valid Records</u>	3	3	0	0	0.103 s
14-5	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with InValid Records</u>	3	2	1	0	0.082 s
14-6	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with InValid Records</u>	3	2	1	0	0.070 s
14-7	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with InValid Records</u>	3	2	1	0	0.069 s
14-8	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with InValid Records</u>	3	2	1	0	0.077 s
14-9	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with InValid Records</u>	3	2	1	0	0.076 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15-0	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with InValid Records</u>	3	2	1	0	0.068 s
15-1	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with InValid Records</u>	3	2	1	0	0.087 s
15-2	<u>Checking Get Https Request in Recipe</u>	<u>To get all the Recipe Type with InValid Records</u>	3	2	1	0	0.083 s
15-3	<u>Delete User record in User Api</u>	<u>check if user able to delete User record in UserAPI</u>	3	3	0	0	0.083 s
15-4	<u>Delete User record in User Api</u>	<u>check if user able to delete User record in UserAPI</u>	3	2	1	0	0.084 s
15-5	<u>Delete User record in User Api</u>	<u>check if user able to delete User record in UserAPI</u>	3	2	1	0	0.088 s
15-6	<u>Delete User record in User Api</u>	<u>check if user able to delete User record in UserAPI</u>	3	2	1	0	0.074 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15-7	<u>Delete User record in User Api</u>	<u>check if user able to delete User record in UserAPI</u>	3	2	1	0	0.067 s
15-8	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with valid</u>	3	3	0	0	0.035 s
15-9	<u>Checking Get Https request in User API</u>	<u>To get all the Users available</u>	3	3	0	0	0.011 s
16-0	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with valid FirstName</u>	3	3	0	0	0.076 s
16-1	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid FirstName</u>	3	2	1	0	0.072 s
16-2	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid FirstName</u>	3	2	1	0	0.070 s
16-3	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid FirstName</u>	3	2	1	0	0.069 s
16-4	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid FirstName</u>	3	2	1	0	0.085 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
16-5	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid FirstName</u>	3	2	1	0	0.059 s
16-6	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with valid contact info</u>	3	3	0	0	0.063 s
16-7	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid contact info</u>	3	2	1	0	0.065 s
16-8	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid contact info</u>	3	2	1	0	0.068 s
16-9	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid contact info</u>	3	2	1	0	0.066 s
17-0	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with valid Email</u>	3	3	0	0	0.074 s
17-1	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid Email</u>	3	2	1	0	0.074 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
17-2	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid Email</u>	3	2	1	0	0.076 s
17-3	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with valid User Type</u>	3	3	0	0	0.082 s
17-4	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with valid User Type</u>	3	3	0	0	0.075 s
17-5	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid User Type</u>	3	2	1	0	0.066 s
17-6	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid User Type</u>	3	2	1	0	0.061 s
17-7	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid User Type</u>	3	2	1	0	0.083 s
17-8	<u>Checking Get Https request in User API</u>	<u>To get all the Users available with invalid User Type</u>	3	2	1	0	0.090 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
17-9	Checking Get Https request in User API	To get all the Users available with invalid User Type	3	2	1	0	0.081 s
18-0	Checking Get Https request in User API	To get all the Users available with invalid User Type	3	2	1	0	0.081 s
18-1	Checking Get Https request in User API	To get all the Users available with valid Dietician Id	3	3	0	0	0.088 s
18-2	Checking Get Https request in User API	To get all the Users available with invalid Dietician Id	3	2	1	0	0.058 s
18-3	Checking Get Https request in User API	To get all the Users available with invalid Dietician Id	3	2	1	0	0.065 s
18-4	Checking Get Https request in User API	To get all the Users available with invalid Dietician Id	3	2	1	0	0.062 s
18-5	Checking Get Https request in User API	To get all the Users available with invalid Dietician Id	3	2	1	0	0.056 s
18-6	Update User Details in UserAPI	check User Put request	3	3	0	0	0.109 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
18-7	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.075 s
18-8	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.074 s
18-9	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.083 s
19-0	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.085 s
19-1	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.073 s
19-2	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.075 s
19-3	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.059 s
19-4	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.088 s
19-5	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.085 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
19-6	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.080 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
19-7	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.084 s
19-8	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.065 s
19-9	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.074 s
20-0	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.083 s
20-1	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.079 s
20-2	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.068 s
20-3	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.061 s
20-4	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.067 s
20-5	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.067 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
20-6	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.076 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
20-7	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.060 s
20-8	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.086 s
20-9	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.074 s
21-0	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.071 s
21-1	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.055 s
21-2	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.068 s
21-3	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.075 s
21-4	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.053 s
21-5	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.063 s

#	Feature Name	Scenario Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
21-6	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.064 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21-7	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.057 s
21-8	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	3	0	0	0.071 s
21-9	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.078 s
22-0	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.081 s
22-1	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.066 s
22-2	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.056 s
22-3	<u>Update User Details in UserAPI</u>	<u>check User Put request</u>	3	2	1	0	0.069 s

Checking Basic Authorization




Checking API Authorization





#	Step / Hook Details	Status	Duration
1	Given User create a http request	PASSED	0.710 s
2	When User calls "GetMorbidity" request in no auth	PASSED	1.128 s
3	Then user should receive error code	PASSED	0.003 s

Checking API Authorization




#	Step / Hook Details	Status	Duration
1	Given User create a http request with basic auth	PASSED	0.019 s
2	When User calls "GetMorbidity" http request with basic auth	PASSED	0.026 s
3	Then user should receive success code	PASSED	0.002 s

Checking API Authorization with Invalid details

PASSED	DURATION - 0.025 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:41.243 PM // 3:28:41.268 PM /				
<i>Checking Basic Authorization</i>				
<i>@SmokeTest @Authorization</i>				


#	Step / Hook Details	Status	Duration
1	Given User create a http request with invalid details	PASSED	0.003 s
2	When User call "GetRecipe" http request with invalid username	PASSED	0.017 s
3	Then user should receive unauthorized message	PASSED	0.002 s

Checking API Authorization with Invalid details

PASSED	DURATION - 0.032 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:41.284 PM // 3:28:41.316 PM /				
<i>Checking Basic Authorization</i>				
<i>@SmokeTest @Authorization</i>				


#	Step / Hook Details	Status	Duration
1	Given User create a http request with invalid details	PASSED	0.003 s
2	When User call "GetRecipe" http request with invalid Password	PASSED	0.026 s
3	Then user should receive unauthorized message	PASSED	0.002 s

Checking API Authorization with basic auth




#	Step / Hook Details	Status	Duration
1	Given User create a http request with basic auth	PASSED	0.002 s
2	When User calls http request with different methods "Authorization" 0	PASSED	1.238 s
3	Then user should receive unauthorized message	PASSED	0.002 s

Checking API Authorization with basic auth



#	Step / Hook Details	Status	Duration
1	Given User create a http request with basic auth	PASSED	0.003 s
2	When User calls http request with different methods "Authorization" 1	PASSED	0.203 s
3	Then user should receive unauthorized message	PASSED	0.002 s

Checking API Authorization with basic auth




#	Step / Hook Details	Status	Duration
1	Given User create a http request with basic auth	PASSED	0.002 s
2	When User calls http request with different methods "Authorization" 2	PASSED	0.171 s
3	Then user should receive unauthorized message	PASSED	0.002 s

Creating User Details




Check if user able to send Batch of record



#	Step / Hook Details	Status	Duration
1	Given User creates POSTMethod EndPoint from sheet "BatchPostMorbidity1"	PASSED	0.636 s
2	When User calls "PostMorbidity" request with "PostbatchRequest"	PASSED	0.161 s


#	Step / Hook Details	Status	Duration
3	<p>Then User receive http statusCode and response body</p> <pre>java.lang.AssertionError: expected:<200> but was:<500> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.MorbidityBatch_Post.user_receive_http_status_code_and_response_body(MorbidityBatch_Post.java:52) at ?.User receive http statusCode and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/MorbidityBatch_Post.feature:12) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.807 s

Check if user able to send Batch of record




#	Step / Hook Details	Status	Duration
1	Given User creates POSTMethod EndPoint from sheet "BatchPostMorbidity"	PASSED	0.148 s
2	When User calls "PostMorbidity" request with "PostbatchRequest"	PASSED	0.030 s
3	<p>Then User receive http statusCode and response body</p> <pre>java.lang.AssertionError: expected:<200> but was:<500> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.MorbidityBatch_Post.user_receive_http_status_code_and_response_body(MorbidityBatch_Post.java:52) at ?.User receive http statusCode and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/MorbidityBatch_Post.feature:22) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.022 s

PostMorbidity with valid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 0	PASSED	0.151 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.105 s
3	Then User receive HTTP "PostMorbidity" response body and verify test_Id created using "GetMorbidity" in "Get" request org.junit.ComparisonFailure: expected:<PRE_BL[]> but was:<PRE_BL[O]> at org.junit.Assert.assertEquals Assert.java:117) at org.junit.Assert.assertEquals Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body_and_verify_test_id_created_using_in_request(Mordibity_Post.java:65) at ?.User receive HTTP "PostMorbidity" response body and verify test_Id created using "GetMorbidity" in "Get" request(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:12) * Not displayable characters are replaced by '?'.	FAILED	0.042 s


PostMorbidity with valid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 1	PASSED	0.062 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.032 s
3	Then User receive HTTP "PostMorbidity" response body and verify test_Id created using "GetMorbidity" in "Get" request java.lang.AssertionError: expected:<PRE_BL> but was:<null>	FAILED	0.028 s


#	Step / Hook Details	Status	Duration
	<pre> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:120) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body_and_verify_test_id_created_using_in_request(Mordibity_Post.java:65) at ?.User receive HTTP "PostMorbidity" response body and verify test_Id created using "GetMorbidity" in "Get" request(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:12) * Not displayable characters are replaced by '?'. </pre>		

PostMorbidity with invalid details




#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 2	PASSED	0.062 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.036 s
3	<p>Then User receive HTTP "PostMorbidity" response body</p> <pre> java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:78) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.018 s

PostMorbidity with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 3	PASSED	0.061 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.008 s
3	Then User receive HTTP "PostMorbidity" response body org.junit.ComparisonFailure: expected:<Missing[Items OR Invalid Entry.Check on ['MorbidityName'].]MorbidityMarkerRef...> but was:<Missing[Items OR Invalid Entry.Check on ['MorbidityName',]MorbidityMarkerRef...> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:77) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.	FAILED	0.021 s


PostMorbidity with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 4	PASSED	0.059 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.011 s
3	Then User receive HTTP "PostMorbidity" response body	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	<pre>org.junit.ComparisonFailure: expected:<Missing Items O[r] Invalid Entry.Check...> but was:<Missing Items O[R] Invalid Entry.Check...> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:77) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.</pre>		


PostMorbidity with invalid details

FAILED	DURATION - 0.118 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:49.448 PM // 3:28:49.566 PM /	Creating User Details			

@Morbidity @PostMorbidityInvalidPayload
 @GetMorbidityAPI @RegressionTest


#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 5	PASSED	0.067 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.031 s
3	Then User receive HTTP "PostMorbidity" response body <pre>org.junit.ComparisonFailure: expected:<[Missing Items Or Invalid Entry.check on ['MorbidityTestUnit']]> but was:<[error occurred]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:77) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.018 s

PostMorbidity with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 6	PASSED	0.082 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.031 s
3	<p>Then User receive HTTP "PostMorbidity" response body</p> <pre>org.junit.ComparisonFailure: expected:<[Invalid Entry]> but was:<[error occurred]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:77) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.014 s



PostMorbidity with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 7	PASSED	0.058 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.027 s
3	<p>Then User receive HTTP "PostMorbidity" response body</p> <pre>org.junit.ComparisonFailure: expected:<[Invalid Entry]> but was:<[error occurred]></pre>	FAILED	0.015 s

#	Step / Hook Details	Status	Duration
	<pre>at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:77) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.</pre>		


PostMorbidity with invalid details

FAILED	DURATION - 0.095 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:49.808 PM // 3:28:49.903 PM /	Creating User Details			

@Morbidity @PostMorbidityInvalidPayload
 @GetMorbidityAPI @RegressionTest


#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 8	PASSED	0.053 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.027 s
3	Then User receive HTTP "PostMorbidity" response body <code>org.junit.ComparisonFailure: expected:<[Invalid Entry]> but was:<[error occurred]></code> <code>at org.junit.Assert.assertEquals(Assert.java:117)</code> <code>at org.junit.Assert.assertEquals(Assert.java:146)</code> <code>at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:77)</code> <code>at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25)</code> <code>* Not displayable characters are replaced by '?'.</code>	FAILED	0.015 s

PostMorbidity with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 9	PASSED	0.057 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.032 s
3	Then User receive HTTP "PostMorbidity" response body org.junit.ComparisonFailure: expected:<[Invalid Entry]> but was:<[error occurred]> at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:77) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.	FAILED	0.018 s


PostMorbidity with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 10	PASSED	0.061 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.029 s
3	Then User receive HTTP "PostMorbidity" response body org.junit.ComparisonFailure: expected:<[Invalid Entry]> but was:<[error occurred]>	FAILED	0.015 s


#	Step / Hook Details	Status	Duration
	<pre>at org.junit.Assert.assertEquals(Assert.java:117) at org.junit.Assert.assertEquals(Assert.java:146) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:77) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.</pre>		

PostMorbidity with invalid details




#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 11	PASSED	0.062 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.032 s
3	<p>Then User receive HTTP "PostMorbidity" response body</p> <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:78) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.018 s

PostMorbidity with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates Post method Endpoint data from "POSTMorbidity" and 12	PASSED	0.060 s
2	When User calls "PostMorbidity" https Request with "POST"	PASSED	0.041 s
3	Then User receive HTTP "PostMorbidity" response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Mordibity_Post.user_receive_http_response_body(Mordibity_Post.java:78) at ?.User receive HTTP "PostMorbidity" response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Post.feature:25) * Not displayable characters are replaced by '?'.	FAILED	0.019 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 0	PASSED	0.085 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.017 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.034 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: 1 expectation failed. Response body doesn't match expectation. Expected: The content to match the given JSON schema. error: object has missing required properties ("UserId") level: "error" schema: {"loadingURI":"file:/C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/target/test-classes/JsonSchema/UserPostResSchema.json#","pointer":""} instance: {"pointer":""} domain: "validation" keyword: "required" required: ["Message","UserId"] missing: ["UserId"] Actual: {"Message": "User detail already exists. Check on [Firstname, Contact , Email]"}</pre> <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:58) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:508) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:690) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:103) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:48) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:13) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 0	PASSED	0.063 s
2	When User calls "UserApiWrong" Https Request with "POST"	PASSED	0.009 s
3	<p>Then User receive HTTP "Status code" and response body</p> <pre>io.restassured.module.jsv.JsonSchemaValidationException: com.fasterxml.jackson.core.JsonParseException: Unexpected character ('<' (code 60)): expected a valid value (JSON String, Number, Array, Object or token 'null', 'true' or 'false') at [Source: (StringReader); line: 1, column: 2] at io.restassured.module.jsv.JsonSchemaValidator.matchesSafely(JsonSchemaValidator.java:233) at io.restassured.module.jsv.JsonSchemaValidator.matchesSafely(JsonSchemaValidator.java:75) at org.hamcrest.TypeSafeMatcher.matches(TypeSafeMatcher.java:65) at io.restassured.internal.assertion.BodyMatcher.validate(BodyMatcher.java:82) at io.restassured.internal.assertion.BodyMatcherGroup.lambda\$validate\$0(BodyMatcherGroup.java:30) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.ArrayList\$ArrayListSpliterator.forEachRemaining(ArrayList.java:1655) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578) at io.restassured.internal.assertion.BodyMatcherGroup.validate(BodyMatcherGroup.java:30) at io.restassured.internal.assertion.BodyMatcherGroup\$validate\$4.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:495) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:690) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/java.lang.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)</pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:103) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:48) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:25) Caused by: com.fasterxml.jackson.core.JsonParseException: Unexpected character ('<' (code 60)): expected a valid value (JSON String, Number, Array, Object or token 'null', 'true' or 'false') at [Source: (StringReader); line: 1, column: 2] at com.fasterxml.jackson.core.JsonParser._constructError(JsonParser.java:2391) at com.fasterxml.jackson.core.base.ParserMinimalBase._reportError(ParserMinimalBase.java:735) at com.fasterxml.jackson.core.base.ParserMinimalBase._reportUnexpectedChar(ParserMinimalBase.java:659) at com.fasterxml.jackson.core.json.ReaderBasedJsonParser._handleOddValue(ReaderBasedJsonParser.java:2005) at com.fasterxml.jackson.core.json.ReaderBasedJsonParser.nextToken(ReaderBasedJsonParser.java:802) at com.fasterxml.jackson.databind.MappingIterator.hasNextValue(MappingIterator.java:246) at com.github.fge.jackson.JsonNodeReader.readNode(JsonNodeReader.java:149) at com.github.fge.jackson.JsonNodeReader.fromReader(JsonNodeReader.java:129) at com.github.fge.jackson.JsonLoader.fromReader(JsonLoader.java:186) at com.github.fge.jackson.JsonLoader.fromString(JsonLoader.java:199) at io.restassured.module.jsv.JsonSchemaValidator.matchesSafely(JsonSchemaValidator.java:214) at io.restassured.module.jsv.JsonSchemaValidator.matchesSafely(JsonSchemaValidator.java:75) at org.hamcrest.TypeSafeMatcher.matches(TypeSafeMatcher.java:65) at io.restassured.internal.assertion.BodyMatcher.validate(BodyMatcher.java:82) at io.restassured.internal.assertion.BodyMatcherGroup.lambda\$validate\$0(BodyMatcherGroup.java:30) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.ArrayList\$ArrayListSpliterator.forEachRemaining(ArrayList.java:1655) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578) at io.restassured.internal.assertion.BodyMatcherGroup.validate(BodyMatcherGroup.java:30) at io.restassured.internal.assertion.BodyMatcherGroup\$validate\$4.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:495) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:690) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. </pre>		

#	Step / Hook Details	Status	Duration
	<pre>java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:103) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:48) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:89) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:41) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:542) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:770) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:464) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'.</p>		


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 1	PASSED	0.066 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.018 s
3	<p>Then User receive HTTP "Status code" and response body</p> <pre> java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) </pre>	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:37) * Not displayable characters are replaced by '?'.		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 2	PASSED	0.054 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.008 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:37) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 3	PASSED	0.058 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> <i>at org.junit.Assert.fail(Assert.java:89)</i> <i>at org.junit.Assert.failNotEquals(Assert.java:835)</i> <i>at org.junit.Assert.assertEquals(Assert.java:647)</i> <i>at org.junit.Assert.assertEquals(Assert.java:633)</i> <i>at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52)</i> <i>at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:37)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 4	PASSED	0.044 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.012 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:37) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 5	PASSED	0.058 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.015 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:37) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 6	PASSED	0.054 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:37) * Not displayable characters are replaced by '?'.	FAILED	0.002 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 7	PASSED	0.053 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.012 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:54) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 8	PASSED	0.050 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.023 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:54) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 9	PASSED	0.054 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.013 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:54) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 10	PASSED	0.053 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.015 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:54) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 11	PASSED	0.064 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.008 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:54) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 12	PASSED	0.056 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.019 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:54) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 12	PASSED	0.070 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.017 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:71) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 13	PASSED	0.063 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.013 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:71) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 14	PASSED	0.056 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.016 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> <i> at org.junit.Assert.fail(Assert.java:89)</i> <i> at org.junit.Assert.failNotEquals(Assert.java:835)</i> <i> at org.junit.Assert.assertEquals(Assert.java:647)</i> <i> at org.junit.Assert.assertEquals(Assert.java:633)</i> <i> at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52)</i> <i> at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:71)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 15	PASSED	0.053 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:71) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 16	PASSED	0.054 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.013 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:71) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 17	PASSED	0.059 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:71) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 18	PASSED	0.049 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.012 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:88) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 19	PASSED	0.051 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:88) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 19	PASSED	0.055 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.013 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:88) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 20	PASSED	0.049 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:88) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 21	PASSED	0.063 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.015 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:103) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 22	PASSED	0.054 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.013 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:103) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 23	PASSED	0.056 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:103) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 24	PASSED	0.043 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.012 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:103) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 25	PASSED	0.047 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:118) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 26	PASSED	0.053 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.012 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:118) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 27	PASSED	0.049 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.013 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:118) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 28	PASSED	0.058 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.008 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:118) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 29	PASSED	0.054 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.012 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:133) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 30	PASSED	0.060 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.013 s
3	<p>Then User receive HTTP "Status code" and response body</p> <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:133) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 31	PASSED	0.054 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.008 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:133) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 32	PASSED	0.064 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.013 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:133) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 33	PASSED	0.047 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.012 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:148) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 34	PASSED	0.049 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:148) * Not displayable characters are replaced by '?'.	FAILED	0.002 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 35	PASSED	0.055 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.013 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:148) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 36	PASSED	0.055 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.016 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:148) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 37	PASSED	0.060 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.015 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> <i> at org.junit.Assert.fail(Assert.java:89)</i> <i> at org.junit.Assert.failNotEquals(Assert.java:835)</i> <i> at org.junit.Assert.assertEquals(Assert.java:647)</i> <i> at org.junit.Assert.assertEquals(Assert.java:633)</i> <i> at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52)</i> <i> at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:148)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 38	PASSED	0.050 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:148) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 39	PASSED	0.058 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.010 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:148) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 40	PASSED	0.058 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.018 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:166) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 41	PASSED	0.073 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.015 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:166) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 42	PASSED	0.062 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.008 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:166) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 43	PASSED	0.062 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.016 s
3	Then User receive HTTP "Status code" and response body <i>java.lang.AssertionError: expected:<200> but was:<400></i> <i> at org.junit.Assert.fail(Assert.java:89)</i> <i> at org.junit.Assert.failNotEquals(Assert.java:835)</i> <i> at org.junit.Assert.assertEquals(Assert.java:647)</i> <i> at org.junit.Assert.assertEquals(Assert.java:633)</i> <i> at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52)</i> <i> at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:180)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.004 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 44	PASSED	0.056 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.014 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:180) * Not displayable characters are replaced by '?'.</pre>		

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 45	PASSED	0.049 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.009 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:180) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 46	PASSED	0.058 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.012 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:180) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 47	PASSED	0.051 s
2	When User calls "UserApi"Https Request with "POST"	PASSED	0.015 s
3	Then User receive HTTP "Status code" and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:180) * Not displayable characters are replaced by '?'.</pre>		

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 48	PASSED	0.058 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.015 s
3	Then User receive HTTP "Status code" and response body <pre>java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:180) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s


check User Post request



#	Step / Hook Details	Status	Duration
1	<p>When User calls "UserApi" Https Request with "POST"</p> <pre>java.lang.AssertionError: 1 expectation failed. JSON path message doesn't match. Expected: User detail already Exists. \nCheck on [Firstname, Contact , Email] Actual: null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:508) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1687) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor133.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1692) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)</pre>	FAILED	0.053 s

#	Step / Hook Details	Status	Duration
	<pre> at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at stepDefinitions.User_PostStepDef.user_calls_http_request_with(User_PostStepDef.java:40) at ?.User calls "UserApi" Https Request with "POST"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:197) * Not displayable characters are replaced by '?'. </pre>		
2	Then User receive HTTP "Status code" and response body	SKIPPED	0.000 s

check User Post request




#	Step / Hook Details	Status	Duration
1	<p>When User calls "UserApi" Https Request with "POST"</p> <pre> java.lang.AssertionError: 1 expectation failed. JSON path message doesn't match. Expected: User detail already Exists. \nCheck on [Firstname, Contact , Email] Actual: null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) </pre>	FAILED	0.025 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:508) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1687) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor133.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1692) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at stepDefinitions.User_PostStepDef.user_calls_http_request_with(User_PostStepDef.java:40) at ?.User calls "UserApi" Https Request with "POST"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/ </pre>		

#	Step / Hook Details	Status	Duration
	features/User_Post.feature:197) * Not displayable characters are replaced by '?'.		
2	Then User receive HTTP "Status code" and response body	SKIPPED	0.000 s


check User Post request



#	Step / Hook Details	Status	Duration
1	<p>When User calls "UserApi" Https Request with "POST"</p> <pre>java.lang.AssertionError: 1 expectation failed. JSON path message doesn't match. Expected: User detail already Exists. \nCheck on [Firstname, Contact , Email] Actual: null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:508) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1687) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor133.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009)</pre>	FAILED	0.023 s

#	Step / Hook Details	Status	Duration
	<pre> at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1692) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at stepDefinitions.User_PostStepDef.user_calls_http_request_with(User_PostStepDef.java:40) at ?.User calls "UserApi" Https Request with "POST"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:197) * Not displayable characters are replaced by '?'. </pre>		
2	Then User receive HTTP "Status code" and response body	SKIPPED	0.000 s


check User Post request



#	Step / Hook Details	Status	Duration
1	<p>When User calls "UserApi" Https Request with "POST"</p> <pre>java.lang.AssertionError: 1 expectation failed. JSON path message doesn't match. Expected: User detail already Exists. \nCheck on [Firstname, Contact , Email] Actual: null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:508) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1687) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor133.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1692) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)</pre>	FAILED	0.022 s

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at stepDefinitions.User_PostStepDef.user_calls_http_request_with(User_PostStepDef.java:40) at ?.User calls "UserApi" Https Request with "POST"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:197) * Not displayable characters are replaced by '?'.		
2	Then User receive HTTP "Status code" and response body	SKIPPED	0.000 s


check User Post request



#	Step / Hook Details	Status	Duration
1	When User calls "UserApi" Https Request with "POST" java.lang.AssertionError: 1 expectation failed. JSON path message doesn't match. Expected: User detail already Exists. \nCheck on [Firstname, Contact , Email] Actual: null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:508) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1687) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor133.invoke(Unknown Source)	FAILED	0.019 s

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1692) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at stepDefinitions.User_PostStepDef.user_calls_http_request_with(User_PostStepDef.java:40) at ?.User calls "UserApi" Https Request with "POST"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:197) * Not displayable characters are replaced by '?'.		
2	Then User receive HTTP "Status code" and response body	SKIPPED	0.000 s


check User Post request



#	Step / Hook Details	Status	Duration
1	When User calls "UserApi" Https Request with "POST" <pre>java.lang.AssertionError: 1 expectation failed. JSON path message doesn't match. Expected: User detail already Exists. \nCheck on [Firstname, Contact , Email] Actual: null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:508) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1687) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor133.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1692) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)</pre>	FAILED	0.024 s

#	Step / Hook Details	Status	Duration
	<pre> at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at stepDefinitions.User_PostStepDef.user_calls_http_request_with(User_PostStepDef.java:40) at ?.User calls "UserApi" Https Request with "POST"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:197) * Not displayable characters are replaced by '?'. </pre>		
2	Then User receive HTTP "Status code" and response body	SKIPPED	0.000 s

check User Post request




#	Step / Hook Details	Status	Duration
1	<p>When User calls "UserApi" Https Request with "POST"</p> <pre> java.lang.AssertionError: 1 expectation failed. JSON path message doesn't match. Expected: User detail already Exists. \nCheck on [Firstname, Contact , Email] Actual: null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) </pre>	FAILED	0.030 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:508) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1687) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor133.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1692) at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor132.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1369) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:180) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at stepDefinitions.User_PostStepDef.user_calls_http_request_with(User_PostStepDef.java:40) at ?.User calls "UserApi" Https Request with "POST"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/ </pre>		


#	Step / Hook Details	Status	Duration
	features/User_Post.feature:197) * Not displayable characters are replaced by '?'.		
2	Then User receive HTTP "Status code" and response body	SKIPPED	0.000 s

check User Post request



#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 56	PASSED	0.063 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.013 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:216) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

check User Post request




#	Step / Hook Details	Status	Duration
1	Given User creates POST Method EndPoint with data from "UserApiPOST" and 57	PASSED	0.042 s
2	When User calls "UserApi" Https Request with "POST"	PASSED	0.012 s
3	Then User receive HTTP "Status code" and response body java.lang.AssertionError: expected:<200> but was:<400> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PostStepDef.user_receive_http_and_response_body(User_PostStepDef.java:52) at ?.User receive HTTP "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Post.feature:228) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Delete Record in Morbidity API




Morbidity Delete http request



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method	PASSED	0.003 s
2	When User calls "DeleteMorbidity" "DeleteMorbiditybyTestId" with "Delete" http request from "DELETEMorbidity" 0	PASSED	0.206 s
3	Then User receive HTTP Status code and Verify by calling "GetMorbidity" with "Get" java.lang.AssertionError: expected:<200> but was:<404> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Delete.user_receive_http_status_code_and_verify_by_calling_with(Morbidity_Delete.java:55) at ?.User receive HTTP Status code and Verify by calling "GetMorbidity" with "Get"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Delete.feature:12) * Not displayable characters are replaced by '?'.	FAILED	0.179 s


Morbidity Delete http request



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method	PASSED	0.004 s
2	When User calls "DeleteMorbidity" "DeleteMorbiditybyTestId" with "Delete" http request from "DELETEMorbidity" 1	PASSED	0.159 s
3	Then User receive HTTP Status code and Verify by calling "GetMorbidity" with "Get"	FAILED	0.022 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<200> but was:<404> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Delete.user_receive_http_status_code_and_verify_by_calling_with(Morbidity_Delete.java:55) at ?.User receive HTTP Status code and Verify by calling "GetMorbidity" with "Get"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Delete.feature:12) * Not displayable characters are replaced by '?'.</pre>		

Morbidity Delete without MorbidityName




#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method	PASSED	0.003 s
2	When User calls "DeleteMorbidity" "DeleteMorbiditybyTestId" with "Delete" http request from "DELETEMorbidity" 4	PASSED	0.144 s
3	<p>Then User receive HTTP Status code and Verify by calling "GetMorbidity" with "Get"</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Delete.user_receive_http_status_code_and_verify_by_calling_with(Morbidity_Delete.java:55) at ?.User receive HTTP Status code and Verify by calling "GetMorbidity" with "Get"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Delete.feature:26) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.051 s

Morbidity Delete without Test_ID



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method	PASSED	0.003 s
2	When User calls "DeleteMorbidity" "DeleteMorbiditybyTestId" with "Delete" http request from "DELETEMorbidity" 2	PASSED	0.145 s
3	<p>Then User receive HTTP "Status code" and JsonResponse body</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Delete.user_receive_http_and_json_response_body(Morbidity_Delete.java:64) at ?.User receive HTTP "Status code" and JsonResponse body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Delete.feature:38) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s


Morbidity Delete with Non-existing Test_ID



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method	PASSED	0.003 s
2	When User calls "DeleteMorbidity" "DeleteMorbiditybyTestId" with "Delete" http request from "DELETEMorbidity" 5	PASSED	0.125 s
3	Then User receive HTTP "Status code" and JsonResponse body	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Delete.user_receive_http_and_json_response_body(Morbidity_Delete.java:64) at ?.User receive HTTP "Status code" and JsonResponse body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Delete.feature:49) * Not displayable characters are replaced by '?'.</pre>		

Morbidity Delete with Non-existing MorbidityName




#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method	PASSED	0.003 s
2	When User calls "DeleteMorbidity" "DeleteMorbiditybyTestId" with "Delete" http request from "DELETEMorbidity" 6	PASSED	0.128 s
3	<p>Then User receive HTTP "Status code" and JsonResponse body</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Delete.user_receive_http_and_json_response_body(Morbidity_Delete.java:64) at ?.User receive HTTP "Status code" and JsonResponse body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Delete.feature:62) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

Checking Get Https Request in Morbidity




GET HTTP REQUEST



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.003 s
2	When User calls "GetMorbidity" with "GET" Https Request	PASSED	0.064 s
3	Then User receive HTTP Status code	PASSED	0.357 s



Check if we are getting record of a particular MorbidityName



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbiditybyName" Https Request with "GETByName" from "GETMorbidity" and 0	PASSED	0.135 s


#	Step / Hook Details	Status	Duration
3	Then User receive HTTP Status code and response body with MorbidityName	PASSED	0.006 s

Check MorbidityName with Wrong Endpoint

PASSED	DURATION - 0.093 s	 / 3:28:46.721 PM // 3:28:46.814 PM /	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
		<i>Checking Get Https Request in Morbidity</i> <i>@SmokeTest @MorbidityNameWithWrondEndpoint</i> <i>@GetMorbidityAPI</i>		

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbidityName" Https Request with "GETByName" from "GETMorbidity" and 1	PASSED	0.087 s
3	Then User receive HTTP Status code and response body with MorbidityName	PASSED	0.001 s



Check if we are getting record of a particular MorbidityName with invalid details

FAILED	DURATION - 0.096 s	 / 3:28:46.821 PM // 3:28:46.917 PM /	Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
		<i>Checking Get Https Request in Morbidity</i> <i>@MorbidityNamewithInvalidDetails @GetMorbidityAPI</i> <i>@RegressionTest</i>		

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbiditybyName" Https Request with "GETByName" from "GETMorbidity" and 1	PASSED	0.092 s
3	Then User receive HTTP Status code and response body with MorbidityName java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647)	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	<pre>at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_name(Morbidity_Get.java:130) at ?.User receive HTTP Status code and response body with MorbidityName(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Get.feature:39) * Not displayable characters are replaced by '?'.</pre>		

Check if we are getting record of a particular MorbidityName with invalid details

PASSED	DURATION - 0.082 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:46.923 PM // 3:28:47.005 PM /				
Checking Get Https Request in Morbidity				
@MorbidityNamewithInvalidDetails @GetMorbidityAPI @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyName" Https Request with "GETByName" from "GETMorbidity" and 2	PASSED	0.079 s
3	Then User receive HTTP Status code and response body with MorbidityName	PASSED	0.001 s


Check if we are getting record of a particular MorbidityName with invalid details

FAILED	DURATION - 0.085 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:47.011 PM // 3:28:47.096 PM /				
Checking Get Https Request in Morbidity				
@MorbidityNamewithInvalidDetails @GetMorbidityAPI @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbiditybyName" Https Request with "GETByName" from "GETMorbidity" and 3	PASSED	0.082 s
3	Then User receive HTTP Status code and response body with MorbidityName	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_name(Morbidity_Get.java:130) at ?.User receive HTTP Status code and response body with MorbidityName(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/ APIDietician/src/test/java/features/Morbidity_Get.feature:39) * Not displayable characters are replaced by '?'.</pre>		

Check if we are getting record of a particular MorbidityName with invalid details




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyName" Https Request with "GETByName" from "GETMorbidity" and 4	PASSED	0.082 s
3	<p>Then User receive HTTP Status code and response body with MorbidityName</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_name(Morbidity_Get.java:130) at ?.User receive HTTP Status code and response body with MorbidityName(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/ APIDietician/src/test/java/features/Morbidity_Get.feature:39) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s

Check if we are getting record of a particular MorbidityName with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.003 s
2	When User calls "GetMorbiditybyName" Https Request with "GETByName" from "GETMorbidity" and 5	PASSED	0.093 s
3	Then User receive HTTP Status code and response body with MorbidityName <i>java.lang.AssertionError: expected:<404> but was:<200></i> <i> at org.junit.Assert.fail(Assert.java:89)</i> <i> at org.junit.Assert.failNotEquals(Assert.java:835)</i> <i> at org.junit.Assert.assertEquals(Assert.java:647)</i> <i> at org.junit.Assert.assertEquals(Assert.java:633)</i> <i> at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_name(Morbidity_Get.java:130)</i> <i> at ?.User receive HTTP Status code and response body with MorbidityName(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Get.feature:39)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.002 s


Check if we are getting record of a particular MorbidityName with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbiditybyName" Https Request with "GETByName" from "GETMorbidity" and 6	PASSED	0.091 s
3	Then User receive HTTP Status code and response body with MorbidityName	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_name(Morbidity_Get.java:130) at ?.User receive HTTP Status code and response body with MorbidityName(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Get.feature:39) * Not displayable characters are replaced by '?'.</pre>		

Check MorbidityName API With different requests




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbiditybyName" Https Request from "GETMorbidity" and 7	PASSED	0.075 s
3	Then User receive HTTP Status code and response body with MorbidityName	PASSED	0.001 s

Check MorbidityName API With different requests




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyName" Https Request from "GETMorbidity" and 8	PASSED	0.073 s
3	Then User receive HTTP Status code and response body with MorbidityName	PASSED	0.001 s

Check MorbidityName API With different requests

PASSED	DURATION - 0.069 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:47.567 PM // 3:28:47.636 PM /				
Checking Get Https Request in Morbidity				
@GetMorbidityAPI @RegressionTest @MorbidityNamewithDifferentMethods				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyName" Https Request from "GETMorbidity" and 9	PASSED	0.066 s
3	Then User receive HTTP Status code and response body with MorbidityName	PASSED	0.001 s

Check MorbidityTestId with valid id and endpoint

PASSED	DURATION - 0.116 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:47.641 PM // 3:28:47.757 PM /				
Checking Get Https Request in Morbidity				
@GetMorbidityTestId @GetMorbidityAPI @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbiditybyTestid" Https Request with "GETByID" from "GETMorbidity" and 0	PASSED	0.110 s
3	Then User receive HTTP Status code and response body with MorbidityID	PASSED	0.002 s

Check MorbidityTestId with valid id and wrong endpoint

PASSED	DURATION - 0.091 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:47.764 PM // 3:28:47.855 PM /				
<i>Checking GetHttpsRequest in Morbidity</i>				
@GetMorbidityAPI @RegressionTest @GetMorbidityByTestIdWithWrongEndpoint				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbidityTestId" Https Request with "GETByID" from "GETMorbidity" and 1	PASSED	0.087 s
3	Then User receive HTTP Status code and response body with MorbidityID	PASSED	0.001 s

Check MorbidityId with invalid details

FAILED	DURATION - 0.102 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:47.861 PM // 3:28:47.963 PM /				
<i>Checking GetHttpsRequest in Morbidity</i>				
@RegressionTest @GetMorbidityAPI @MorbidityByTestIdWithInvalidDetails				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyTestId" Https Request with "GETByID" from "GETMorbidity" and 1	PASSED	0.099 s
3	Then User receive HTTP Status code and response body with MorbidityID java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_id(Morbidity_Get.java:108) at ?.User receive HTTP Status code and response body with MorbidityID(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	APIDietician/src/test/java/features/Morbidity_Get.feature:90) * Not displayable characters are replaced by '?'.		

Check MorbidityId with invalid details

PASSED	DURATION - 0.067 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
	/ 3:28:47.969 PM // 3:28:48.036 PM /			
	Checking Get Https Request in Morbidity			
	@RegresstionTest @GetMorbidityAPI @MorbidityBytestIdwithInvaliddetails			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbiditybyTestid" Https Request with "GETByID" from "GETMorbidity" and 2	PASSED	0.065 s
3	Then User receive HTTP Status code and response body with MorbidityID	PASSED	0.000 s


Check MorbidityId with invalid details

FAILED	DURATION - 0.084 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
	/ 3:28:48.041 PM // 3:28:48.125 PM /			
	Checking Get Https Request in Morbidity			
	@RegresstionTest @GetMorbidityAPI @MorbidityBytestIdwithInvaliddetails			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyTestid" Https Request with "GETByID" from "GETMorbidity" and 3	PASSED	0.082 s
3	Then User receive HTTP Status code and response body with MorbidityID java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_id(Morbidity_Get.java:108) at ?.User receive HTTP Status code and response body with MorbidityID(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/ APIDietician/src/test/java/features/Morbidity_Get.feature:90) * Not displayable characters are replaced by '?'. </pre>		


Check MorbidityId with invalid details

FAILED	DURATION - 0.083 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:48.130 PM // 3:28:48.213 PM /	Checking Get Https Request in Morbidity			

@RegressionTest @GetMorbidityAPI
 @MorbidityBytestIdwithInvaliddetails


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyTestid" Https Request with "GETByID" from "GETMorbidity" and 4	PASSED	0.081 s
3	Then User receive HTTP Status code and response body with MorbidityID <code>java.lang.AssertionError: expected:<404> but was:<200></code> <code>at org.junit.Assert.fail(Assert.java:89)</code> <code>at org.junit.Assert.failNotEquals(Assert.java:835)</code> <code>at org.junit.Assert.assertEquals(Assert.java:647)</code> <code>at org.junit.Assert.assertEquals(Assert.java:633)</code> <code>at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_id(Morbidity_Get.java:108)</code> <code>at ?.User receive HTTP Status code and response body with MorbidityID(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/ APIDietician/src/test/java/features/Morbidity_Get.feature:90)</code> * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check MorbidityId with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyTestid" Https Request with "GETByID" from "GETMorbidity" and 5	PASSED	0.090 s
3	Then User receive HTTP Status code and response body with MorbidityID java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_id(Morbidity_Get.java:108) at ?.User receive HTTP Status code and response body with MorbidityID(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Get.feature:90) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


Check MorbidityId with invalid details



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyTestid" Https Request with "GETByID" from "GETMorbidity" and 6	PASSED	0.124 s
3	Then User receive HTTP Status code and response body with MorbidityID	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Get.user_receive_http_status_code_and_response_body_with_morbidity_id(Morbidity_Get.java:108) at ?.User receive HTTP Status code and response body with MorbidityID(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Get.feature:90) * Not displayable characters are replaced by '?'.</pre>		

Check MorbidityId with different endpoints




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyTestid" Https Request from "GETMorbidity" and 7	PASSED	0.078 s
3	Then User receive HTTP Status code and response body with MorbidityID	PASSED	0.001 s

Check MorbidityId with different endpoints




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetMorbiditybyTestid" Https Request from "GETMorbidity" and 8	PASSED	0.070 s
3	Then User receive HTTP Status code and response body with MorbidityID	PASSED	0.001 s

Check MorbidityId with different endpoints





#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetMorbiditybyTestid" Https Request from "GETMorbidity" and 9	PASSED	0.069 s
3	Then User receive HTTP Status code and response body with MorbidityID	PASSED	0.000 s

Update Morbidity Details in Morbidity Api





morbidity Api PUT request with morbidity data

PASSED	DURATION - 0.254 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:50.383 PM // 3:28:50.637 PM /				
<i>Update Morbodity Details in Morbodity Api</i>				
@SanityTest @PuTMorbidity				


#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "0"	PASSED	0.107 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.061 s
3	Then User receive morbidity PUT request sucess "200" and response body	PASSED	0.085 s

morbidity Api PUT request with morbidity data

PASSED	DURATION - 0.155 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:50.642 PM // 3:28:50.797 PM /				
<i>Update Morbodity Details in Morbodity Api</i>				
@SanityTest @PuTMorbidity				


#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "1"	PASSED	0.070 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.033 s
3	Then User receive morbidity PUT request sucess "200" and response body	PASSED	0.050 s

morbidity Api PUT request with invalid morbidity name



#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "2"	PASSED	0.055 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.033 s
3	Then User receive morbidity PUT request failed "404" and error message java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Put.user_receive_morbidity_put_request_failed_and_error_message(Morbidity_Put.java:67) at ?.User receive morbidity PUT request failed "404" and error message(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Put.feature:21) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


morbidity Api PUT request with invalid morbidity name



#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "3"	PASSED	0.057 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.030 s
3	Then User receive morbidity PUT request failed "404" and error message	FAILED	0.000 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Put.user_receive_morbidity_put_request_failed_and_error_message(Morbidity_Put.java:67) at ?.User receive morbidity PUT request failed "404" and error message(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Put.feature:21) * Not displayable characters are replaced by '?'.</pre>		

morbidity Api PUT request with invalid morbidity testid




#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "4"	PASSED	0.054 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.025 s
3	<p>Then User receive morbidity PUT request failed "404" and error message</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Put.user_receive_morbidity_put_request_failed_and_error_message(Morbidity_Put.java:67) at ?.User receive morbidity PUT request failed "404" and error message(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Put.feature:32) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

morbidity Api PUT request with invalid morbidity testid



#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "5"	PASSED	0.052 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.027 s
3	Then User receive morbidity PUT request failed "404" and error message <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Put.user_receive_morbidity_put_request_failed_and_error_message(Morbidity_Put.java:67) at ?.User receive morbidity PUT request failed "404" and error message(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Put.feature:32) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s


morbidity Api PUT request with missing morbidity testunit in request body



#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "6"	PASSED	0.056 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.010 s
3	Then User receive morbidity PUT request failed "400" and error message	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Put.user_receive_morbidity_put_request_failed_and_error_message(Morbidity_Put.java:71) at ?.User receive morbidity PUT request failed "400" and error message(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Put.feature:43) * Not displayable characters are replaced by '?'.</pre>		

morbidity Api PUT request with missing morbidity markerref in request body





#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "7"	PASSED	0.063 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.011 s
3	<p>Then User receive morbidity PUT request failed "400" and error message</p> <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Morbidity_Put.user_receive_morbidity_put_request_failed_and_error_message(Morbidity_Put.java:71) at ?.User receive morbidity PUT request failed "400" and error message(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Morbidity_Put.feature:53) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.002 s

morbidity Api PUT request with missing endpoint params

PASSED	DURATION - 0.080 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:51.322 PM // 3:28:51.402 PM /				
Update Morbodity Details in Morbodity Api				
@RegressionTest @PuTMorbidity				

#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "8"	PASSED	0.065 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.015 s
3	Then User receive morbidity PUT request failed "405" and error message	PASSED	0.000 s

morbidity Api PUT request with missing endpoint params


PASSED	DURATION - 0.083 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:51.407 PM // 3:28:51.490 PM /				
Update Morbodity Details in Morbodity Api				
@RegressionTest @PuTMorbidity				

#	Step / Hook Details	Status	Duration
1	Given User creates morbidity PUT Method EndPoint from "PUTMorbidity" and "9"	PASSED	0.068 s
2	When User calls put morbidity "MorbidityAPI" Https Request with "PUT"	PASSED	0.013 s
3	Then User receive morbidity PUT request failed "405" and error message	PASSED	0.000 s

Checking Get Https Request in Recipe




Check all the recipes available



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.004 s
2	When user calls "GetRecipe" http with Get method	PASSED	0.058 s
3	Then User receive HTTP Status code and response body	PASSED	0.004 s


Check all the recipes available Invalid Endpoint



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.003 s
2	When user calls "getRecipe" http with Get method	PASSED	0.021 s



#	Step / Hook Details	Status	Duration
3	Then User receive HTTP Status code and response body	PASSED	0.001 s

Check the recipes FoodCategory Endpoint

PASSED	DURATION - 0.109 s	 / 3:28:51.618 PM // 3:28:51.727 PM /	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
		<i>Checking Get Https Request in Recipe</i> <code>@GetRecipeAPI @GetRecipeByFoodCategory</code> <code>@RegressionTest</code>		


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetFoodCategory" http request with "GetRecipeByFoodCategory" from "GETRecipes" and 0	PASSED	0.106 s
3	Then User receive HTTP Status code in "GetRecipesByFoodCategory" method and response body	PASSED	0.001 s

Check the recipes FoodCategory Endpoint

PASSED	DURATION - 0.108 s	 / 3:28:51.733 PM // 3:28:51.841 PM /	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
		<i>Checking Get Https Request in Recipe</i> <code>@GetRecipeAPI @GetRecipeByFoodCategory</code> <code>@RegressionTest</code>		


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetFoodCategory" http request with "GetRecipeByFoodCategory" from "GETRecipes" and 1	PASSED	0.104 s
3	Then User receive HTTP Status code in "GetRecipesByFoodCategory" method and response body	PASSED	0.003 s

Check the recipes FoodCategory Endpoint with Invalid



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetFoodCategory" http request with "GetRecipeByFoodCategory" from "GETRecipes" and 4	PASSED	0.118 s
3	Then User receive HTTP Status code in "GetRecipesByFoodCategory" method and response body java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipesByFoodCategory" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:39) * Not displayable characters are replaced by '?'.	FAILED	0.002 s


Check the recipes FoodCategory Endpoint with Invalid



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetFoodCategory" http request with "GetRecipeByFoodCategory" from "GETRecipes" and 5	PASSED	0.117 s
3	Then User receive HTTP Status code in "GetRecipesByFoodCategory" method and response body	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipesByFoodCategory" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:39) * Not displayable characters are replaced by '?'.</pre>		

Check the recipes FoodCategory Endpoint with Invalid





#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.003 s
2	When User calls "GetFoodCategory" http request with "GetRecipeByFoodCategory" from "GETRecipes" and 6	PASSED	0.100 s
3	Then User receive HTTP Status code in "GetRecipesByFoodCategory" method and response body <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipesByFoodCategory" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:39) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

Check the recipes FoodIngredient Endpoint

PASSED	DURATION - 0.122 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:52.217 PM // 3:28:52.339 PM /				
Checking Get Https Request in Recipe				
@GetRecipeByIngredient @GetRecipeAPI @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeIngredient" http request with "GetRecipeByIngredient" from "GETRecipes" and 0	PASSED	0.119 s
3	Then User receive HTTP Status code in "GetRecipesByIngredient" method and response body	PASSED	0.001 s

Check the recipes FoodIngredient Endpoint

PASSED	DURATION - 0.090 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:52.346 PM // 3:28:52.436 PM /				
Checking Get Https Request in Recipe				
@GetRecipeByIngredient @GetRecipeAPI @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetRecipeIngredient" http request with "GetRecipeByIngredient" from "GETRecipes" and 1	PASSED	0.086 s
3	Then User receive HTTP Status code in "GetRecipesByIngredient" method and response body	PASSED	0.000 s

Check the recipes FoodIngredient Endpoint

PASSED	DURATION - 0.080 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:52.441 PM // 3:28:52.521 PM /				
<i>Checking Get Https Request in Recipe</i>				
@GetRecipeByIngredient @GetRecipeAPI @RegressionTest				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.003 s
2	When User calls "GetRecipeByIngredient" http request with "GetRecipeByIngredient" from "GETRecipes" and 2	PASSED	0.076 s
3	Then User receive HTTP Status code in "GetRecipesByIngredient" method and response body	PASSED	0.001 s

Check the recipes FoodIngredient Endpoint

FAILED	DURATION - 0.073 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:52.525 PM // 3:28:52.598 PM /				
<i>Checking Get Https Request in Recipe</i>				
@GetRecipeByIngredient @GetRecipeAPI @RegressionTest @GetRecipeByINVALIDIngredient				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByIngredient" http request with "GetRecipeByIngredient" from "GETRecipes" and 4	PASSED	0.070 s
3	Then User receive HTTP Status code in "GetRecipesByIngredient" method and response body <code>java.lang.AssertionError: expected:<404> but was:<200></code> <code>at org.junit.Assert.failAssert.java:89)</code> <code>at org.junit.Assert.failNotEqualsAssert.java:835)</code> <code>at org.junit.Assert.assertEqualsAssert.java:647)</code> <code>at org.junit.Assert.assertEqualsAssert.java:633)</code> <code>at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115)</code> <code>at ?.User receive HTTP Status code in "GetRecipesByIngredient" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:66)</code> * Not displayable characters are replaced by '?'.	FAILED	0.001 s

Check the recipes FoodIngredient Endpoint

FAILED	DURATION - 0.084 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:52.602 PM // 3:28:52.686 PM /				
<i>Checking Get Https Request in Recipe</i>				
@GetRecipeByIngredient @GetRecipeAPI @RegressionTest @GetRecipeByINVALIDIngredient				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeIngredient" http request with "GetRecipeByIngredient" from "GETRecipes" and 5	PASSED	0.080 s
3	Then User receive HTTP Status code in "GetRecipesByIngredient" method and response body java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipesByIngredient" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:66) * Not displayable characters are replaced by '?'.	FAILED	0.001 s



To get all the Recipe Nutrient record with valid data

PASSED	DURATION - 0.105 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:52.694 PM // 3:28:52.799 PM /				
<i>Checking Get Https Request in Recipe</i>				
@GetRecipeAPI @RegressionTest @GetRecipeByNutrient				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s



#	Step / Hook Details	Status	Duration
2	When User calls "GetRecipeByNutrient" http request with "GetRecipeByNutrient" from "GETRecipes" and 0	PASSED	0.102 s
3	Then User receive HTTP Status code in "GetRecipesByNutrient" method and response body	PASSED	0.001 s

To get all the Recipe Nutrient record with valid data

PASSED	DURATION - 0.106 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
	/ 3:28:52.804 PM // 3:28:52.910 PM /			
	Checking Get Https Request in Recipe			
	@GetRecipeAPI @RegressionTest @GetRecipeByNutrient			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetRecipeByNutrient" http request with "GetRecipeByNutrient" from "GETRecipes" and 1	PASSED	0.102 s
3	Then User receive HTTP Status code in "GetRecipesByNutrient" method and response body	PASSED	0.001 s


To get all the Recipe Nutrient record with Invalid data

FAILED	DURATION - 0.109 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
	/ 3:28:52.916 PM // 3:28:53.025 PM /			
	Checking Get Https Request in Recipe			
	@GetRecipeByNutrientINVALIDNUTRIENTDETAILS @GetRecipeAPI @RegressionTest			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetRecipeByNutrient" http request with "GetRecipeByNutrient" from "GETRecipes" and 4	PASSED	0.105 s
3	Then User receive HTTP Status code in "GetRecipesByNutrient" method and response body java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail Assert.java:89)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipesByNutrient" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:90) * Not displayable characters are replaced by '?'. </pre>		



To get all the Recipe Nutrient record with Invalid data

FAILED	DURATION - 0.095 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:53.031 PM // 3:28:53.126 PM /	Checking Get Https Request in Recipe			

@GetRecipeByNutrientINVALIDNUTRIENTDETAILS
 @GetRecipeAPI @RegressionTest



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByNutrient" http request with "GetRecipeByNutrient" from "GETRecipes" and 5	PASSED	0.092 s
3	Then User receive HTTP Status code in "GetRecipesByNutrient" method and response body <pre> java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipesByNutrient" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:90) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.001 s

To get all the Recipe Nutrient record with Invalid data

FAILED	DURATION - 0.097 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:53.131 PM // 3:28:53.228 PM /				
<i>Checking Get Https Request in Recipe</i>				
@GetRecipeByNutrientINVALIDNUTRIENTDETAILS @GetRecipeAPI @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetRecipeByNutrient" http request with "GetRecipeByNutrient" from "GETRecipes" and 6	PASSED	0.093 s
3	Then User receive HTTP Status code in "GetRecipesByNutrient" method and response body java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipesByNutrient" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:90) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

To get all the Recipe Nutrient record with Invalid data

FAILED	DURATION - 0.091 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:53.235 PM // 3:28:53.326 PM /				
<i>Checking Get Https Request in Recipe</i>				
@GetRecipeByNutrientINVALIDNUTRIENTDETAILS @GetRecipeAPI @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByNutrient" http request with "GetRecipeByNutrient" from "GETRecipes" and 7	PASSED	0.088 s
3	Then User receive HTTP Status code in "GetRecipesByNutrient" method and response body	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipesByNutrient" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:90) * Not displayable characters are replaced by '?'.</pre>		

To get all the Recipe Type with Valid Records

PASSED	DURATION - 0.093 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:53.331 PM // 3:28:53.424 PM /				

Checking Get Https Request in Recipe

@GetRecipeByRecipeType @GetRecipeAPI
@RegressionTest

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 0	PASSED	0.089 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body	PASSED	0.002 s

To get all the Recipe Type with Valid Records



PASSED	DURATION - 0.087 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:53.429 PM // 3:28:53.516 PM /				

Checking Get Https Request in Recipe

@GetRecipeByRecipeType @GetRecipeAPI
@RegressionTest



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 1	PASSED	0.085 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body	PASSED	0.001 s

To get all the Recipe Type with Valid Records

PASSED	DURATION - 0.092 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:53.520 PM // 3:28:53.612 PM /				
<i>Checking Get Https Request in Recipe</i>				
<code>@GetRecipeByRecipeType @GetRecipeAPI @RegressionTest</code>				


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 2	PASSED	0.090 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body	PASSED	0.000 s

To get all the Recipe Type with Valid Records

PASSED	DURATION - 0.103 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:53.617 PM // 3:28:53.720 PM /				
<i>Checking Get Https Request in Recipe</i>				
<code>@GetRecipeByRecipeType @GetRecipeAPI @RegressionTest</code>				


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 3	PASSED	0.101 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body	PASSED	0.001 s

To get all the Recipe Type with InValid Records



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 4	PASSED	0.078 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipeByRecipeType" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:118) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s


To get all the Recipe Type with InValid Records



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 5	PASSED	0.068 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipeByRecipeType" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:118) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

To get all the Recipe Type with InValid Records




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 6	PASSED	0.066 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipeByRecipeType" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:118) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

To get all the Recipe Type with InValid Records



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 7	PASSED	0.072 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body <code>java.lang.AssertionError: expected:<404> but was:<200></code> <code> at org.junit.Assert.fail(Assert.java:89)</code> <code> at org.junit.Assert.failNotEquals(Assert.java:835)</code> <code> at org.junit.Assert.assertEquals(Assert.java:647)</code> <code> at org.junit.Assert.assertEquals(Assert.java:633)</code> <code> at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115)</code> <code> at ?.User receive HTTP Status code in "GetRecipeByRecipeType" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:118)</code> * Not displayable characters are replaced by '?'.	FAILED	0.002 s


To get all the Recipe Type with InValid Records



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.001 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 8	PASSED	0.072 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipeByRecipeType" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:118) * Not displayable characters are replaced by '?'.</pre>		

To get all the Recipe Type with InValid Records




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 9	PASSED	0.065 s
3	<p>Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipeByRecipeType" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:118) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

To get all the Recipe Type with InValid Records



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 10	PASSED	0.083 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body <code>java.lang.AssertionError: expected:<404> but was:<200></code> <code> at org.junit.Assert.fail(Assert.java:89)</code> <code> at org.junit.Assert.failNotEquals(Assert.java:835)</code> <code> at org.junit.Assert.assertEquals(Assert.java:647)</code> <code> at org.junit.Assert.assertEquals(Assert.java:633)</code> <code> at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115)</code> <code> at ?.User receive HTTP Status code in "GetRecipeByRecipeType" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:118)</code> * Not displayable characters are replaced by '?'.	FAILED	0.001 s

To get all the Recipe Type with InValid Records




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method Endpoint	PASSED	0.002 s
2	When User calls "GetRecipeByRecipeType" http request with "GetRecipeByRecipeType" from "GETRecipes" and 11	PASSED	0.079 s
3	Then User receive HTTP Status code in "GetRecipeByRecipeType" method and response body	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.Recipe_Get.user_receive_http_status_code_in_method_and_response_body(Recipe_Get.java:115) at ?.User receive HTTP Status code in "GetRecipeByRecipeType" method and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/Recipe_Get.feature:118) * Not displayable characters are replaced by '?'.</pre>		

Delete User record in User Api




check if user able to delete User record in UserAPI




#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method EndPoint	PASSED	0.001 s
2	When User calls "UserApi" http Request with "DELETE" from "UserApiDELETE" and 0	PASSED	0.072 s
3	Then User receive HTTP "Status code" and response body for UserDelete	PASSED	0.009 s

check if user able to delete User record in UserAPI



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method EndPoint	PASSED	0.001 s
2	When User calls "UserApiWrong" http Request with "DELETE" from "UserApiDELETE" and 0	PASSED	0.080 s
3	Then User receive HTTP "Status code" and response body for UserDelete java.lang.AssertionError: expected:<200> but was:<404> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_DeleteStepDef.user_receive_http_and_response_body_for_user_delete(User_DeleteStepDef.java:55) at ?.User receive HTTP "Status code" and response body for UserDelete(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Delete.feature:23) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


check if user able to delete User record in UserAPI



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method EndPoint	PASSED	0.002 s
2	When User calls "UserApi" http Request with "DELETE" from "UserApiDELETE" and 1	PASSED	0.084 s
3	Then User receive HTTP "Status code" and response body for UserDelete	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_DeleteStepDef.user_receive_http_and_response_body_for_user_delete(User_DeleteStepDef.java:55) at ?.User receive HTTP "Status code" and response body for UserDelete(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/ APIDietician/src/test/java/features/User_Delete.feature:34) * Not displayable characters are replaced by '?'.</pre>		

check if user able to delete User record in UserAPI



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method EndPoint	PASSED	0.002 s
2	When User calls "UserApi" http Request with "DELETE" from "UserApiDELETE" and 2	PASSED	0.070 s
3	Then User receive HTTP "Status code" and response body for UserDelete <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_DeleteStepDef.user_receive_http_and_response_body_for_user_delete(User_DeleteStepDef.java:55) at ?.User receive HTTP "Status code" and response body for UserDelete(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/ APIDietician/src/test/java/features/User_Delete.feature:34) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s


check if user able to delete User record in UserAPI



#	Step / Hook Details	Status	Duration
1	Given User creates DELETE Method EndPoint	PASSED	0.002 s
2	When User calls "UserApi" http Request with "DELETE" from "UserApiDELETE" and 3	PASSED	0.064 s
3	Then User receive HTTP "Status code" and response body for UserDelete java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_DeleteStepDef.user_receive_http_and_response_body_for_user_delete(User_DeleteStepDef.java:55) at ?.User receive HTTP "Status code" and response body for UserDelete(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Delete.feature:34) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


Checking Get Https request in User API







#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls Get Https Request with " GetUserApi" Endpoint	PASSED	0.030 s
3	Then User should receive HTTP Status code and response fields	PASSED	0.003 s

To get all the Users available




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls Get Https Request with "UserApiWrong" Endpoint	PASSED	0.009 s
3	Then User should receive HTTP Status code and response fields	PASSED	0.001 s

To get all the Users available with valid FirstName

PASSED	DURATION - 0.076 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:54.892 PM // 3:28:54.968 PM /				
<i>Checking Get Https request in User API</i>				
@UserGet @ GetUserByValidFIRSTNAME @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByFirstName" Https Request with "GetByFirstName" from excel sheet " GetUser" and 0	PASSED	0.074 s
3	Then User should receive HTTP Status code and response fields for "GetByFirstName"	PASSED	0.000 s

To get all the Users available with invalid FirstName

FAILED	DURATION - 0.072 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:54.973 PM // 3:28:55.045 PM /				
<i>Checking Get Https request in User API</i>				
@UserGet @ GetUserByInvalidFIRSTNAME @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByFirstName" Https Request with "GetByFirstName" from excel sheet " GetUser" and 1	PASSED	0.069 s
3	Then User should receive HTTP Status code and response fields for "GetByFirstName" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at stepDefinitions.User_GivenUser_should_receive_http_status_code_and_response_fields_for(User_Given.java:151) at ?.User should receive HTTP Status code and response fields for "GetByFirstName"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Given.feature:36) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

To get all the Users available with invalid FirstName

FAILED	DURATION - 0.070 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:55.049 PM // 3:28:55.119 PM /				
<i>Checking Get Https request in User API</i>				
@UserGet @ GetUserByInvalidFIRSTNAME @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByFirstName" Https Request with "GetByFirstName" from excel sheet " GetUser" and 2	PASSED	0.068 s
3	Then User should receive HTTP Status code and response fields for "GetByFirstName" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_GivenUserCreatesGETMethod_ThenUserShouldReceiveHTTPStatusCodeAndResponseFieldsForGetByFirstName.stepDefinition(Assert.java:151) at ?.User should receive HTTP Status code and response fields for "GetByFirstName"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_GivenUserCreatesGETMethod_ThenUserShouldReceiveHTTPStatusCodeAndResponseFieldsForGetByFirstName.feature:36) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


To get all the Users available with invalid FirstName

FAILED	DURATION - 0.069 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:55.124 PM // 3:28:55.193 PM /				
<i>Checking Get Https request in User API</i>				
@UserGet @ GetUserByInvalidFIRSTNAME @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
2	When User calls " GetUserByFirstName" Https Request with "GetByFirstName" from excel sheet " GetUser" and 3	PASSED	0.068 s
3	Then User should receive HTTP Status code and response fields for "GetByFirstName" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByFirstName"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:36) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

To get all the Users available with invalid FirstName




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByFirstName" Https Request with "GetByFirstName" from excel sheet " GetUser" and 4	PASSED	0.081 s
3	Then User should receive HTTP Status code and response fields for "GetByFirstName" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByFirstName"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:36) * Not displayable characters are replaced by '?'.	FAILED	0.002 s

To get all the Users available with invalid FirstName




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls "GetUserByFirstName" Https Request with "GetByFirstName" from excel sheet " GetUser" and 5	PASSED	0.056 s
3	Then User should receive HTTP Status code and response fields for "GetByFirstName" <code>java.lang.AssertionError: expected:<404> but was:<200></code> <code>at org.junit.Assert.fail(Assert.java:89)</code> <code>at org.junit.Assert.failNotEquals(Assert.java:835)</code> <code>at org.junit.Assert.assertEquals(Assert.java:647)</code> <code>at org.junit.Assert.assertEquals(Assert.java:633)</code> <code>at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151)</code> <code>at ?.User should receive HTTP Status code and response fields for "GetByFirstName"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:36)</code> * Not displayable characters are replaced by '?'.	FAILED	0.000 s

To get all the Users available with valid contact info




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls "GetUserByContact" Https Request with "GetByContact" from excel sheet " GetUser" and 0	PASSED	0.062 s
3	Then User should receive HTTP Status code and response fields for "GetByContact"	PASSED	0.000 s

To get all the Users available with invalid contact info

FAILED	DURATION - 0.065 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:55.418 PM // 3:28:55.483 PM /	Checking Get Https request in User API			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByContact" Https Request with "GetByContact" from excel sheet " GetUser" and 1	PASSED	0.064 s
3	Then User should receive HTTP Status code and response fields for "GetByContact" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_GivenUserCreatesGETMethod.user_should_receive_http_status_code_and_response_fields_for(User_GivenUserCreatesGETMethod.java:151) at ?.User should receive HTTP Status code and response fields for "GetByContact"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_GivenUserCreatesGETMethod.feature:62) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


To get all the Users available with invalid contact info

FAILED	DURATION - 0.068 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:55.487 PM // 3:28:55.555 PM /	Checking Get Https request in User API			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
2	When User calls " GetUserByContact" Https Request with "GetByContact" from excel sheet " GetUser" and 2	PASSED	0.066 s
3	Then User should receive HTTP Status code and response fields for "GetByContact" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByContact"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:62) * Not displayable characters are replaced by '?'. 	FAILED	0.000 s

To get all the Users available with invalid contact info




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByContact" Https Request with "GetByContact" from excel sheet " GetUser" and 3	PASSED	0.063 s
3	Then User should receive HTTP Status code and response fields for "GetByContact" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByContact"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:62) * Not displayable characters are replaced by '?'. 	FAILED	0.001 s

To get all the Users available with valid Email





#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.002 s
2	When User calls " GetUserByEmail" Https Request with "GetByEmail" from excel sheet " GetUser" and 0	PASSED	0.072 s
3	Then User should receive HTTP Status code and response fields for "GetByEmail"	PASSED	0.000 s

To get all the Users available with invalid Email




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByEmail" Https Request with "GetByEmail" from excel sheet " GetUser" and 1	PASSED	0.072 s
3	Then User should receive HTTP Status code and response fields for "GetByEmail" <i>java.lang.AssertionError: expected:<404> but was:<200></i> <i> at org.junit.Assert.failAssert.java:89)</i> <i> at org.junit.Assert.failNotEqualsAssert.java:835)</i> <i> at org.junit.Assert.assertEqualsAssert.java:647)</i> <i> at org.junit.Assert.assertEqualsAssert.java:633)</i> <i> at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151)</i> <i> at ?.User should receive HTTP Status code and response fields for "GetByEmail"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:86)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.001 s

To get all the Users available with invalid Email

FAILED	DURATION - 0.076 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:55.792 PM // 3:28:55.868 PM /				
Checking Get Https request in User API				
@ GetUserByInvalidEMAIL @UserGet @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.002 s
2	When User calls " GetUserByEmail" Https Request with "GetByEmail" from excel sheet " GetUser" and 2	PASSED	0.074 s
3	<p>Then User should receive HTTP Status code and response fields for "GetByEmail"</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByEmail"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:86) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s



To get all the Users available with valid User Type

PASSED	DURATION - 0.082 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:28:55.875 PM // 3:28:55.957 PM /				
Checking Get Https request in User API				
@UserGet @RegressionTest @ GetUserByValidUser				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
2	When User calls " GetUserByUserType" Https Request with "GetByUserType" from excel sheet " GetUser" and 0	PASSED	0.080 s
3	Then User should receive HTTP Status code and response fields for "GetByUserType"	PASSED	0.000 s

To get all the Users available with valid User Type

PASSED	DURATION - 0.075 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
	/ 3:28:55.961 PM // 3:28:56.036 PM /			
	Checking Get Https request in User API			
	@UserGet @RegressionTest @GetUserByValidUser			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByUserType" Https Request with "GetByUserType" from excel sheet " GetUser" and 7	PASSED	0.074 s
3	Then User should receive HTTP Status code and response fields for "GetByUserType"	PASSED	0.000 s


To get all the Users available with invalid User Type

FAILED	DURATION - 0.066 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
	/ 3:28:56.041 PM // 3:28:56.107 PM /			
	Checking Get Https request in User API			
	@ GetUserByInValidUser @UserGet @RegressionTest			

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByUserType" Https Request with "GetByUserType" from excel sheet " GetUser" and 1	PASSED	0.064 s
3	Then User should receive HTTP Status code and response fields for "GetByUserType"	FAILED	0.001 s
	java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail Assert.java:89)		


#	Step / Hook Details	Status	Duration
	<pre> at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByUserType"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/ APIDietician/src/test/java/features/User_Get.feature:110) * Not displayable characters are replaced by '?'. </pre>		

To get all the Users available with invalid User Type

FAILED	DURATION - 0.061 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:56.112 PM // 3:28:56.173 PM /				
Checking Get Https request in User API				
@ GetUserByInValidUser @UserGet @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByUserType" Https Request with "GetByUserType" from excel sheet " GetUser" and 2	PASSED	0.058 s
3	Then User should receive HTTP Status code and response fields for "GetByUserType" <code>java.lang.AssertionError: expected:<404> but was:<200></code> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByUserType"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/ APIDietician/src/test/java/features/User_Get.feature:110) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

To get all the Users available with invalid User Type



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls "GetUserByUserType" Https Request with "GetByUserType" from excel sheet "GetUser" and 3	PASSED	0.080 s
3	Then User should receive HTTP Status code and response fields for "GetByUserType" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByUserType"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:110) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


To get all the Users available with invalid User Type



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls "GetUserByUserType" Https Request with "GetByUserType" from excel sheet "GetUser" and 4	PASSED	0.087 s
3	Then User should receive HTTP Status code and response fields for "GetByUserType"	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByUserType"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:110) * Not displayable characters are replaced by '?'.</pre>		

To get all the Users available with invalid User Type




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls "GetUserByUserType" Https Request with "GetByUserType" from excel sheet "GetUser" and 5	PASSED	0.078 s
3	<p>Then User should receive HTTP Status code and response fields for "GetByUserType"</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByUserType"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:110) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

To get all the Users available with invalid User Type



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByUserType" Https Request with "GetByUserType" from excel sheet " GetUser" and 6	PASSED	0.079 s
3	Then User should receive HTTP Status code and response fields for "GetByUserType" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_GivenUserCreatesGETMethod_ThenUserShouldReceiveHTTPStatusCodeAndResponseFieldsForGetByUserType(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_GivenUserCreatesGETMethod_ThenUserShouldReceiveHTTPStatusCodeAndResponseFieldsForGetByUserType.java:151) at ?.User should receive HTTP Status code and response fields for "GetByUserType"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_GivenUserCreatesGETMethod_ThenUserShouldReceiveHTTPStatusCodeAndResponseFieldsForGetByUserType.java:110) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

To get all the Users available with valid Dietician Id



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByDieticianID" Https Request with "GetByDieticianID" from excel sheet " GetUser" and 0	PASSED	0.086 s
3	Then User should receive HTTP Status code and response fields for "GetByDieticianID"	PASSED	0.000 s

To get all the Users available with invalid Dietician Id

FAILED	DURATION - 0.058 s
/ 3:28:56.629 PM // 3:28:56.687 PM /	
<i>Checking Get Https request in User API</i>	
@UserGet @RegressionTest @GetUserByInvalidDieticianID	



0.15
0.1
0.05
0

1 2 3

Steps

Total - 3

Pass - 2

Fail - 1

Skip - 0



3

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls "GetUserByDieticianID" Https Request with "GetByDieticianID" from excel sheet " GetUser" and 1	PASSED	0.057 s
3	Then User should receive HTTP Status code and response fields for "GetByDieticianID" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_General.user_should_receive_http_status_code_and_response_fields_for(User_General.java:151) at ?.User should receive HTTP Status code and response fields for "GetByDieticianID"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_General.feature:137) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


To get all the Users available with invalid Dietician Id

FAILED	DURATION - 0.065 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:28:56.691 PM // 3:28:56.756 PM /				
<i>Checking Get Https request in User API</i>				
@UserGet @RegressionTest @GetUserByInvalidDieticianID				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s


#	Step / Hook Details	Status	Duration
2	When User calls " GetUserByDieticianID" Https Request with "GetByDieticianID" from excel sheet " GetUser" and 2	PASSED	0.064 s
3	Then User should receive HTTP Status code and response fields for "GetByDieticianID" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByDieticianID"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:137) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

To get all the Users available with invalid Dietician Id



#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.002 s
2	When User calls " GetUserByDieticianID" Https Request with "GetByDieticianID" from excel sheet " GetUser" and 3	PASSED	0.060 s
3	Then User should receive HTTP Status code and response fields for "GetByDieticianID" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_Get.user_should_receive_http_status_code_and_response_fields_for(User_Get.java:151) at ?.User should receive HTTP Status code and response fields for "GetByDieticianID"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Get.feature:137) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

To get all the Users available with invalid Dietician Id




#	Step / Hook Details	Status	Duration
1	Given User creates GET Method	PASSED	0.001 s
2	When User calls " GetUserByDieticianID" Https Request with "GetByDieticianID" from excel sheet " GetUser" and 4	PASSED	0.055 s
3	Then User should receive HTTP Status code and response fields for "GetByDieticianID" java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_GivenUserCreatesGETMethod.user_should_receive_http_status_code_and_response_fields_for(User_GivenUserCreatesGETMethod.java:151) at ?.User should receive HTTP Status code and response fields for "GetByDieticianID"(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIUser/src/test/java/features/User_GivenUserCreatesGETMethod.feature:137) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

Update User Details in UserAPI




check User Put request



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 0	PASSED	0.077 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.028 s
3	Then User receive http "Status code" and response body	PASSED	0.004 s

check User Put request





#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 0	PASSED	0.059 s
2	When User calls "UserApiWrong" Http Request with "PUT"	PASSED	0.013 s
3	Then User receive http "Status code" and response body io.restassured.module.json.JsonSchemaValidationException: com.fasterxml.jackson.core.JsonParseException: Unexpected character ('<' (code 60)): expected a valid value (JSON String, Number, Array, Object or token 'null', 'true' or 'false') at [Source: (StringReader); line: 1, column: 2] at io.restassured.module.json.JsonSchemaValidator.matchesSafely(JsonSchemaValidator.java:233) at io.restassured.module.json.JsonSchemaValidator.matchesSafely(JsonSchemaValidator.java:75) at org.hamcrest.TypeSafeMatcher.matches(TypeSafeMatcher.java:65) at io.restassured.internal.assertion.BodyMatcher.validate(BodyMatcher.java:82) at io.restassured.internal.assertion.BodyMatcherGroup.lambda\$validate\$0(BodyMatcherGroup.java:30) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.ArrayList\$ArrayListSpliterator.forEachRemaining(ArrayList.java:1655)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578) at io.restassured.internal.assertion.BodyMatcherGroup.validate(BodyMatcherGroup.java:30) at io.restassured.internal.assertion.BodyMatcherGroup\$validate\$4.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:495) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:690) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:103) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:64) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:22) Caused by: com.fasterxml.jackson.core.JsonParseException: Unexpected character ('<' (code 60)): expected a valid value (JSON String, Number, Array, Object or token 'null', 'true' or 'false') at [Source: (StringReader); line: 1, column: 2] at com.fasterxml.jackson.core.JsonParser._constructError(JsonParser.java:2391) at com.fasterxml.jackson.core.base.ParserMinimalBase._reportError(ParserMinimalBase.java:735) at com.fasterxml.jackson.core.base.ParserMinimalBase._reportUnexpectedChar(ParserMinimalBase.java:659) at com.fasterxml.jackson.core.json.ReaderBasedJsonParser._handleOddValue(ReaderBasedJsonParser.java:2005) at com.fasterxml.jackson.core.json.ReaderBasedJsonParser.nextToken(ReaderBasedJsonParser.java:802) at com.fasterxml.jackson.databind.MappingIterator.hasNextValue(MappingIterator.java:246) at com.github.fge.jackson.JsonNodeReader.readNode(JsonNodeReader.java:149) at com.github.fge.jackson.JsonNodeReader.fromReader(JsonNodeReader.java:129) at com.github.fge.jackson.JsonLoader.fromReader(JsonLoader.java:186) at com.github.fge.jackson.JsonLoader.fromString(JsonLoader.java:199) at io.restassured.module.jsv.JsonSchemaValidator.matchesSafely(JsonSchemaValidator.java:214) at io.restassured.module.jsv.JsonSchemaValidator.matchesSafely(JsonSchemaValidator.java:75) at org.hamcrest.TypeSafeMatcher.matches(TypeSafeMatcher.java:65) at io.restassured.internal.assertion.BodyMatcher.validate(BodyMatcher.java:82) at io.restassured.internal.assertion.BodyMatcherGroup.lambda\$validate\$0(BodyMatcherGroup.java:30) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.ArrayList\$ArrayListSpliterator.forEachRemaining(ArrayList.java:1655) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578) at io.restassured.internal.assertion.BodyMatcherGroup.validate(BodyMatcherGroup.java:30) at io.restassured.internal.assertion.BodyMatcherGroup\$validate\$4.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:495) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:690) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor257.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:103) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:238) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:64) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.invoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunBeforeAllHooks.evaluate(Cucumber.java:266) at io.cucumber.junit.Cucumber\$RunAfterAllHooks.evaluate(Cucumber.java:281) at io.cucumber.junit.Cucumber\$StartTestRun.evaluate(Cucumber.java:233) at io.cucumber.junit.Cucumber\$FinishTestRun.evaluate(Cucumber.java:248) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:89) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:41) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:542) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:770) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:464) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'.</p>		

check User Put request

PASSED	DURATION - 0.074 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:29:01.495 PM // 3:29:01.569 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @RegressionTest @UserPutApiWithInvlidFirstname				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 1	PASSED	0.063 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.010 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request

FAILED	DURATION - 0.083 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:29:01.573 PM // 3:29:01.656 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @RegressionTest @UserPutApiWithInvlidFirstname				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 2	PASSED	0.050 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.032 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835) at org.junit.Assert.assertEqualsAssert.java:647) at org.junit.Assert.assertEqualsAssert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:34) * Not displayable characters are replaced by '?'.	FAILED	0.001 s

check User Put request



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 3	PASSED	0.052 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.031 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:34) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


check User Put request



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 4	PASSED	0.048 s



#	Step / Hook Details	Status	Duration
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.023 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:34) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

check User Put request





#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 5	PASSED	0.050 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.025 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:49) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

check User Put request

PASSED	DURATION - 0.059 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:29:01.906 PM // 3:29:01.965 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @UserPutAPIWithInvalidLastname @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 6	PASSED	0.048 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.010 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request

FAILED	DURATION - 0.088 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:29:01.970 PM // 3:29:02.058 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @UserPutAPIWithInvalidLastname @RegressionTest				



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 7	PASSED	0.062 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.025 s
3	Then User receive http "Status code" and response body <i>java.lang.AssertionError: expected:<400> but was:<200></i> <i>at org.junit.Assert.failAssert.java:89)</i> <i>at org.junit.Assert.failNotEqualsAssert.java:835)</i> <i>at org.junit.Assert.assertEqualsAssert.java:647)</i> <i>at org.junit.Assert.assertEqualsAssert.java:633)</i> <i>at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67)</i> <i>at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:49)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.000 s

check User Put request

FAILED	DURATION - 0.085 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:29:02.061 PM // 3:29:02.146 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @UserPutAPIWithInvalidLastname @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 8	PASSED	0.056 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.029 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:49) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


check User Put request

FAILED	DURATION - 0.080 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:29:02.156 PM // 3:29:02.236 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @RegressionTest @UserPutAPIWithInvalidContact				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 9	PASSED	0.054 s



#	Step / Hook Details	Status	Duration
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.025 s
3	<p>Then User receive http "Status code" and response body</p> <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:64) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

check User Put request





#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 10	PASSED	0.057 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.027 s
3	<p>Then User receive http "Status code" and response body</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:64) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

check User Put request

PASSED	DURATION - 0.065 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:29:02.331 PM // 3:29:02.396 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @RegressionTest @UserPutAPIWithInvalidContact				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 11	PASSED	0.058 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.006 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request

FAILED	DURATION - 0.074 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:29:02.399 PM // 3:29:02.473 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @RegressionTest @UserPutAPIWithInvalidContact				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 12	PASSED	0.048 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.025 s
3	Then User receive http "Status code" and response body <i>java.lang.AssertionError: expected:<400> but was:<200></i> <i>at org.junit.Assert.failAssert.java:89)</i> <i>at org.junit.Assert.failNotEqualsAssert.java:835)</i> <i>at org.junit.Assert.assertEqualsAssert.java:647)</i> <i>at org.junit.Assert.assertEqualsAssert.java:633)</i> <i>at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67)</i> <i>at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:64)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.000 s

check User Put request

FAILED	DURATION - 0.083 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:29:02.477 PM // 3:29:02.560 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @UserPutAPIWithInvalidCity @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 13	PASSED	0.056 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.027 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:79) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


check User Put request

FAILED	DURATION - 0.079 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:29:02.564 PM // 3:29:02.643 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @UserPutAPIWithInvalidCity @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 14	PASSED	0.052 s



#	Step / Hook Details	Status	Duration
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.026 s
3	<p>Then User receive http "Status code" and response body</p> <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:79) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Put request




#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 15	PASSED	0.043 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.024 s
3	<p>Then User receive http "Status code" and response body</p> <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:79) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

check User Put request

PASSED	DURATION - 0.061 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:29:02.718 PM // 3:29:02.779 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @RegressionTest @UserPutAPIWithInvalidState				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 16	PASSED	0.053 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.008 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request

FAILED	DURATION - 0.067 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:29:02.783 PM // 3:29:02.850 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @RegressionTest @UserPutAPIWithInvalidState				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 17	PASSED	0.045 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.022 s
3	Then User receive http "Status code" and response body <i>java.lang.AssertionError: expected:<400> but was:<200></i> <i>at org.junit.Assert.failAssert.java:89)</i> <i>at org.junit.Assert.failNotEqualsAssert.java:835)</i> <i>at org.junit.Assert.assertEqualsAssert.java:647)</i> <i>at org.junit.Assert.assertEqualsAssert.java:633)</i> <i>at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67)</i> <i>at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:93)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.000 s

check User Put request

FAILED	DURATION - 0.067 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:29:02.854 PM // 3:29:02.921 PM /	Update User Details in UserAPI			

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 18	PASSED	0.043 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.023 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:93) * Not displayable characters are replaced by '?'.	FAILED	0.000 s


check User Put request

FAILED	DURATION - 0.076 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:29:02.924 PM // 3:29:03.000 PM /	Update User Details in UserAPI			

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 19	PASSED	0.054 s


#	Step / Hook Details	Status	Duration
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.021 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:107) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

check User Put request




#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 20	PASSED	0.052 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.008 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 21	PASSED	0.057 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.027 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:107) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


check User Put request



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 22	PASSED	0.052 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.022 s
3	Then User receive http "Status code" and response body	FAILED	0.000 s



#	Step / Hook Details	Status	Duration
	<pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:121) * Not displayable characters are replaced by '?'.</pre>		

check User Put request





#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 23	PASSED	0.047 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.024 s
3	<p>Then User receive http "Status code" and response body</p> <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:121) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

check User Put request

PASSED	DURATION - 0.055 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:29:03.314 PM // 3:29:03.369 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @UserPutAPIWithInvalidEmailID @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 24	PASSED	0.047 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.006 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request

FAILED	DURATION - 0.068 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:29:03.372 PM // 3:29:03.440 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @UserPutAPIWithInvalidEmailID @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 25	PASSED	0.044 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.023 s
3	Then User receive http "Status code" and response body <i>java.lang.AssertionError: expected:<400> but was:<200></i> <i> at org.junit.Assert.failAssert.java:89)</i> <i> at org.junit.Assert.failNotEqualsAssert.java:835)</i> <i> at org.junit.Assert.assertEqualsAssert.java:647)</i> <i> at org.junit.Assert.assertEqualsAssert.java:633)</i> <i> at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67)</i> <i> at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:121)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.000 s

check User Put request

FAILED	DURATION - 0.075 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:29:03.444 PM // 3:29:03.519 PM / <i>Update User Details in UserAPI</i> @UserPUT @UserPUTApi @UserPutAPIWithInvalidFoodCategory @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 26	PASSED	0.048 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.025 s
3	Then User receive http "Status code" and response body <i>java.lang.AssertionError: expected:<400> but was:<200></i> <i> at org.junit.Assert.fail(Assert.java:89)</i> <i> at org.junit.Assert.failNotEquals(Assert.java:835)</i> <i> at org.junit.Assert.assertEquals(Assert.java:647)</i> <i> at org.junit.Assert.assertEquals(Assert.java:633)</i> <i> at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67)</i> <i> at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:136)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.001 s


check User Put request

FAILED	DURATION - 0.053 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:29:03.524 PM // 3:29:03.577 PM / <i>Update User Details in UserAPI</i> @UserPUT @UserPUTApi @UserPutAPIWithInvalidFoodCategory @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 27	PASSED	0.046 s



#	Step / Hook Details	Status	Duration
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.007 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:136) * Not displayable characters are replaced by '?'.	FAILED	0.000 s

check User Put request





#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 28	PASSED	0.056 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.007 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request

PASSED	DURATION - 0.064 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:29:03.650 PM // 3:29:03.714 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @UserPutAPIWithInvalidFoodCategory @RegressionTest				



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 29	PASSED	0.057 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.007 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request

PASSED	DURATION - 0.057 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:29:03.718 PM // 3:29:03.775 PM /				
<i>Update User Details in UserAPI</i>				
@UserPutAPIWithInvalidAllergy @UserPUT @UserPUTApi @RegressionTest				



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 30	PASSED	0.050 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.007 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request

PASSED	DURATION - 0.071 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:29:03.780 PM // 3:29:03.851 PM /				
<i>Update User Details in UserAPI</i>				
@UserPutAPIWithInvalidAllergy @UserPUT @UserPUTApi @RegressionTest				


#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 31	PASSED	0.060 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.010 s
3	Then User receive http "Status code" and response body	PASSED	0.000 s

check User Put request

FAILED	DURATION - 0.078 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:29:03.855 PM // 3:29:03.933 PM /				
<i>Update User Details in UserAPI</i>				
@UserPutAPIWithInvalidAllergy @UserPUT @UserPUTApi @RegressionTest				



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 32	PASSED	0.051 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.027 s
3	Then User receive http "Status code" and response body <i>java.lang.AssertionError: expected:<400> but was:<200></i> <i>at org.junit.Assert.failAssert.java:89)</i> <i>at org.junit.Assert.failNotEqualsAssert.java:835)</i> <i>at org.junit.Assert.assertEqualsAssert.java:647)</i> <i>at org.junit.Assert.assertEqualsAssert.java:633)</i> <i>at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67)</i> <i>at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:151)</i> <i>* Not displayable characters are replaced by '?'.</i>	FAILED	0.000 s

check User Put request

FAILED	DURATION - 0.081 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:29:03.938 PM // 3:29:04.019 PM /				
<i>Update User Details in UserAPI</i>				
@UserPutAPIWithInvalidAllergy @UserPUT @UserPUTApi @RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 33	PASSED	0.055 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.025 s
3	Then User receive http "Status code" and response body java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:151) * Not displayable characters are replaced by '?'.	FAILED	0.001 s


check User Put request

FAILED	DURATION - 0.066 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 3:29:04.023 PM // 3:29:04.089 PM /				
<i>Update User Details in UserAPI</i>				
@UserPUT @UserPUTApi @RegressionTest @UserPutAPIWithInvalidParams				

#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 34	PASSED	0.058 s


#	Step / Hook Details	Status	Duration
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.006 s
3	Then User receive http "Status code" and response body <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:166) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.001 s

check User Put request



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 35	PASSED	0.047 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.009 s
3	Then User receive http "Status code" and response body <pre>java.lang.AssertionError: expected:<404> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:166) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.000 s

check User Put request



#	Step / Hook Details	Status	Duration
1	Given User creates PUT Method EndPoint from "UserApiPUT" and 36	PASSED	0.044 s
2	When User calls "UserApi" Http Request with "PUT"	PASSED	0.024 s
3	<p>Then User receive http "Status code" and response body</p> <pre>java.lang.AssertionError: expected:<400> but was:<200> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at stepDefinitions.User_PutStepDef.user_receive_http_and_response_body(User_PutStepDef.java:67) at ?.User receive http "Status code" and response body(file:///C:/Users/nsuma/OneDrive/Desktop/NEWCLONE/APIDietician/src/test/java/features/User_Put.feature:166)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.001 s