
Problems

Electric Force

1. Find the net force on charge q 1 due to the three other charges in figure. Take q1= -5 μ C , q2 = -8 μ C, q3 = 15 μ C and q4 = -16 μ C , a= 5cm. (2.3 I – 2.4j)



7.00 μC + 0.500 m 2.00 μC -4.00 μC

Fig-1

Fig-2

- 2. Three point charges are located at the corners of an equilateral triangle, as shown in Figure 2. Calculate the net electric force on the 7 μ C charge.
- 3. A point charge q1 = -9 μ C is at x=0 , while q2= 4μ C is at x=1 m. At what point, besides infinity, would the net force on a positive charge q3 be zero ? (d=2m)
- 4. The electron and the proton in a hydrogen atom are 0.53×10 -10 m apart. Compare the electrostatic and gravitational forces between them. Fg/Fe = 4.4×10^{4} -40
- 5. A t what separation would the force between a proton and an electron be 1 N ? (1.52 x 10^{-14} m)
- 6. A proton orbits with a speed v = 294 km/s just outside a charged sphere of radius r = 1.13cm. Find the charged sphere. ($e = 1.9 \times 10^{-19}$ C and $m = 1.67 \times 10^{-27}$) (1.13 x 10^-9)

Electric Field

- 1. On a clear day there is an electric field of approximately 100N/C directed vertically down at the earth's surface. Compare the electrical and gravitational field on an electron.5.6
- 2. A point charge Q1 =20 μ C is at (-d, 0)while Q2 =-10 μ C is at (+d,0). Find the resultant field strength at a point with coordinates (x, y). Take d= 1m and x=y=2m.

3. Consider the electric dipole shown in Figure -3. Show that the electric field at a distant $E_{\rm x} \cong 4k_{\rm e}qa/x^3. \label{eq:Ex}$ point along the x axis is :

$$E_x \cong 4k_e qa/x^3$$
.





Fig-3

- 4. What is the electric field strength needed to balanced the weight of the following particles near the Earth's surface :(a) an electron and (b) a proton.
- 5. What is the magnitude of a point charge that would create an electric filed of 1 N/C at a at point 1 m away?
- 6. Two particles are fixed to an x axis: particle 1 of charge $-2x \cdot 10^{-7}$ C at x=6cm and particle 2 of charge $+2 \times 10^{-7}$ C at x = 21cm. Mid way between the particles, what is their net electric field in unit-vector notation?

Gauss Law

1. A circular plate has a radius of 12 cm. The plane of the plate is set at a 30° angle to a uniform fields E= 450N/C, as shown in figure. What is the flux through the plate.



- 2. Two charges q1 = 6 μ C and q2 = -8 μ C are within a spherical surface of radius 5 cm. What is the total flux through the surface?
- 3. An isolated conductor of arbitrary shape carries a net charge +10 µC. Inside the conductor is a hollow cavity within which is a point charge $q = +3 \mu C$. What is the charge (a) on the cavity wall and (b) on the outer surface of the conductor?

- 4. A point charge of 1.8 μ C is at the center of a cubical Gaussian surface 55cm on edge. What is the net flux through the surface?
- 5. A uniform charged conducting sphere of 1.2 m diameter has a surface charge density of 8.1 μ C /m2.(a) Find the net charge on the sphere (b) what is the total electric flux leaving the surface of the sphere?
- 6. An infinite line of charge produces a field of $4.52 \times 104 \text{ N/C}$ at a distance of 1.96m. Calculate the linear charge density.
- 7. A 60 μ C charge is at the center of a cube of side 10 cm .(a) what is the total flux through the cube ?(b) What is the flux through the face ? (c) would your answers to (a) or (b) change if the charge were not at the center?
- 8. A spherical conductor of radius 8cm has a uniform surface charge density 0.1 nC/m2. Find the electric field (a) at the surface (b) at a distance 10 cm from the center.