

Submitted by: UMAMA BIN RASHID

Roll Number: 140087

Submitted by: Sir Bilal

Due Date: 15-06-2023

Assignment 01

Q.1: Create two integer variables length and breadth and assign values then check if they are square values or rectangle values.


ie: if both values are equal then it's square otherwise rectangle.

Code:

```
void main()
{
    int length = 19;
    int breadth = 19;

    if (length == breadth){
        print("It's a square.");
    }
    else
    {
        print("It's a rectangle.");
    }
}
```

Output



The screenshot shows a code editor interface with four tabs: PROBLEMS, OUTPUT, DEBUG CONSOLE, and TERMINAL. The OUTPUT tab is selected and displays the text "It's a square." in blue, followed by "Exited" in yellow.

Q.2: Take two variables and store age then using if/else condition to determine oldest and youngest among them.

Code:

```
void main() {
    int age_1 = 25;
    int age_2 = 22;

    if (age_1 > age_2) {
        print("\nAge 1 is the oldest\n");
        print("\nAge 2 is the youngest\n");
    } else if (age_2 > age_1) {
        print("\nAge 2 is the oldest\n");
        print("\nAge 1 is the youngest\n");
    } else {
        print("\nBoth ages are the same\n");
    }
}
```

Output:

```
"Age 1 is the oldest"
"Age 2 is the youngest"
Exited
```

Q.3: A student will not be allowed to sit in exam if his/her attendance is less than 75%. Create integer variables and assign value:

Number of classes held = 16,

Number of classes attended = 10,

and print percentage of class attended.

Is student is allowed to sit in exam or not?

Code:

```
void main() {
    int numberOfClassesHeld = 16;
    int numberOfClassesAttended = 10;

    double attendancePercentage =
        (numberOfClassesAttended / numberOfClassesHeld) * 100;
```

```

print("Attendance Percentage: $attendancePercentage%");

if (attendancePercentage >= 75) {
  print("The student is allowed to sit in the exam.");
} else {
  print("The student is not allowed to sit in the exam.");
}
}

```

Output:

```

flutter: Attendance Percentage: 62.5%
flutter: The student is not allowed to sit in the exam.

```

Q.4: Create integer variable assign any year to it and check if a year is leap year or not.

If a year is divisible by 4 then it is leap year but if the year is century year like 2000, 1900, 2100 then it must be divisible by 400.

i.e: Use % (modulus) operator.

Code:

```

void main() {
  int year = 1500;

  if (year % 4 == 0) {
    if (year % 100 == 0) {
      if (year % 400 == 0) {
        print("$year is a leap year.");
      } else {
        print("$year is not a leap year.");
      }
    } else {
      print("$year is a leap year.");
    }
  } else {
    print("$year is not a leap year.");
  }
}

```

Output:

```
1500 is not a leap year.  
Exited
```

Q.5 Write a program to read temperature in centigrade and display a suitable message according to temperature:

You have num variable temperature = 42;

Now print the message according to temperature:

temp < 0 then Freezing weather

temp 0-10 then Very Cold weather

temp 10-20 then Cold weather

temp 20-30 then Normal in Temp

temp 30-40 then Its Hot

temp >=40 then Its Very Hot

Code:

```
void main() {  
    int temperature = 42;  
  
    if (temperature < 0) {  
        print("Freezing weather");  
    } else if (temperature >= 0 && temperature <= 10) {  
        print("Very Cold weather");  
    } else if (temperature > 10 && temperature <= 20) {  
        print("Cold weather");  
    } else if (temperature > 20 && temperature <= 30) {  
        print("Normal in Temp");  
    } else if (temperature > 30 && temperature <= 40) {  
        print("It's Hot");  
    } else {  
        print("It's Very Hot");  
    }  
}
```

Output:

```
flutter: It's Very Hot
```

Q.6: Write a program to check whether an alphabet is a vowel or consonant.

Code:

```
void main() {  
    String alphabet = 'e';  
  
    if (alphabet == 'a' ||  
        alphabet == 'e' ||  
        alphabet == 'i' ||  
        alphabet == 'o' ||  
        alphabet == 'u' ||  
        alphabet == 'A' ||  
        alphabet == 'E' ||  
        alphabet == 'I' ||  
        alphabet == 'O' ||  
        alphabet == 'U') {  
        print("$alphabet is a vowel.");  
    } else {  
        print("$alphabet is a consonant.");  
    }  
}
```

Output:

```
e is a vowel.  
Exited
```

Q.7: Write a program to calculate and print the Electricity bill of a given customer. Create variable for customer id, name, unit consumed by the user, bill_amount and print the total amount the customer needs to pay. The charge are as follow :

Unit	Charge/unit
------	-------------

upto 199	@1.20
----------	-------

200 and above but less than 400	@1.50
---------------------------------	-------

400 and above but less than 600	@1.80
---------------------------------	-------

600 and above @2.00;

Test Data :

id: 1001

name: James

units: 800

Expected Output :

Customer IDNO :1001

Customer Name :James

unit Consumed :800

Amount Charges @Rs. 2.00 per unit : 1600.00

Net Bill Amount : 1600.00

Code:

```
void main() {
    int customerId = 1001;
    String customerName = "James";
    int unitsConsumed = 800;
    double chargePerUnit = 0.0;
    double billAmount = 0.0;

    if (unitsConsumed <= 199) {
        chargePerUnit = 1.20;
    } else if (unitsConsumed >= 200 && unitsConsumed < 400) {
        chargePerUnit = 1.50;
    } else if (unitsConsumed >= 400 && unitsConsumed < 600) {
        chargePerUnit = 1.80;
    } else if (unitsConsumed >= 600) {
        chargePerUnit = 2.00;
    }

    billAmount = unitsConsumed * chargePerUnit;

    print("Customer IDNO: $customerId");
    print("Customer Name: $customerName");
}
```

```

print("Units Consumed: $unitsConsumed");
print("Amount Charges @Rs. $chargePerUnit per unit: $billAmount");
print("Net Bill Amount: $billAmount");
}

```

Output:

```

flutter: Customer IDNO: 1001
flutter: Customer Name: James
flutter: Units Consumed: 800
flutter: Amount Charges @Rs. 2.0 per unit: 1600.0
flutter: Net Bill Amount: 1600.0

```

Q8: Create a marksheet using operators of at least 5 subjects and output should have Student Name, Student Roll Number, Class, Percentage, Grade Obtained etc.

i.e: Percentage should be rounded upto 2 decimal places only.

Code:

```

void main() {
  String studentName = "Cohen";
  int rollNumber = 1001;
  String className = "Class 10";
  List<int> marks = [77, 80, 66, 88, 90]; // Marks obtained in 5 subjects
  int totalMarks = marks.reduce((a, b) => a + b);
  double percentage = (totalMarks / (marks.length * 100)) * 100;
  String grade = getGrade(percentage);

  print("Student Name: $studentName");
  print("Roll Number: $rollNumber");
  print("Class: $className");
  print("Marks Obtained: $marks");
  print("Total Marks: ${marks.length * 100}");
  print("Percentage: ${percentage.toStringAsFixed(2)}%");
  print("Grade: $grade");
}

String getGrade(double percentage) {
  if (percentage >= 90) {
    return "A+";
  } else if (percentage >= 80) {
    return "A";
  } else if (percentage >= 70) {

```

```

        return "B";
    } else if (percentage >= 60) {
        return "C";
    } else if (percentage >= 50) {
        return "D";
    }
    else {
        return "F";
    }
}

```

Output:

```

Student Name: Cohen
Roll Number: 1001
Class: Class 10
Marks Obtained: [77, 80, 66, 88, 90]
Total Marks: 500
Percentage: 80.20%
Grade: A

```

Q9: Check if the number is even or odd, If number is even then check if this is divisible by 5 or not & if number is odd then check if this is divisible by 7 or not.

Code:

```

void main() {
    int number = 11;

    if (number % 2 == 0) {
        print("$number is even.");

        if (number % 5 == 0) {
            print("$number is divisible by 5.");
        } else {
            print("$number is not divisible by 5.");
        }
    } else {
        print("$number is odd.");

        if (number % 7 == 0) {
            print("$number is divisible by 7.");
        } else {

```



```
        print("$number is not divisible by 7.");
    }
}
}
```

Output:

```
11 is odd.
11 is not divisible by 7.
```

Q10: Write a program that takes three numbers from the user and prints the greatest number & lowest number.

Code:

```
import 'dart:io';

void main() {
    print("Enter the first number: ");
    double number1 = double.parse(stdin.readLineSync() ?? '');

    print("Enter the second number: ");
    double number2 = double.parse(stdin.readLineSync() ?? '');

    print("Enter the third number: ");
    double number3 = double.parse(stdin.readLineSync() ?? '');

    double greatestNumber = findGreatestNumber(number1, number2, number3);
    double lowestNumber = findLowestNumber(number1, number2, number3);

    print("The greatest number is: $greatestNumber");
    print("The lowest number is: $lowestNumber");
}

double findGreatestNumber(double num1, double num2, double num3) {
    double greatest = num1;

    if (num2 > greatest) {
        greatest = num2;
    }

    if (num3 > greatest) {
        greatest = num3;
    }
}
```

```

    }

    return greatest;
}

double findLowestNumber(double num1, double num2, double num3) {
    double lowest = num1;

    if (num2 < lowest) {
        lowest = num2;
    }

    if (num3 < lowest) {
        lowest = num3;
    }

    return lowest;
}

```

Output:

```

Enter the first number:
2
Enter the second number:
34
Enter the third number:
54
The greatest number is: 54.0
The lowest number is: 2.0

```

Q11: Write a program to calculate root of any number.

i.e: $\sqrt{y} = y^{1/2}$

Code:

```

import 'dart:math';

void main() {
    double no = 20;
    double sqR = sqrt(no);

    print("The square root of $no is $sqR");
}

```

Output:

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL
The square root of 20.0 is 4.47213595499958
Exited
```

Q12: Write a program to convert Celsius to Fahrenheit .

i.e: Temperature in degrees Fahrenheit ($^{\circ}\text{F}$) = (Temperature in degrees Celsius ($^{\circ}\text{C}$) * 9/5) + 32

Code:

```
void main() {
    double celsius= 30;
    double fahrenheit = (celsius * 9 / 5) + 32;

    print("$celsius°C is equal to $fahrenheit°F");
}
```

Output:

```
30.0°C is equal to 86.0°F
Exited
```