


SQL TEST

LEFT JOIN :-




The screenshot shows a SQL IDE interface with a query editor and a result grid. The query editor contains the following SQL code:

```
1 • USE TEST;  
2 -- Display all departments with employee names.  
3 • SELECT c.Dept_Name,d.Emp_Name  
4 from Departments c  
5 LEFT JOIN Employees d ON c.Dept_ID = d.Dept_ID;
```

The result grid displays the following data:

Dept_Name	Emp_Name
HR_1	Rahul_1
Finance_2	Priya_2
Sales_3	Arjun_3
Marketing_4	Sneha_4
IT_5	Amit_5
Admin_6	Kiran_6



The screenshot shows a SQL IDE interface with a query editor and a result grid. The query editor contains the following SQL code:

```
2 -- Display all departments with employee salaries.  
3  
4 • SELECT c.Dept_Name,d.Salary  
5 from Departments c  
6 LEFT JOIN Employees d ON c.Dept_ID = d.Dept_ID;
```

The result grid displays the following data:

Dept_Name	Salary
HR_1	25500
Finance_2	26000
Sales_3	26500
Marketing_4	27000
IT_5	27500
Admin_6	28000

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* **SQL File 7*** SQL File 8*

Limit to 1000 rows

```

1 • USE TEST;
2   -- Display all departments with employee ages.
3 • SELECT c.Dept_Name,d.Age
4   from Departments c
5   LEFT JOIN Employees d ON c.Dept_ID = d.Dept_ID;

```

Result Grid Filter Rows: Export: Wrap Cell Content: **Result Grid** Form Editor

Dept_Name	Age
HR_1	22
Finance_2	23
Sales_3	24
Marketing_4	25
IT_5	26
Admin_6	27

Result 3 x **Read Only**

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* **SQL File 7*** SQL File 8*

Limit to 1000 rows

```

1 • USE TEST;
2   -- Display all department names and locations with employee names.
3 • SELECT c.Dept_Name,c.Location, d.Emp_Name
4   from Departments c
5   LEFT JOIN Employees d ON c.Dept_ID = d.Dept_ID;

```

Result Grid Filter Rows: Export: Wrap Cell Content: **Result Grid** Form Editor

Dept_Name	Location	Emp_Name
HR_1	Hyderabad	Rahul_1
Finance_2	Bangalore	Priya_2
Sales_3	Chennai	Arjun_3
Marketing_4	Mumbai	Sneha_4
IT_5	Delhi	Amit_5
Admin_6	Hyderabad	Kiran_6

Result 4 x **Read Only**

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* **SQL File 7*** SQL File 8*

Limit to 1000 rows

```

1 • USE TEST;
2   -- Count employees in each department.
3 • SELECT c.Dept_Name,count(d.Emp_ID) AS Employees_COUNT
4   from Departments c
5   LEFT JOIN Employees d ON c.Dept_ID = d.Dept_ID
6   GROUP BY Dept_Name;

```

Result Grid Filter Rows: Export: Wrap Cell Content: **Result Grid** Form Editor

Dept_Name	Employees_COUNT
HR_1	1
Finance_2	1
Sales_3	1
Marketing_4	1
IT_5	1
Admin_6	1

Result 5 x **Read Only**

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* x SQL File 8*

Limit to 1000 rows

```
1 • USE TEST;
2   -- Display total salary department-wise.
3 • SELECT c.Dept_Name,sum(d.Salary) AS Total_Salary
4   from Departments c
5   LEFT JOIN Employees d ON c.Dept_ID = d.Dept_ID
6   GROUP BY Dept_Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

Dept_Name	Total_Salary
HR_1	25500
Finance_2	26000
Sales_3	26500
Marketing_4	27000
IT_5	27500
Admin_6	28000

Result 6 x | Read Only

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* x SQL File 8*

Limit to 1000 rows

```
1 • USE TEST;
2   -- Display average salary department-wise.
3 • SELECT c.Dept_Name,avg(d.Salary) AS Average_Salary_Department_Wise
4   from Departments c
5   LEFT JOIN Employees d ON c.Dept_ID = d.Dept_ID
6   GROUP BY Dept_Name;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

Dept_Name	Average_Salary_Department_Wise
HR_1	25500.0000
Finance_2	26000.0000
Sales_3	26500.0000
Marketing_4	27000.0000
IT_5	27500.0000
Admin_6	28000.0000

Result 7 x

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* x SQL File 8*

Limit to 1000 rows

```

2 -- Display salary department-wise.
3 • SELECT c.Dept_Name,max(d.Salary) AS Maximum_Salary_Department_Wise
4 from Departments c
5 LEFT JOIN Employees d ON c.Dept_ID = d.Dept_ID
6 GROUP BY Dept_Name;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	Dept_Name	Maximum_Salary_Department_Wise
▶	HR_1	25500
	Finance_2	26000
	Sales_3	26500
	Marketing_4	27000
	IT_5	27500
	Admin_6	28000

Result 8 x Read Only

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* x SQL File 8*

Limit to 1000 rows

```

1 • USE TEST;
2 -- Display minimum salary department-wise.
3 • SELECT c.Dept_Name,MIN(d.Salary) AS Minimum_Salary_Department_Wise
4 from Departments c
5 LEFT JOIN Employees d ON c.Dept_ID = d.Dept_ID
6 GROUP BY Dept_Name;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	Dept_Name	Minimum_Salary_Department_Wise
▶	HR_1	25500
	Finance_2	26000
	Sales_3	26500
	Marketing_4	27000
	IT_5	27500
	Admin_6	28000

Result 9 x

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* x SQL File 8*

Limit to 1000 rows

```

1 • USE TEST;
2 -- Display employee count in each location.
3 SELECT c.Location, COUNT(d.Emp_ID) AS Employee_Count
4 from Departments c
5 LEFT JOIN Employees d ON c.Dept_ID = d.Dept_ID
6 GROUP BY Location;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	Location	Employee_Count
▶	Hyderabad	60
	Bangalore	60
	Chennai	60
	Mumbai	60
	Delhi	60

Result 10 x Read Only Con

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* **SQL File 7*** SQL File 8*

Limit to 1000 rows

```

1 • use test;
2   -- -- Display employee names in ascending order with department names.
3 • SELECT d.Emp_Name, c.Dept_Name
4   FROM Employees d
5   LEFT JOIN Departments c ON d.Dept_ID = c.Dept_ID
6   ORDER BY d.Emp_Name ASC;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [F1](#)

Emp_Name	Dept_Name
Amit_105	IT_105
Amit_115	IT_115
Amit_125	IT_125
Amit_135	IT_135
Amit_145	IT_145
Amit_155	IT_155

Result 12 x

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* **SQL File 7*** SQL File 8*

Limit to 1000 rows

```

1 • use test;
2   -- Display employee names with department names.
3 • SELECT d.Emp_Name, c.Dept_Name
4   FROM Employees d
5   LEFT JOIN Departments c ON d.Dept_ID = c.Dept_ID;
6

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [F1](#)

Emp_Name	Dept_Name
Rahul_1	HR_1
Priya_2	Finance_2
Arjun_3	Sales_3
Sneha_4	Marketing_4
Amit_5	IT_5
Kiran_6	Admin_6

Result 13 x

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* **SQL File 7*** SQL File 8*

Limit to 1000 rows

```

1 • use test;
2   -- Display employee names with department locations.
3 • SELECT d.Emp_Name, c.Location
4   FROM Employees d
5   LEFT JOIN Departments c ON d.Dept_ID = c.Dept_ID;
6

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [F1](#)

Emp_Name	Location
Rahul_1	Hyderabad
Priya_2	Bangalore
Arjun_3	Chennai
Sneha_4	Mumbai
Amit_5	Delhi
Kiran_6	Hyderabad

Result 14 x

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* x SQL File 8*

Limit to 1000 rows

```
1 • use test;
2 -- Display employee names with department budgets.
3 • SELECT d.Emp_Name, c.Budget
4 FROM Employees d
5 LEFT JOIN Departments c ON d.Dept_ID = c.Dept_ID;
6
```

Result Grid

Emp_Name	Budget
Rahul_1	502500
Priya_2	505000
Arjun_3	507500
Sneha_4	510000
Amit_5	512500
Kiran_6	515000

Result 16 x

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* x SQL File 8*

Limit to 1000 rows

```
2 -- Display employees earning above 75000.
3 • SELECT d.Emp_Name, d.Salary, c.Dept_Name
4 FROM Departments c
5 LEFT JOIN Employees d ON c.Dept_ID = d.Dept_ID AND d.Salary > 75000
6 ORDER BY d.Salary DESC;
7
```

Result Grid

Emp_Name	Salary	Dept_Name
Anjali_300	175000	QA_300
Vijay_299	174500	Operations_299
Pooja_298	174000	R&D_298
Ravi_297	173500	Support_297
Kiran_296	173000	Admin_296
Amit_295	172500	IT_295

Result 18 x

Read O

RIGHT JOIN:-

```
2 -- Display employees earning above 75000.
3 • SELECT d.Emp_Name, d.Salary, c.Dept_Name
4 FROM Departments c
5 right JOIN Employees d ON c.Dept_ID = d.Dept_ID AND d.Salary > 75000
6 ORDER BY d.Salary DESC;
7
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

Emp_Name	Salary	Dept_Name
Anjali_300	175000	QA_300
Vijay_299	174500	Operations_299
Pooja_298	174000	R&D_298
Ravi_297	173500	Support_297
Kiran_296	173000	Admin_296

```
1 • use test;
2 -- Display employee names with department names.
3 • SELECT d.Emp_Name, c.Dept_Name
4 FROM Employees d
5 RIGHT JOIN Departments c ON d.Dept_ID = c.Dept_ID;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

Emp_Name	Dept_Name
Rahul_1	HR_1
Priya_2	Finance_2
Arjun_3	Sales_3
Sneha_4	Marketing_4
Amit_5	IT_5
Kiran_6	Admin_6

Result 21 x

Output

```
Query 1  SQL File 3*  SQL File 4*  SQL File 5*  SQL File 6*  SQL File 7* x  SQL File 8*
Limit to 1000 rows
1 • use test;
2 -- Display employee names with department names.
3 • SELECT d.Emp_Name, c.Dept_Name, c.Location
4 FROM Employees d
5 RIGHT JOIN Departments c ON d.Dept_ID = c.Dept_ID;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [fA](#)

	Emp_Name	Dept_Name	Location
▶	Rahul_1	HR_1	Hyderabad
	Priya_2	Finance_2	Bangalore
	Arjun_3	Sales_3	Chennai
	Sneha_4	Marketing_4	Mumbai
	Amit_5	IT_5	Delhi
	Kiran_6	Admin_6	Hyderabad

Result 22 v

```
Query 1  SQL File 3*  SQL File 4*  SQL File 5*  SQL File 6*  SQL File 7* x  SQL File 8*
Limit to 1000 rows
2 -- Display employees from Chennai.
3 • SELECT d.Emp_ID, d.Emp_Name, c.Dept_Name, c.Location
4 FROM Employees d
5 RIGHT JOIN Departments c ON d.Dept_ID = c.Dept_ID
6 WHERE c.Location = 'Chennai';
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: [fA](#)

	Emp_ID	Emp_Name	Dept_Name	Location
▶	3	Arjun_3	Sales_3	Chennai
	8	Pooja_8	R&D_8	Chennai
	13	Arjun_13	Sales_13	Chennai
	18	Pooja_18	R&D_18	Chennai
	23	Arjun_23	Sales_23	Chennai
	28	Pooja_28	R&D_28	Chennai

Result 23 x

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* **SQL File 7*** × SQL File 8*

Limit to 1000 rows

```
2 -- Display employees from Mumbai.
3 • SELECT d.Emp_ID, d.Emp_Name, c.Dept_Name, c.Location
4 FROM Employees d
5 RIGHT JOIN Departments c ON d.Dept_ID = c.Dept_ID
6 WHERE c.Location = 'Mumbai';
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	Emp_ID	Emp_Name	Dept_Name	Location
▶	4	Sneha_4	Marketing_4	Mumbai
	9	Vijay_9	Operations_9	Mumbai
	14	Sneha_14	Marketing_14	Mumbai
	19	Vijay_19	Operations_19	Mumbai
	24	Sneha_24	Marketing_24	Mumbai
	29	Vijay_29	Operations_29	Mumbai

Result 24 ×

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* **SQL File 7*** × SQL File 8*

Limit to 1000 rows

```
1 • use test;
2 -- Display employee names with department budgets.
3 • SELECT d.Emp_Name, c.Budget
4 FROM Employees d
5 RIGHT JOIN Departments c ON d.Dept_ID = c.Dept_ID;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	Emp_Name	Budget
▶	Rahul_1	502500
	Priya_2	505000
	Arjun_3	507500
	Sneha_4	510000
	Amit_5	512500
	Kiran_6	515000

Result 25 ×

Output

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQLAdditions:.....

Limit to 1000 rows My Snippets

```
1 • use test;
2   -- Display employees aged between 25 and 35
3 • SELECT d.Emp_ID, d.Emp_Name, d.Age, c.Dept_Name
4   FROM Employees d
5   RIGHT JOIN Departments c ON d.Dept_ID = c.Dept_ID
6   WHERE d.Age BETWEEN 25 AND 35;
```

Result Grid Filter Rows: Export: Wrap Cell Content

	Emp_ID	Emp_Name	Age	Dept_Name
▶	4	Sneha_4	25	Marketing_4
	5	Amit_5	26	IT_5
	6	Kiran_6	27	Admin_6
	7	Ravi_7	28	Support_7
	8	Pooja_8	29	R&D_8

Result 26 x Read Only Context Help Snippets

Query 1 SQL File 3* SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQLAdditions:.....

Limit to 1000 rows My Snippets

```
1 • use test;
2   -- Count employees in every location
3 • SELECT c.Location, COUNT(d.Emp_ID) AS Employee_Count
4   FROM Employees d
5   RIGHT JOIN Departments c ON d.Dept_ID = c.Dept_ID
6   GROUP BY c.Location;
```

Result Grid Filter Rows: Export: Wrap Cell Content

	Location	Employee_Count
▶	Hyderabad	60
	Bangalore	60
	Chennai	60
	Mumbai	60
	Delhi	60

SQL File 6* SQL File 7* SQL File 8* SQL File 9 SQL File 10 SQLAdditions

Limit to 1000 rows My Snippets

```
1 • use test;
2 -- Display Lowest salary in every location
3 • SELECT c.Location, MIN(d.Salary) AS Lowest_Salary
4 FROM Employees d
5 RIGHT JOIN Departments c ON d.Dept_ID = c.Dept_ID
6 GROUP BY c.Location;
```

Result Grid Filter Rows: Export: Wrap Cell Contents

Location	Lowest_Salary
Hyderabad	25500
Bangalore	26000
Chennai	26500
Mumbai	27000
Delhi	27500

Result Grid

5* SQL File 6* SQL File 7* SQL File 8* SQL File 9 SQL File 10 SQLAdditions

Limit to 1000 rows My Snippets

```
2 -- Display total budget location-wise
3 • SELECT c.Location, SUM(c.Budget) AS Total_Budget
4 FROM Employees d
5 RIGHT JOIN Departments c ON d.Dept_ID = c.Dept_ID
6 GROUP BY c.Location;
```

Result Grid Filter Rows: Export: Wrap Cell Contents

Location	Total_Budget
Hyderabad	52275000
Bangalore	52425000
Chennai	52575000
Mumbai	52725000
Delhi	52875000

Result Grid

Result 1 x Read Only Context Help Snipp

5* SQL File 6* SQL File 7* x SQL File 8* SQL File 9 SQL File 10 SQLAdditions

Limit to 1000 rows My Snippets

```
2 -- Display employees ordered by department budget
3 • SELECT d.Emp_Name, c.Dept_Name, c.Budget
4 FROM Employees d
5 RIGHT JOIN Departments c ON d.Dept_ID = c.Dept_ID
6 ORDER BY c.Budget DESC;
7
```

Result Grid Filter Rows: Export: Wrap Cell Contents

Emp_Name	Dept_Name	Budget
Anjali_300	QA_300	1250000
Vijay_299	Operations_299	1247500
Pooja_298	R&D_298	1245000
Ravi_297	Support_297	1242500
Kiran_296	Admin_296	1240000

Result 31 Dead Only Context Help Snippets

Limit to 1000 rows My Snippets

```
2 -- Display department names with employee count
3 • SELECT c.Dept_Name, COUNT(d.Emp_ID) AS Employee_Count
4 FROM Employees d
5 RIGHT JOIN Departments c ON d.Dept_ID = c.Dept_ID
6 GROUP BY c.Dept_Name;
```

Result Grid Filter Rows: Export: Wrap Cell Contents

Dept_Name	Employee_Count
HR_1	1
Finance_2	1
Sales_3	1
Marketing_4	1
IT_5	1

Result 32 Dead Only Context Help Snippets

FULL OUTER JOIN:-

SQL File 21*

```
-- 1. All employees and departments
SELECT d.Emp_ID, d.Emp_Name, c.Dept_ID, c.Dept_Name
FROM Employees d
LEFT JOIN Departments c ON d.Dept_ID = c.Dept_ID
UNION
SELECT d.Emp_ID, d.Emp_Name, c.Dept_ID, c.Dept_Name
FROM Employees d
RIGHT JOIN Departments c ON d.Dept_ID = c.Dept_ID;
```

Result Grid

Emp_ID	Emp_Name	Dept_ID	Dept_Name
1	Rahul_1	1	HR_1
2	Priya_2	2	Finance_2
3	Arjun_3	3	Sales_3
4	Sneha_4	4	Marketing_4
5	Amit_5	5	IT_5

Result 1 x

```
-- 2. All department names and employee names
SELECT c.Dept_Name, d.Emp_Name
FROM Employees d
LEFT JOIN Departments c ON d.Dept_ID = c.Dept_ID
UNION
SELECT c.Dept_Name, d.Emp_Name
FROM Employees d
RIGHT JOIN Departments c ON d.Dept_ID = c.Dept_ID;
```

Result Grid

Dept_Name	Emp_Name
HR_1	Rahul_1
Finance_2	Priya_2
Sales_3	Arjun_3
Marketing_4	Sneha_4
IT_5	Amit_5

Result 2 x

SQL File 21*

```
-- 3. Department names, employee names, and locations
SELECT c.Dept_Name, d.Emp_Name, c.Location
FROM Employees d
LEFT JOIN Departments c ON d.Dept_ID = c.Dept_ID
UNION
SELECT c.Dept_Name, d.Emp_Name, c.Location
FROM Employees d
RIGHT JOIN Departments c ON d.Dept_ID = c.Dept_ID;
```

Result Grid

Dept_Name	Emp_Name	Location
HR_1	Rahul_1	Hyderabad
Finance_2	Priya_2	Bangalore
Sales_3	Arjun_3	Chennai
Marketing_4	Sneha_4	Mumbai
IT_5	Amit_5	Delhi

Read Only Context Help Snippets

SQL File 21*

```
-- 4. Department budgets with employee salaries
SELECT c.Dept_Name, c.Budget, d.Emp_Name, d.Salary
FROM Employees d
LEFT JOIN Departments c ON d.Dept_ID = c.Dept_ID
UNION
SELECT c.Dept_Name, c.Budget, d.Emp_Name, d.Salary
FROM Employees d
RIGHT JOIN Departments c ON d.Dept_ID = c.Dept_ID;
```

Result Grid

Dept_Name	Budget	Emp_Name	Salary
HR_1	502500	Rahul_1	25500
Finance_2	505000	Priya_2	26000
Sales_3	507500	Arjun_3	26500
Marketing_4	510000	Sneha_4	27000
IT_5	512500	Amit_5	27500

Read Only Context Help Snippets

SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQL File 21* SQLAdd

Limit to 1000 rows My Snip

```
3 • SELECT d.Emp_Name, c.Dept_Name
4 FROM Employees d LEFT JOIN Departments c
5 ON d.Dept_ID = c.Dept_ID
6 UNION
7 SELECT d.Emp_Name, c.Dept_Name
8 FROM Employees d
9 RIGHT JOIN Departments c ON d.Dept_ID = c.Dept_ID
10 ORDER BY Dept_Name ASC;
```

SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQL File 21* x SQLAdditions

Limit to 1000 rows My Snippets

```
2 -- 6. All department names ordered by budget
3 • SELECT c.Dept_Name, c.Budget
4 FROM TEST.Employees d
5 LEFT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
6 UNION
7 SELECT c.Dept_Name, c.Budget
8 FROM TEST.Departments c
9 ORDER BY Budget DESC;
10
```

Result Grid Filter Rows: Export: Wrap Cell Content

Dept_Name	Budget
QA_300	1250000
Operations_299	1247500
R&D_298	1245000
Support_297	1242500
Admin_296	1240000

Result Grid

Result 1 x Read Only Context Help Snippets

SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQL File 21* x

Limit to 1000 rows

My Snippets

```

16 • SELECT Dept_Name, COUNT(Emp_ID) AS Employee_Count
17 FROM (
18     SELECT c.Dept_Name, d.Emp_ID
19     FROM TEST.Employees d
20     LEFT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
21     UNION
22     SELECT c.Dept_Name, d.Emp_ID
23     FROM TEST.Employees d
24     RIGHT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
25 ) AS f
26 GROUP BY Dept_Name;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content

Dept_Name	Employee_Count
HR_1	1
Finance_2	1
Sales_3	1
Marketing_4	1
IT_5	1
Admin_6	1
Support_7	1

Result 2 x Read Only Context Help Snippets

SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQL File 21* x

Limit to 1000 rows

My Snippets

```

30 • SELECT Dept_Name, SUM(Salary) AS Total_Salary
31 FROM (
32     SELECT c.Dept_Name, d.Salary, d.Emp_ID
33     FROM TEST.Employees d
34     LEFT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
35     UNION
36     SELECT c.Dept_Name, d.Salary, d.Emp_ID
37     FROM TEST.Employees d
38     RIGHT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
39 ) AS f
40 GROUP BY Dept_Name;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content

Dept_Name	Total_Salary
HR_1	25500
Finance_2	26000
Sales_3	26500
Marketing_4	27000
IT_5	27500
Admin_6	28000
Support_7	28500

Result 3 x Read Only Context Help Snippets

SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQL File 21* x

Limit to 1000 rows

My Snippets

```

45 • SELECT Dept_Name, AVG(Salary) AS Average_Salary
46 FROM (
47     SELECT c.Dept_Name, d.Salary, d.Emp_ID
48     FROM TEST.Employees d
49     LEFT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
50     UNION
51     SELECT c.Dept_Name, d.Salary, d.Emp_ID
52     FROM TEST.Employees d
53     RIGHT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
54 ) AS f
55 GROUP BY Dept_Name;

```

Result Grid

Dept_Name	Average_Salary
HR_1	25500.0000
Finance_2	26000.0000
Sales_3	26500.0000
Marketing_4	27000.0000
IT_5	27500.0000
Admin_6	28000.0000

Export: | Wrap Cell Content

Result Grid

Form Editor

SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQL File 21* x

Limit to 1000 rows

My Snippets

```

59 -- 10. Maximum salary department-wise
60 • SELECT Dept_Name, MAX(Salary) AS Max_Salary
61 FROM (
62     SELECT c.Dept_Name, d.Salary, d.Emp_ID
63     FROM TEST.Employees d
64     LEFT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
65     UNION
66     SELECT c.Dept_Name, d.Salary, d.Emp_ID
67     FROM TEST.Employees d
68     RIGHT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
69 ) AS f
70 GROUP BY Dept_Name;

```

Result Grid

Dept_Name	Max_Salary
HR_1	25500
Finance_2	26000
Sales_3	26500
Marketing_4	27000
IT_5	27500
Admin_6	28000

Export: | Wrap Cell Content

Result Grid

Form Editor

SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQL File 21* x

Limit to 1000 rows

```

72 -- 11. Minimum salary department-wise
73 • SELECT Dept_Name, MIN(Salary) AS Min_Salary
74 FROM (
75     SELECT c.Dept_Name, d.Salary, d.Emp_ID
76     FROM TEST.Employees d
77     LEFT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
78     UNION
79     SELECT c.Dept_Name, d.Salary, d.Emp_ID
80     FROM TEST.Employees d
81     RIGHT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
82 ) AS f GROUP BY Dept_Name;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content

Dept_Name	Min_Salary
HR_1	25500
Finance_2	26000
Sales_3	26500
Marketing_4	27000
IT_5	27500
Admin_6	28000
Support_7	28500

Result 6 x

Read Only Context Help Snippets

Output

SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQL File 21* x

Limit to 1000 rows

```

85 • SELECT Location, COUNT(Emp_ID) AS Employee_Count
86 FROM (
87     SELECT c.Location, d.Emp_ID
88     FROM TEST.Employees d
89     LEFT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
90     UNION
91     SELECT c.Location, d.Emp_ID
92     FROM TEST.Employees d
93     RIGHT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
94 ) AS f GROUP BY Location;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content

Location	Employee_Count
Hyderabad	60
Bangalore	60
Chennai	60
Mumbai	60
Delhi	60

Context Help Snippets

SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQL File 21* x

Limit to 1000 rows

My Snippets

```
96 -- 13. Locations with average salary
97 • SELECT Location, AVG(Salary) AS Average_Salary
98 FROM (
99     SELECT c.Location, d.Salary, d.Emp_ID
100     FROM TEST.Employees d
101     LEFT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
102     UNION
103     SELECT c.Location, d.Salary, d.Emp_ID
104     FROM TEST.Employees d
105     RIGHT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
106 ) AS f
107 GROUP BY Location;
```

Result Grid

Location	Average_Salary
Hyderabad	99250.0000
Bangalore	99750.0000
Chennai	100250.0000
Mumbai	100750.0000
Delhi	101250.0000

Result 8 x Read Only Context Help Snippets

SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQL File 21* x

Limit to 1000 rows

My Snippets

```
108 -- 14. Locations with total salary
109 • SELECT Location, SUM(Salary) AS Total_Salary
110 FROM (
111     SELECT c.Location, d.Salary, d.Emp_ID
112     FROM TEST.Employees d
113     LEFT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
114     UNION
115     SELECT c.Location, d.Salary, d.Emp_ID
116     FROM TEST.Employees d
117     RIGHT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID
118 ) AS f GROUP BY Location;
119
```

Result Grid

Location	Total_Salary
Hyderabad	5955000
Bangalore	5985000
Chennai	6015000
Mumbai	6045000
Delhi	6075000

SQL File 4*SQL File 5*SQL File 6*SQL File 7*SQL File 21* xSQLAdditionsMy Snippets

Limit to 1000 rows

120 -- 15. Departments and employees sorted by department name

121 • SELECT *

122 FROM (

123 SELECT c.Dept_Name, d.Emp_ID, d.Emp_Name

124 FROM TEST.Employees d

125 LEFT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID

126 UNION

127 SELECT c.Dept_Name, d.Emp_ID, d.Emp_Name

128 FROM TEST.Employees d

129 RIGHT JOIN TEST.Departments c ON d.Dept_ID = c.Dept_ID

130) AS f ORDER BY Dept_Name ASC;

Result Grid

Filter Rows:

Export: Wrap Cell Content

	Dept_Name	Emp_ID	Emp_Name
▶	Admin_106	106	Kiran_106
	Admin_116	116	Kiran_116
	Admin_126	126	Kiran_126
	Admin_136	136	Kiran_136
	Admin_146	146	Kiran_146
	Admin_156	156	Kiran_156
	Admin_16	16	Kiran_16
	Admin_166	166	Kiran_166

Result GridForm Editor

Result 10 xRead OnlyContext HelpSnippets