

Commit complete.

```
SQL> create table stud(admission_no varchar(8) NOT NULL,first_name varchar(20)NOT NULL,last_name varchar(20)NOT NULL,age number,city varchar(20));
```

Table created.

```
SQL> create table fee(admission_no varchar(8)NOT NULL,course varchar(30)NOT NULL,amount_paid number);
```

Table created.

```
SQL> insert into stud values('&admission_no','&first_name','&last_name','&age','&city');
```

Enter value for admission_no: 3354

Enter value for first_name: LUISA

Enter value for last_name: EVANS

Enter value for age: 13

Enter value for city: TEXAS

```
old 1: insert into stud values('&admission_no','&first_name','&last_name','&age','&city')
```

```
new 1: insert into stud values('3354','LUISA','EVANS',13,'TEXAS')
```

1 row created.

```
SQL> /
```

Enter value for admission_no: 2135

Enter value for first_name: PAUL

Enter value for last_name: WARD

Enter value for age: 15

Enter value for city: ALASKA

```
old 1: insert into stud values('&admission_no','&first_name','&last_name','&age','&city')
```

```
new 1: insert into stud values('2135','PAUL','WARD',15,'ALASKA')
```

1 row created.

```
SQL> /
```

Enter value for admission_no: 4321

Enter value for first_name: PETER

Enter value for last_name: BENNETT

Enter value for age: 14

Enter value for city: CALIFORNIA

```
old 1: insert into stud values('&admission_no','&first_name','&last_name','&age','&city')
```

```
new 1: insert into stud values('4321','PETER','BENNETT',14,'CALIFORNIA')
```

1 row created.

```
SQL> /
```

Enter value for admission_no: 4213

Enter value for first_name: CARLOS

Enter value for last_name: PATTERSON

Enter value for age: 17

Enter value for city: NEW YORK

```
old 1: insert into stud values('&admission_no','&first_name','&last_name','&age','&city')
```



```
SQL> /
Enter value for admission_no: 5112
Enter value for first_name: ROSE
Enter value for last_name: HUGES
Enter value for age: 16
Enter value for city: FLORIDA
old 1: insert into stud values('&admission_no','&first_name','&last_name',&age,'&city')
new 1: insert into stud values('5112','ROSE','HUGES',16,'FLORIDA')
```

1 row created.

```
SQL> /
Enter value for admission_no: 6113
Enter value for first_name: MARIELIA
Enter value for last_name: SIMMONS
Enter value for age: 15
Enter value for city: ARIZONA
old 1: insert into stud values('&admission_no','&first_name','&last_name',&age,'&city')
new 1: insert into stud values('6113','MARIELIA','SIMMONS',15,'ARIZONA')
```

1 row created.

```
SQL> 7555
SP2-0226: Invalid line number
SQL> insert into stud values('&admission_no','&first_name','&last_name',&age,'&city');
Enter value for admission_no: 7555
Enter value for first_name: ANTONIA
Enter value for last_name: BUTLER
Enter value for age: 14
Enter value for city: NEW YORK
old 1: insert into stud values('&admission_no','&first_name','&last_name',&age,'&city')
new 1: insert into stud values('7555','ANTONIA','BUTLER',14,'NEW YORK')
```

1 row created.

```
SQL> /
Enter value for admission_no: 8345
Enter value for first_name: DIEGO
Enter value for last_name: COX
Enter value for age: 13
Enter value for city: CALIFORNIA
old 1: insert into stud values('&admission_no','&first_name','&last_name',&age,'&city')
new 1: insert into stud values('8345','DIEGO','COX',13,'CALIFORNIA')
```

1 row created.

```
SQL> INSERT INTO fee values('&admission_no','&cours',&amount_paid);
Enter value for admission_no: 3354
Enter value for cours: JAVA
Enter value for amount_paid: 20000
```



```
SQL Plus
Enter value for admission_no: 3354
Enter value for cours: JAVA
Enter value for amount_paid: 20000
old 1: INSERT INTO fee values('&admission_no','&cours','&amount_paid)
new 1: INSERT INTO fee values('3354','JAVA',20000)

1 row created.

SQL> /
Enter value for admission_no: 7555
Enter value for cours: ANDROID
Enter value for amount_paid: 22000
old 1: INSERT INTO fee values('&admission_no','&cours','&amount_paid)
new 1: INSERT INTO fee values('7555','ANDROID',22000)

1 row created.

SQL> /
Enter value for admission_no: 4321
Enter value for cours: PYTHON
Enter value for amount_paid: 18000
old 1: INSERT INTO fee values('&admission_no','&cours','&amount_paid)
new 1: INSERT INTO fee values('4321','PYTHON',18000)

1 row created.

SQL> /
Enter value for admission_no: 8345
Enter value for cours: SQL
Enter value for amount_paid: 15000
old 1: INSERT INTO fee values('&admission_no','&cours','&amount_paid)
new 1: INSERT INTO fee values('8345','SQL',15000)

1 row created.

SQL> SELECT stud.admission_no,stud.first_name,stud.last_name,fee.course,fee.amount_paid FROM stud INNER JOIN fee ON stud.admission_no=fee.admission_no;

ADMISSIO FIRST_NAME      LAST_NAME      COURSE      AMOUNT_PAID
-----
3354      LUISA          EVANS          JAVA          20000
4321      PETER          BENNETT        PYTHON         18000
7555      ANTONIA        BUTLER         ANDROID        22000
8345      DIEGO          COX            SQL            15000

SQL> SELECT stud.admission_no,stud.first_name,stud.last_name,fee.course,fee.amount_paid FROM stud CROSS JOIN fee WHERE stud.admission_no=fee.admission_no;

ADMISSIO FIRST_NAME      LAST_NAME      COURSE      AMOUNT_PAID
-----
3354      LUISA          EVANS          JAVA          20000
4321      PETER          BENNETT        PYTHON         18000
7555      ANTONIA        BUTLER         ANDROID        22000
```


SQL Plus

ADMISSIO	FIRST_NAME	LAST_NAME	COURSE	AMOUNT_PAID
3354	LUISA	EVANS	JAVA	20000
4321	PETER	BENNETT	PYTHON	18000
7555	ANTONIA	BUTLER	ANDROID	22000
8345	DIEGO	COX	SQL	15000

SQL> SELECT stud.admission_no,stud.first_name,stud.last_name,fee.course,fee.amount_paid FROM stud LEFT OUTER JOIN fee ON stud.admission_no=fee.admission_no;

ADMISSIO	FIRST_NAME	LAST_NAME	COURSE	AMOUNT_PAID
3354	LUISA	EVANS	JAVA	20000
7555	ANTONIA	BUTLER	ANDROID	22000
4321	PETER	BENNETT	PYTHON	18000
8345	DIEGO	COX	SQL	15000
2135	PAUL	WARD		
4213	CARLOS	PATTERSON		
6113	MARIELIA	SIMMONS		
5112	ROSE	HUGES		

8 rows selected.

SQL> SELECT stud.admission_no,stud.first_name,stud.last_name,fee.course,fee.amount_paid FROM stud RIGHT OUTER JOIN fee ON stud.admission_no=fee.admission_no;

ADMISSIO	FIRST_NAME	LAST_NAME	COURSE	AMOUNT_PAID
3354	LUISA	EVANS	JAVA	20000
4321	PETER	BENNETT	PYTHON	18000
7555	ANTONIA	BUTLER	ANDROID	22000
8345	DIEGO	COX	SQL	15000

SQL> SELECT stud.admission_no,stud.first_name,stud.last_name,fee.course,fee.amount_paid FROM stud FULL OUTER JOIN fee ON stud.admission_no=fee.admission_no;

ADMISSIO	FIRST_NAME	LAST_NAME	COURSE	AMOUNT_PAID
3354	LUISA	EVANS	JAVA	20000
2135	PAUL	WARD		
4321	PETER	BENNETT	PYTHON	18000
4213	CARLOS	PATTERSON		
5112	ROSE	HUGES		
6113	MARIELIA	SIMMONS		
7555	ANTONIA	BUTLER	ANDROID	22000
8345	DIEGO	COX	SQL	15000

8 rows selected.

SQL> commit;

Commit complete.

Search

ENG IN

15:17

21-07-2026