

Version 21.3.0.0.0

```
SQL> create table Data(empid varchar(5)NOT NULL,name varchar(20),location varchar(20),experience number,PRIMARY KEY(empid));
```

Table created.

```
SQL> select * from Data;
```

no rows selected

```
SQL> create table Location(location_id varchar(5) NOT NULL,location varchar(50) NOT NULL,office_size number,empid varchar(5),PRIMARY KEY (location_id),FOREIGN KEY(empid) REFERENCES Data(empid));
```

Table created.

```
SQL> insert into Data values(1,'ABI','CHENNAI',1);
```

1 row created.

```
SQL> insert into Data values(2,'SIVA','KARUR',2);
```

1 row created.

```
SQL> insert into Data values(3,'DEVI','SELAM',1);
```

1 row created.

```
SQL> insert into Data values(4,'KAVI','ERODE',3);
```

1 row created.

```
SQL> insert into Data values(5,'UMA','TRICHY',2);
```

1 row created.



Search



ENG
IN



09:58 AM
09-Jul-2026



SQL Plus

1 row created.

SQL> insert into Data values(6,'MEERA','COIMBATORE',2);

1 row created.

SQL> INSERT INTO Location VALUES(101,'CHENNAI',5,1);

1 row created.

SQL> INSERT INTO Location VALUES(102,'KARUR',14,2);

1 row created.

SQL> INSERT INTO Location VALUES(103,'SELAM',18,3);

1 row created.

SQL> INSERT INTO Location VALUES(104,'ERODE',10,4);

1 row created.

SQL> INSERT INTO Location VALUES(105,'TRICHY',20,5);

1 row created.

SQL> INSERT INTO Location VALUES(106,'COIMBATORE',26,6);

1 row created.

SQL> SELECT * FROM Data;

EMPID	NAME	LOCATION	EXPERIENCE
-------	------	----------	------------

SQL Plus

103

SELAM

18

3

104

ERODE

10

4

105

TRICHY

20

5

106

COIMBATORE

26

6

6 rows selected.

SQL> select Data.empid,name,location,Location.empid,location where Data.empid=Location.empid;
select Data.empid,name,location,Location.empid,location where Data.empid=Location.empid
*

ERROR at line 1:
ORA-00923: FROM keyword not found where expected

SQL> select Data.empid,name,location,Location.empid,location from Data and Location where Data.empid=Location.empid;
select Data.empid,name,location,Location.empid,location from Data and Location where Data.empid=Location.empid
*

ERROR at line 1:
ORA-00933: SQL command not properly ended

SQL> select Data.empid,name,Data.location from Data, Location where Data.empid=Location.empid;

EMPID	NAME	LOCATION
1	ABI	CHENNAI
2	SIVA	KARUR
3	DEVI	SELAM
4	KAVI	ERODE
5	UMA	TRICHY
6	MEERA	COIMBATORE

6 rows selected.

SQL> |

Search

ENG IN

09:59 AM 09-Jul-2026