

```
Commit complete.

SQL> create table emp77(no number(3),name varchar(20),dept varchar(20),salary number);

Table created.

SQL> INSERT INTO emp77 VALUES(1,'RANI','TAMIL',80000);

1 row created.

SQL> INSERT INTO emp77 VALUES(2,'PRIYA','ENGLISH',90000);

1 row created.

SQL> INSERT INTO emp77 VALUES(3,'KAVITHA','PHYSICS',100000);

1 row created.

SQL> INSERT INTO emp77 VALUES(4,'SIVAKUMAR','MATHS',95000);

1 row created.

SQL> INSERT INTO emp77 VALUES(5,'MALAR','CHEMISTRY',99000);

1 row created.

SQL> SELECT * FROM emp77;
```

NO	NAME	DEPT	SALARY
1	RANI	TAMIL	80000
2	PRIYA	ENGLISH	90000
3	KAVITHA	PHYSICS	100000
4	SIVAKUMAR	MATHS	95000
5	MALAR	CHEMISTRY	99000

SQL Plus

×

+

▼

—

📄

×

EXP(5)

148.413159

SQL> SELECT extract(year from date'2018-07-07') FROM Dual;

EXTRACT(YEARFROMDATE'2018-07-07')

2018

SQL> SELECT extract(month from sysdate) FROM Dual;

EXTRACT(MONTHFROMSYSDATE)

7

SQL> SELECT greatest(56,67,34) FROM Dual;

GREATEST(56,67,34)

67

SQL> SELECT least(56,67,34) FROM Dual;

LEAST(56,67,34)

34

SQL> SELECT mod(15,8) FROM Dual;

MOD(15,8)

7

SQL> SELECT trunc(138.356,1) FROM Dual;

2

28°C

Mostly sunny

🪟

🔍 Search

📁

📁

🌐

📅

📄

🌐

🌐

^

ENG
IN

🌐 🔊 🔋

10:29 AM
09-Jul-2026 🔔

malar

```
SQL> SELECT length('uma') FROM Dual;
```


3

31-JUL-26

09-DEC-26

09-JUL-19

-3.9354839

```
SQL> SELECT to_date('04-jul-2019','dd-mm-yy') FROM Dual;
```

```
SQL Plus
SQL> SELECT next_day('04-jul-2019','tuesday') FROM Dual;

NEXT_DAY(
-----
09-JUL-19

SQL> SELECT months_between('04-jul-2019','02-nov-2019') FROM Dual;

MONTHS_BETWEEN('04-JUL-2019','02-NOV-2019')
-----
-3.9354839

SQL> SELECT to_date('04-jul-2019','dd-mm-yy') FROM Dual;

TO_DATE('
-----
04-JUL-19

SQL> SELECT ltrim('table name','d') FROM Dual;

LTRIM('TAB
-----
table name

SQL> SELECT rtrim('table name','d') FROM Dual;

RTRIM('TAB
-----
table name

SQL> commit;

Commit complete.

SQL>
```