K-Nearest Neighbors

Nipun Batra

IIT Gandhinagar

July 29, 2025

Low values of K will result in each point having a very high influence on the final output \implies noise will influence the result

Low values of K will result in each point having a very high influence on the final output \implies noise will influence the result **High values of K** will result in smoother decision boundaries \implies lower variance but also higher bias

In which scenarios would you prefer KNN over parametric methods?

In which scenarios would you prefer KNN over parametric methods?

In which scenarios would you prefer KNN over parametric methods?

What is the time complexity of finding k nearest neighbors naively?

► Non-parametric: KNN makes no assumptions about data distribution

► Non-parametric: KNN makes no assumptions about data distribution

- Non-parametric: KNN makes no assumptions about data distribution
- ► Lazy Learning: No training phase, computation happens at prediction time

- Non-parametric: KNN makes no assumptions about data distribution
- ► Lazy Learning: No training phase, computation happens at prediction time

- Non-parametric: KNN makes no assumptions about data distribution
- ► Lazy Learning: No training phase, computation happens at prediction time
- ▶ Choice of k: Small $k \to \text{high variance}$, large $k \to \text{high bias}$

- Non-parametric: KNN makes no assumptions about data distribution
- ► Lazy Learning: No training phase, computation happens at prediction time
- ▶ Choice of k: Small $k \to \text{high variance}$, large $k \to \text{high bias}$

- Non-parametric: KNN makes no assumptions about data distribution
- ► Lazy Learning: No training phase, computation happens at prediction time
- ▶ Choice of k: Small $k \to \text{high variance}$, large $k \to \text{high bias}$
- ▶ **Distance Metrics**: Choice affects performance significantly

- Non-parametric: KNN makes no assumptions about data distribution
- ► Lazy Learning: No training phase, computation happens at prediction time
- ▶ Choice of k: Small $k \to \text{high variance}$, large $k \to \text{high bias}$
- ▶ **Distance Metrics**: Choice affects performance significantly

- Non-parametric: KNN makes no assumptions about data distribution
- Lazy Learning: No training phase, computation happens at prediction time
- ▶ Choice of k: Small $k \to \text{high variance}$, large $k \to \text{high bias}$
- ▶ **Distance Metrics**: Choice affects performance significantly
- Curse of Dimensionality: Performance degrades in high dimensions

- Non-parametric: KNN makes no assumptions about data distribution
- Lazy Learning: No training phase, computation happens at prediction time
- ▶ Choice of k: Small $k \to \text{high variance}$, large $k \to \text{high bias}$
- ▶ **Distance Metrics**: Choice affects performance significantly
- Curse of Dimensionality: Performance degrades in high dimensions

- Non-parametric: KNN makes no assumptions about data distribution
- ► Lazy Learning: No training phase, computation happens at prediction time
- ▶ Choice of k: Small $k \to \text{high variance}$, large $k \to \text{high bias}$
- ▶ **Distance Metrics**: Choice affects performance significantly
- ► Curse of Dimensionality: Performance degrades in high dimensions
- ▶ Scalability: Approximate methods needed for large datasets