
PRODUCT REQUIREMENTS DOCUMENT

Make My Marriage

The Indian Wedding Planning Workspace

One wedding. Two family workspaces. One coordinated celebration.

VERSION 1.2 | OCTOBER 19, 2026 | MVP SCOPE: INDIA ONLY



Product navigation concept - organizer and guest experiences are separated by design.

DOCUMENT STATUS	OWNER / AUDIENCE
Approved feature decisions; implementation assumptions marked as proposed	Founder / product designer / frontend & backend developers
Launch model: free / couples and families	Responsive web application; no native app required

This document captures product behavior, scope, roles, suggested screens, user stories, architecture, data model, and launch acceptance criteria. It is not a statement that the software is already implemented. Version 1.1 adds five development-ready authentication and wedding onboarding screens before the main dashboard. Version 1.2 formalizes one folder-like album per wedding event (Haldi, Mehendi, Sangeet, Wedding, Reception), including event-linked uploads, moderation and per-family sharing controls.

1. Executive summary

Make My Marriage is a free-at-launch, invitation-only wedding coordination web application built for Indian weddings. Each wedding has a bride-side and groom-side workspace with separately managed budgets, guest households, members, and tasks. Both sides can collaborate on selected wedding events while sharing only explicitly authorized information. Invited households access a lightweight guest portal without registering. The MVP includes invitation design, email and manual WhatsApp sharing, event RSVP, event-organized, moderated photo albums, YouTube Live embeds, vendor tracking, and a bounded AI assistant.

AREA	DECISION
Customer	Couples and Indian families (B2C); organizers include parents/guardians and siblings.
Geography / language	India only; INR; Asia/Kolkata; English + Hindi initial support.
Privacy	Two family sides; separate default budgets and guest lists; per-record sharing controls.
Invitations	One invitation per household; login-free guest portal with revocable secure link.
Communication	Email invitations + reminders; WhatsApp family-initiated prefilled-message links.
Media	Guest-uploaded photos require organizer approval; YouTube Live embed per event.
AI	Invitation copy, task/expense suggestions, and permission-scoped planning chatbot.
Business model	Free initially, with usage guardrails rather than unlimited infrastructure.
Excluded	Accommodation/travel, live attendance/check-in, booking/payment marketplace, native apps.

2. Problem, audience and value proposition

Indian weddings involve multiple ceremonies and distributed responsibility. Families coordinate through messaging groups, spreadsheets and calls, leading to fragmented guest details, scattered payments, missed responsibilities, duplicate reminders and photo-sharing friction.

- Couple: needs an at-a-glance view of upcoming functions, pending approvals and planning progress for their own side.
- Parent/guardian: manages family-side budget, invitations, vendors, and organizers.
- Sibling: completes assigned tasks and shares invitations, without broad access to sensitive finances by default.
- Guest household: opens a link, reads event details, submits event-wise RSVP counts, watches permitted streams, and submits photos.

Value proposition: a single coordinated wedding experience without forcing both families to merge private lists, budgets or operational decisions.

3. Success criteria (proposed launch targets)

METRIC	LAUNCH TARGET / INSTRUMENTATION
Activation	At least 70% of trial weddings create both sides and one event during onboarding.
Collaboration	At least 60% of active weddings invite one additional organizer.
Invitations	Successful provider acceptance of >= 98% of valid email

METRIC	LAUNCH TARGET / INSTRUMENTATION
	send requests; separately track actual delivery/bounces.
RSVP flow	At least 80% of invited tester households can RSVP without guidance on mobile.
Reliability	No confirmed unauthorized cross-side reads in release penetration and policy tests.
Performance	P75 authenticated page load <= 3s on target mobile connectivity; track actual production values.
Quality	Critical end-to-end invite -> RSVP, photo moderation and budget-isolation flows all pass.

Targets are hypotheses to validate with pilot families, not established market benchmarks.

4. Scope and explicit exclusions

IN MVP (REQUIRED)	NOT IN MVP
Wedding creation; separate family-side teams; roles; tasks	Travel, accommodation, room allocation, pickups
Family budgets, expenses, vendors and approvals	Live attendance, venue check-in, entry QR scanners
Shared and side-specific event planning	Vendor marketplace, payments and booking automation
Household guests, invitation editor, email and reminders	WhatsApp Business automated/bulk messaging
Manual WhatsApp sharing; RSVP; invitation-only portal	Native Android/iOS apps
Photo gallery/moderation; YouTube Live embed	First-party live video hosting or DRM
Bounded AI content + recommendations + chatbot	Autonomous AI sending, payment execution or data changes

5. Governance decisions and assumptions

ISSUE	PROPOSED MVP RULE / SAFETY LIMIT
Two-sided ownership	Bride is the default owner of BRIDE side; groom owns GROOM side. Neither may unilaterally remove the other owner.
Shared events	Events have host side: BRIDE, GROOM or JOINT. JOINT events can be visible to both; side-specific task, guest and budget records remain isolated.
Cross-side sharing	Separate sharing grants for specific records or explicitly named summaries; no implicit visibility into full ledgers or guest databases.
Parents vs siblings	Parents/guardians can manage all functions within their side except ownership/side-sharing governance. Siblings can view permitted events and manage assigned tasks and shared invitations only.
No-login guest access	Bearer token can be forwarded. Enable token rotation/revocation; optional OTP verification before editing RSVP or uploading sensitive content.
Household RSVP	Invitation represents a household. Attendance response records headcount per invited event; invited maximum enforced.
YouTube stream	Use unlisted stream for convenience; it is NOT a confidential stream because YouTube link holders may reshare it.
AI quota and cost	Daily request and output limits per wedding; explicit confirmation for any proposed change; no automatic sends or writes.
Photo retention	Organizers choose archive/delete after wedding; default configurable retention, guest-facing deletion request path.
Overlap handling	A household can appear on both side lists; warn on same email/phone, never silently merge or reveal another side's

ISSUE	PROPOSED MVP RULE / SAFETY LIMIT
	private data.

6. Role and access matrix

Legend: F = full within own family side; A = approved/assigned only; S = explicit share only; G = guest link only; - = no access. Owner-level side governance is narrower than an unrestricted global super-admin.

CAPABILITY	Bride / Groom	Parent / Guardian	Sibling	Guest
Own-side budgets/expenses	F	F	-	-
Other-side budgets/guests	S	S	-	-
Own-side households/invites	F	F	A	G (own invite)
Own-side roles/permissions	F	A (excluding owner)	-	-
Event calendar	F + shared	F + shared	A	G
Tasks/vendors	F	F	A	-
Invitation design/send	F	F	A (if granted)	-
Gallery approve/reject	F	F	A (if granted)	-
Photo upload	F	F	A	G
Stream configure	F	F	A (if granted)	G (watch only)
AI assistant	F	F	A, filtered context	-

Implementation invariant: tenant scope = wedding_id AND side_id where applicable. JOINT content requires an explicit visibility rule. Every read/write is checked server-side and tested; client-side navigation hiding is not authorization.

7. Detailed functional requirements

FR-00 Authentication, account lifecycle and invitation acceptance

- Organizer may register with name, email and password; verify email ownership before creating a wedding or accepting a privileged family invitation. Returning users sign in and can use password recovery.
- Auth provider handles passwords, sessions, verification and reset credentials. Application never stores plain passwords or raw reset tokens. Inactive/expired links have safe recovery actions.
- Only an authorized existing owner/parent can issue family organizer invitations. Invitation shows wedding, inviter, side, intended role and masked target email before acceptance; authenticate against matching email before membership activation.
- On successful wedding creation, create BRIDE and GROOM family-side records atomically, with one active owner for their chosen side and the counterpart owner pending until verified acceptance.
- Post-auth routing: unfinished owner setup → wedding wizard; accepted organizer membership → permitted side dashboard; pending family invite → review/accept screen; guest households stay account-free.

Acceptance gate: registration, verified login, reset, owner onboarding and one-time organizer acceptance pass server-side authorization and replay/expiry tests before the dashboard is available.

FR-01 Wedding onboarding and setup

- Create wedding with couple names, dates, city, preferred language, timezone and initial sides BRIDE/GROOM.
- Invite the second owner and allow side setup independently; never assume both parties join immediately.

- Event types configurable: Roka, Engagement, Haldi, Mehendi, Sangeet, Wedding, Reception, plus custom labels.

Acceptance gate: New wedding creates exactly two family sides; unauthorized users cannot join without accepted organizer invite.

- Wedding setup wizard has four steps: 1 Couple details; 2 Date/location/language; 3 Select creator side and explain privacy; 4 Invite counterpart owner (send now or later). Progress and required fields are visible; back navigation retains entered values.
- Country fixed to India for MVP; default timezone Asia/Kolkata and currency INR; date cannot end before start. The second family has no access until its owner accepts a unique organizer invite.
- A bride or groom may start setup independently; onboarding must not assume the bride is always the initial creator.

FR-02 Dashboard and notifications

- Family switcher displays only the current side and permitted JOINT events; countdown, tasks due, payment alerts, invitations pending.
- Action center includes overdue tasks, event changes, bounced email notices and photos awaiting moderation.
- No live physical attendance metrics or on-site check-in counters.

Acceptance gate: Changing active side must never expose fields from the other side without explicit grants.

FR-03 Events and calendar

- Create, edit, reorder functions with datetime, venue text, map URL, description, dress code and organizer contacts.
- Mark event BRIDE, GROOM or JOINT; attach tasks, guest invitations, the event-specific photo folder, and stream. Create exactly one default event album when an event is created (idempotently).
- Changes to guest-visible details trigger optional approved update emails; do not auto-notify without confirmation.

Acceptance gate: Guest portal shows only the household's invited events and correct local schedule.

FR-04 Family team and permission management

- Invite parents/guardians and siblings via email; assign family-side role; track invite accepted/revoked.
- Parents manage budgets/guests/tasks on own side; siblings have limited default rights and can share invitation links.
- Owner can grant specific capability on a named record or module; audit member permission changes.

Acceptance gate: Sibling cannot read finance endpoints even by calling API directly.

FR-05 Tasks and coordination

- Task has event, side, assignee, priority, due date, status, notes and optional approval requirement.
- Allow recurring checklist templates for common Indian functions and simple comments/attachments optional.
- Owners/parents can assign and review, siblings update assigned tasks.

Acceptance gate: Only authorized assignees/managers can update tasks; overdue and due-soon statuses work in IST.

FR-06 Side budgets and expenses

- Each side sets an INR budget and expense categories; planned, committed and paid amounts tracked separately.

- Expense includes amount in paise, vendor reference, event, payer, date, notes and optional invoice attachment.
- Only intentionally shared summaries/records visible across families; show budget-vs-actual by side.

Acceptance gate: Adding an expense on BRIDE side does not alter GROOM reports; amount math uses integer paise.

FR-07 Manual vendor management

- Manage vendor name, category, contact, quote, contract status, linked events and payment milestones.
- Track deposits and balance, with due-date reminders to organizers; no payment processing or discovery marketplace.
- Side-owned vendors remain private unless associated with explicitly shared JOINT event access.

Acceptance gate: Authorized member can update vendor and payment milestones with audit history.

FR-08 Household guest list

- One invitation target per household; store household label, contact, email, phone, invited member count, source side.
- Mark event eligibility for specific functions; CSV import, duplicate warning and side isolation.
- Allow named members optionally, but the invitation and response stay at household level.

Acceptance gate: Invited headcount cannot be exceeded; duplicate warnings do not reveal other side's private contact data.

FR-09 Drag-and-drop invitation designer

- Editable canvas: text boxes, photos, backgrounds, decorative shapes, drag/resize/rotate/layer/order, grid/snapping, undo/redo.
- Support Hindi/English fonts, event-specific variants, template library, color and typography choices; draft, preview, publish.
- Save versioned JSON scene + asset IDs; render reusable web invite and export PNG/PDF; validate mobile/desktop previews.

Acceptance gate: Nontechnical tester creates, saves, reopens and publishes an invitation without losing layout; mobile guest page stays readable.

FR-10 Email invitations and reminders

- Authorized organizer previews and sends household invitation email from verified sending domain.
- Schedule configurable RSVP reminders and event reminders; stop RSVP reminders after response; suppress opt-outs/bounces.
- Persist provider message ID, queued/sent/delivered/bounced statuses, webhook events and idempotent job key.

Acceptance gate: Same reminder job key cannot result in repeated deliveries from application retry; invalid addresses show actionable errors.

FR-11 Manual WhatsApp share

- Bride/groom, parents/guardians and permissioned siblings click Share on WhatsApp or Copy Link.
- Open WhatsApp with prefilled Hindi/English message, event details and household-specific URL; user chooses contact and sends.
- Do not assert delivery/read status; sharing history means share initiated only.

Acceptance gate: Share action opens WhatsApp composer; platform never sends unattended WhatsApp messages.

FR-12 Private wedding website and RSVP

- Invitation token grants scoped read-only itinerary, directions, event details, RSVP form and permitted media links.
- Household responds per event: attending/declined/maybe (optional) plus attending_count and dietary note (optional).
- Token revoke/rotate/expire; rate-limit repeated attempts; sensitive edits can require email OTP.

Acceptance gate: Guest needs no account; revoked token returns no wedding details; RSVP count cannot exceed allocation.

FR-13 Moderated photo gallery

- For each wedding function (Haldi, Mehendi, Sangeet, Wedding, Reception or custom event), the system creates one canonical, folder-like photo album linked to that event. Guest or organizer selects the event; every uploaded image is saved in that event album only and starts PENDING.
- Organizer gallery lists folders by function and displays Approved / Pending counts. Authorized owners and parents approve, reject, remove or reassign a mistakenly tagged photo to another event. Only APPROVED media appears in guest views via protected signed URLs.
- Allow multiple-image upload with progress and retries; validate image type/size, inspect or scan uploads, strip sensitive EXIF metadata and enforce per-wedding quotas. Event title renames change folder labels, never ownership or storage IDs.

Acceptance gate: Haldi images appear only under Haldi, Mehendi images only under Mehendi, etc.; an unauthorized guest cannot upload into or browse an uninvited event, and PENDING/REJECTED images never leak to other guests.

- Albums use event_id as their stable identity (UNIQUE(event_id)); the organizer UI presents one folder/card per event. Upload API derives the destination album from an authorized event_id, never from an arbitrary client-supplied storage path.
- Bride/Groom family privacy is preserved inside shared event albums: each photo has owner_side_id; family-origin photos are side-visible by default, and cross-side publication requires an explicit share permission. A JOINT event can display one event folder with only the photos each viewer is authorized to see.
- Photo-gallery entry points exist in Wedding Events → [Function] → Photos, Gallery → Event folders, and the invitation-only guest portal → Gallery → permitted functions. Guest households do not create accounts.

FR-14 YouTube Live event embeds

- Organizer saves approved YouTube video ID/URL per event and sets scheduled/live/ended indicator manually in MVP.
- Guest portal embeds only the streams for invited events; reminders link to event page, not bare YouTube URL.
- Show clear warning that unlisted YouTube content is redistributable outside the invitation portal.

Acceptance gate: Watch page renders compatible YouTube iframe or sensible fallback; disallowed video URLs are rejected.

FR-15 AI wedding planner

- Generate/edit invitation wording in Hindi/English; suggest checklists and budget category allocations; chat about user's event plan.
- Use retrieval limited to current user's authorized records; no private guest contact data to model unless required/approved.

- Display suggestion disclaimer, confidence limitations, cost/rate limits; user must approve every mutation or send.

Acceptance gate: Sibling AI response cannot disclose parent-only budget or other-side guest details; no AI call sends emails.

FR-16 Settings, audit and privacy

- Wedding settings, side-sharing controls, invitation token management, retention settings and privacy notice.
- Audit sensitive actions: budgets, permission changes, shares, invite revocations, media approvals and email sending.
- Export own-side guest/budget data and request account/wedding data deletion with controlled retention.

Acceptance gate: Owner can revoke guest/organizer access; action reflected across browser sessions and signed URL handling.

8. Screen inventory and navigation

Recommended information architecture has a signed-in organizer workspace and a separate token-authenticated guest experience. Each organizer screen includes active wedding, active family-side indicator and clearly labelled JOINT data.

ID / ROUTE	SCREEN	KEY CONTENT / PRIMARY ACTION
S01 /login	Login / sign in	Email/password or one-time email sign-in link; forgot password, create account, auth error states.
S02 /register	Registration	Full name, email, password, consent; email verification; existing account recovery.
S03 /forgot-password	Forgot password	Request secure reset email; neutral confirmation; reset-password link state.
S04 /weddings/new	Wedding setup wizard	4-step wizard: couple, date/city/language, private family sides, invite counterpart owner.
S05 /accept-invite/:token	Family invitation acceptance	Review wedding, BRIDE/GROOM side and role; sign in/register; one-time accept or decline.
S06 /w/:id/dashboard	Side dashboard	Countdown, event timeline, to-dos, unpaid milestones, invites requiring action.
S07 /w/:id/events	Events calendar	List/calendar views, add event, BRIDE/GROOM/JOINT scope.
S08 /w/:id/events/:eventId	Event detail	Timeline, venue, invited households, tasks, Photos tab with this event folder, and stream.
S09 /w/:id/tasks	Task board	Filters by owner/assignee/status, deadlines, complete and approve.
S10 /w/:id/family	Members & roles	Parent/guardian/sibling invitations and capability grants.
S11 /w/:id/budget	Budget overview	Side budget cards, category variances, shared summaries if granted.
S12 /w/:id/expenses	Expense ledger	Line items, payer, actual and planned totals, supporting invoices.
S13 /w/:id/vendors	Vendor directory	Manually entered vendors and scheduled payments.
S14 /w/:id/guests	Households	Import/add/edit, family-side guest segmentation, event eligibility.
S15 /w/:id/invitations	Invitation manager	Templates, send queue, email log,

ID / ROUTE	SCREEN	KEY CONTENT / PRIMARY ACTION
		reminders, WhatsApp share.
S16 /w/:id/invitations/designer	Drag-and-drop editor	Canvas, asset library, text/font controls, layers, history, preview.
S17 /w/:id/gallery	Event-wise gallery and moderation	Folder cards by Haldi / Mehendi / Sangeet / Wedding / Reception; approved/pending counts, event filter, review queue, access and sharing controls.
S18 /w/:id/streams	Stream setup	Map each event to YouTube Live URL, viewing notes and reminder.
S19 /w/:id/assistant	AI assistant	Suggested to-dos, invitation copy, permission-scoped planning chat.
S20 /w/:id/settings	Wedding settings	Side sharing, data retention, locale, audit, revoke invitations.
G01 /i/:token	Guest wedding home	Invitation presentation, welcome, permitted schedule and RSVP CTA.
G02 /i/:token/rsvp	Guest RSVP	Event-wise household attendance counts and confirmation.
G03 /i/:token/gallery	Guest photo portal	Select among invited event folders, browse only approved images, upload photos into selected event folder for moderation.
G04 /i/:token/watch/:eventId	Guest watch live	Embedded YouTube Live player, event time and fallback message.

8A. Authentication & wedding onboarding — detailed screen designs


This section is part of the MVP baseline. The five screens below must be designed, developed, reviewed and tested before implementing S06 Family Dashboard. Authentication is for organizers only; invited guest households continue to use secure links without accounts.

Primary flows: (A) New couple owner: Register → verify email → Wedding Setup (4 steps) → Family Dashboard. (B) Returning organizer: Login → Family Dashboard. (C) Invited relative: Family invite link → Login/Register and email match → Accept → their permitted dashboard. (D) Recovery: Forgot Password → reset link → new password → Login.

UI foundations: responsive web, 320px minimum mobile layout, Hindi/English-ready labels, clear focus states and keyboard navigation. Never show personal wedding data before successful authorization. Design mockups use fictional examples.

S01. Organizer Login | /login

Purpose: authenticate an existing organizer, resume an incomplete setup, or continue a pending invitation.



Proposed desktop wireframe; responsive mobile layout stacks the illustration below or hides it, with one full-width form column.


Required fields	Email (valid format), password; allow show/hide toggle and keyboard submission.
Primary CTA	Sign in → resolve authenticated memberships; route to setup/invite/dashboard as appropriate.
Secondary actions	Create account, Forgot password, optional email sign-in link (only if enabled by provider).
State handling	Disabled submit while sending; inline invalid credentials; rate-limit alert without account disclosure.

States & edge cases: invalid credentials, unverified email, rate-limited login, offline/service error, invite pending, multiple weddings.

Acceptance: A verified organizer can log in and sees only memberships allowed by server-side policy.

S02. Registration | /register

Purpose: allow a new bride/groom owner or invited organizer to create an authenticated account.



Proposed desktop wireframe; responsive mobile layout stacks the illustration below or hides it, with one full-width form column.


Required fields	Full name, email, password, confirm password; Terms and Privacy Notice acknowledgment.
Validation	Email normalized case-insensitively; enforce provider-supported password rules and matching confirmation.
Primary CTA	Create account → request verification email; do not auto-create owner access to any wedding.
Next state	Show check-email state; verify via one-time link; preserve pending invite intent if started from invitation.

States & edge cases: email already registered → sign in/recover; weak password; failed verification; expired verification link with resend.

Acceptance: Unverified email has no wedding membership; user cannot self-assign bride/groom/parent roles.

S03. Forgot Password | /forgot-password

Purpose: recover an organizer account safely without disclosing whether an address exists.



Proposed desktop wireframe; responsive mobile layout stacks the illustration below or hides it, with one full-width form column.


Required field	Registered email address with accessible label, format check and submit feedback.
Primary CTA	Send reset link → generic confirmation message regardless of whether account exists.
Reset-link state	Provider-hosted or app reset screen validates single-use token, new password and confirmation.
Recovery	Expired/used links show resend path; recover to login rather than auto-changing family permissions.

States & edge cases: invalid email format, mail provider outage, too many attempts, expired/reset-token replay, password policy mismatch.

Acceptance: Existing organizer can reset credentials; unknown-address responses do not permit account enumeration.

S04. Wedding Setup Wizard | /weddings/new

Purpose: establish one wedding with two private family workspaces, then let the creator invite the other owner.



Proposed desktop wireframe; responsive mobile layout stacks the illustration below or hides it, with one full-width form column.


Step 1 – Couple	Bride and groom display names; optional photo. Select whether creator belongs to bride or groom side.
Step 2 – Wedding	Wedding date, city, state/UT, language (Hindi/English); India-only; default IST/INR.
Step 3 – Workspaces	Preview BRIDE, GROOM and JOINT rules; creator becomes owner only of selected side.
Step 4 – Invite	Counterpart owner email and message; Send invite or Skip for now. Show pending-acceptance status.
Footer controls	Back/Continue, progress stepper, save draft where supported, final Create wedding.

States & edge cases: missing dates, date ranges, duplicate owner email, draft resume, invite delivery failure, counterpart joining later.

Acceptance: Transaction creates a wedding + exactly two side records, with private budgets/lists and no automatic cross-side access.

S05. Family Invitation Acceptance | /accept-invite/:token

Purpose: safely onboard bride/groom counterpart owners, parents/guardians and limited-role siblings.



Proposed desktop wireframe; responsive mobile layout stacks the illustration below or hides it, with one full-width form column.

Invite preview	Show wedding title/date, intended side, inviter, role and masked recipient email before account creation.
Primary CTA	Sign in or Register → verify email match → Accept invitation; then route to authorized side.
Secondary action	Decline invitation; inviter sees declined state but no forced account creation.
Security	Short-lived one-time hashed token, expiration/revocation, accepted_at, replay resistance and explicit role scope.

States & edge cases: expired/revoked/previously accepted invite, wrong signed-in email, already-member invite, resend requested.


Acceptance: An invited parent gets own-side management; a sibling gets limited permissions; neither gains other-side data.

Implementation handoff — auth-to-dashboard route guards

No session	Only /login, /register, /forgot-password, approved /auth/callback and invitation preview allowed.
Authenticated; not verified	Verification pending page; no /w/:id routes or invitation acceptance.
Verified; zero memberships	Show create wedding wizard or invitation acceptance if eligible.
Authenticated + pending organizer invitation	Verify target email, show invite acceptance, then create server-side membership atomically.
Authenticated + membership	Resolve selected wedding and family side, load only side-authorized dashboard data.

8B. Event-based photo gallery - screen behavior

The gallery is organized like familiar folders: every function gets its own card. Opening Haldi shows only Haldi photos; opening Mehendi shows only Mehendi photos. Photos are never left loose at the wedding root.



Screen concept - event folder cards and a selected Haldi album. All counts and names are illustrative.

S17 - Organizer gallery	Grid of event folders (Haldi, Mehendi, Sangeet, Wedding, Reception, custom). Show event title/date and approved/pending totals; choose an event to view image grid and moderation queue.
Event Photos tab	Every event detail screen has a Photos tab opening the same canonical event folder; Upload action saves to this event, without reselecting another destination.
G03 - Guest gallery	Show folder cards only for events on the household invitation. Guest opens eligible folder, previews approved photos, then uploads images into that same event folder.
Upload state	Multi-image selection, previews, progress, file validation, Pending review confirmation, and retry. Do not display pending photos publicly.
Permissions	Owners/parents moderate their authorized uploads; siblings only if explicitly granted. Cross-family viewing of a JOINT event album uses per-photo sharing grants.
Routing (proposed)	Organizer: /w/:id/gallery/events/:eventId; event tab: /w/:id/events/:eventId/photos. Guest: /i/:token/gallery/events/:eventId.

Definition of done: create Haldi and Mehendi events; verify two separate album records; upload to Haldi; see that image only under Haldi, marked Pending; approve it; verify permitted Haldi guests can view it but Mehendi-only guests cannot; verify unauthorized family sides remain isolated.

9. Core end-to-end user journeys

Organizer onboarding prerequisite: Register → verify email → four-step wedding setup → send counterpart owner invite → accept with verified matching identity. These five screens must be implemented before the first dashboard.

Journey A: Set up two families and shared wedding

1. Bride creates wedding and BRIDE side, including date and main event.
2. Groom receives organizer invite and activates GROOM side.
3. Each side adds its own parents/guardians, siblings, guest households and budget.
4. An owner creates a JOINT Wedding event; both sides see shared event details, but not the other side's budget or guest rows.
5. Owner reviews a deliberately shared record and can revoke the grant later.

Journey B: Design invitation, share, RSVP and remind

6. Parent selects a household and applicable events; edit invitation with drag-and-drop designer.
7. Parent previews and publishes version; sends an email with household-specific token link.
8. Sibling uses approved Share on WhatsApp action for that household; no automated WhatsApp transmission.
9. Guest opens link, reads only permitted events, and submits number attending per event.
10. Scheduler sends approved reminders as eligible; sends no RSVP chase once a household has answered.

Journey C: Photos and streaming

11. Guest opens valid invitation link, selects an eligible function (e.g., Haldi), and uploads one or more photos into that specific function folder.
12. Uploads are stored under the chosen event_id and start PENDING; neither another event folder nor an unauthorized guest can access them.
13. Parent/owner reviews the selected event folder; approved photos appear only in that event album to entitled guests, subject to family-side sharing grants.
14. Organizer configures unlisted YouTube Live stream ID for an event.
15. Guest watches embedded stream from invited event page; warning explains link-reselling/resharing risk.

10. MVP user stories and release acceptance

Priority: P0 = must work for public pilot; P1 = launch-complete; P2 = polish. User stories are independently testable and reference the feature IDs.


ID	P	AS A... I WANT...	SO THAT / ACCEPTANCE
US-A01	P0	New organizer registers and verifies email	Account is created once; unauthorized wedding access is impossible before verification. [FR-00]
US-A02	P0	Organizer logs in and is routed correctly	Pending wizard/invite/dashboard path is determined by server membership. [FR-00]
US-A03	P0	Organizer resets a forgotten password	Reset link is single-use; account existence not disclosed. [FR-00]
US-A04	P0	Bride OR groom creates a wedding via wizard	Exactly two side records exist; creator owns only chosen side. [FR-01]
US-A05	P0	Owner sends a counterpart/relative organizer	Unique expiring invitation binds side, email and authorized role.

ID	P	AS A... I WANT...	SO THAT / ACCEPTANCE
		invitation	[FR-00/04]
US-A06	P0	Invited parent/sibling accepts invitation	Matching verified account gets intended scoped membership once; replay fails. [FR-00]
US-A07	P0	Uninvited user attempts to access family dashboard	Access denied even with guessed URLs or untrusted route params. [FR-00]
US-01	P0	Owner: create an India-based wedding and two sides	I can start planning without mixing families. [FR-01] Two side records created; ownership cannot be guessed.
US-02	P0	Side owner: invite parent/guardian as manager	parents can coordinate tasks and spending. [FR-04] Invitation accepted only by authorized user.
US-03	P0	Side owner: add sibling with limited access	my sibling can help safely. [FR-04] Sibling denied finance API without grant.
US-04	P0	Owner: create shared event	both sides see one ceremony. [FR-03] Event visible to both; private lists still hidden.
US-05	P0	Parent: add family-side budget	I can track a spending limit. [FR-06] Budget totals only scoped to side.
US-06	P0	Parent: record planned vs paid expense	I can see actual spending. [FR-06] Integer paise arithmetic and audit.
US-07	P1	Parent: create vendor with deposit and balance	payments are not forgotten. [FR-07] Vendor linked to event and side.
US-08	P0	Parent: add a household with headcount	one family gets one invitation. [FR-08] Contact + invited_count validated.
US-09	P0	Parent: assign events to household	guest sees only invited functions. [FR-08] Event entitlement enforced at API.
US-10	P0	Owner: customize invitation on drag canvas	invitation reflects family style. [FR-09] Save/reopen/preview/export successful.
US-11	P0	Parent: send household invite by email	guests get their link. [FR-10] Email logged with provider ID.
US-12	P0	Sibling: manually share approved link via WhatsApp	I can contact relatives. [FR-11] Opens composer, never auto-sends.
US-13	P0	Guest: open invitation without account	I can access wedding details easily. [FR-12] Valid token works on mobile.
US-14	P0	Guest: RSVP per event with count	hosts can plan numbers. [FR-12] Headcount is <= invited_count.
US-15	P0	Owner: revoke invitation link	forwarded links can be disabled. [FR-12] Revoked link denied immediately.
US-16	P1	Parent: schedule nonresponder reminder	I can reduce follow-up work. [FR-10] No duplicate send; responses suppressed.
US-17	P1	Parent: see bounced email	I can fix delivery issues. [FR-10] Webhook status mapped and logged.
US-18	P0	Guest: select an invited event folder and upload photos	My Haldi photos go to Haldi, not Mehendi. [FR-13] Only eligible

ID	P	AS A... I WANT...	SO THAT / ACCEPTANCE
			event folder is selectable; upload PENDING.
US-19	P0	Parent: moderate photos within an event folder	Each event gallery stays curated. [FR-13] Approvals affect the selected album only.
US-20	P0	Guest: watch eligible event stream	I can attend remotely. [FR-14] YouTube iframe for entitled event.
US-21	P1	Parent: generate Hindi invite copy with AI	I can draft faster. [FR-15] AI output editable, not auto-sent.
US-22	P1	Owner: ask AI about my tasks and budget	I can prioritize planning. [FR-15] No unauthorized data in response.
US-23	P1	Sibling: ask AI about assigned tasks	I can complete work. [FR-15] Finance and other-side data excluded.
US-24	P1	Parent: manage task due dates and assignees	responsibilities are clear. [FR-05] Assigned and overdue are accurate.
US-25	P1	Owner: approve selective information sharing	only chosen facts cross family sides. [FR-16] Grant/revoke enforced and audited.
US-26	P1	Owner: export/delete side information	I can control data lifecycle. [FR-16] Export authorized; deletion reviewed.
US-27	P0	Parent: browse Gallery as folders grouped by event	Haldi, Mehendi, Sangeet etc. have distinct folder cards. [FR-13] Each event has exactly one logical album and accurate status counts.
US-28	P0	Guest: browse approved photos for invited events only	A guest cannot view another event folder or unapproved photos even via direct URL. [FR-13] Token entitlement and side visibility are server enforced.
US-29	P1	Organizer: correct a misfiled photo	An authorized parent may move a photo to another eligible event album with an audit trail; no accidental sharing to another side. [FR-13]

11. Database architecture

Recommended PostgreSQL relational architecture. UUID primary keys; created_at and updated_at on mutable tables; soft-deletion only where policy requires recovery. All family-scoped records use wedding_id AND side_id where relevant. A JOIN with only wedding_id is never sufficient to authorize private rows.



Simplified logical ERD. In v1.2, photo_albums.event_id is UNIQUE and photos.owner_side_id enforces family-scoped visibility; see the table below for updated relations.

11.1 Core entities and fields

TABLE	KEY COLUMNS	ROLE / CONSTRAINT
users	id PK, auth_provider_uid UNIQUE, name, email, phone, locale	Organizer identity; guest households do not require user rows.
weddings	id PK, couple_names, city, country_code=IN, timezone, status, start/end	Root tenant.
wedding_sides	id PK, wedding_id FK, side_type {BRIDE,GROOM}, owner_user_id FK	UNIQUE(wedding_id, side_type).
wedding_members	id PK, wedding_id FK, side_id FK, user_id FK, role, status	UNIQUE(side_id,user_id); family-side scoped.
member_permissions	member_id FK, permission_code, scope_id nullable	Overrides default capability matrix.
sharing_grants	id PK, source_side_id, target_side_id, resource_type, resource_id, mode, revoked_at	Explicit cross-side visibility; auditable.
events	id PK, wedding_id FK, host_side_id nullable, kind, starts_at, ends_at, venue, status	NULL host_side_id means JOINT; explicit event visibility.
tasks	id PK, wedding_id, side_id, event_id nullable, assignee_id, status, priority, due_at	Assigned work; comments in task_comments.
budgets	id PK, wedding_id, side_id, currency=INR, target_paise	One active budget per side or budget version.
budget_categories	id PK, budget_id, name, allocation_paise	Category plan.
expenses	id PK, wedding_id, side_id, event_id, vendor_id, category_id, amount_paise, paid_paise	Private ledger; amount_paise >= 0.
vendors	id PK, wedding_id, side_id, name, category, email, phone, status	Manually maintained vendor records.
vendor_milestones	id PK, vendor_id, due_at, amount_paise, paid_at, status	Deposits and due dates.
households	id PK, wedding_id, side_id, display_name, email, phone, invited_count	Household ownership and invitation target.
household_members	id PK, household_id, name nullable, age_category nullable	Optional; no guest account.
event_invitations	id PK, household_id FK, event_id FK, max_attendees, status	UNIQUE(household_id,event_id).
invitation_designs	id PK, wedding_id, owner_side_id, name, language, status	Draft/published parent entity.
invitation_versions	id PK, design_id, version, layout_json, asset_manifest, created_by	Unique version; never modify published version in place.
invitations	id PK, household_id, design_version_id, token_hash, expires_at, revoked_at, status	One active invitation link per household; hash index.
event_rsvps	id PK, invitation_id, event_id, answer, attending_count, submitted_at	UNIQUE(invitation_id,event_id); max attendees enforced.
email_messages	id PK, invitation_id, template_type, provider_id, status, sent_at	Delivery state only; not RSVP state.
email_jobs	id PK, invitation_id, job_type, planned_at, idempotency_key UNIQUE, status	Scheduler outbox and retry control.
email_events	id PK, email_message_id, provider_event_id UNIQUE, type, received_at	Provider webhook de-duplication.
photo_albums	id PK, wedding_id FK, event_id FK UNIQUE, visibility, created_at	Exactly one canonical album/folder per event; rename derived from events.title; no user-defined storage path.
photos	id PK, album_id FK, owner_side_id FK, uploader_invitation_id NULL,	Album determines event; PENDING -> APPROVED/REJECTED; side

TABLE	KEY COLUMNS	ROLE / CONSTRAINT
	uploader_user_id NULL, storage_key, moderation_status, reviewed_by, created_at	privacy and explicit sharing grants; private object bucket.
live_streams	id PK, event_id UNIQUE, youtube_video_id, status, start_at	Only validated YouTube video ID.
ai_conversations	id PK, wedding_id, side_id, user_id, title	Chat sessions; access-scoped.
ai_messages	id PK, conversation_id, role, content, model, token_count	Avoid storing excessive PII.
audit_logs	id PK, actor_user_id, wedding_id, side_id, action, resource, metadata_json, at	Permission, expense, invitations, moderation logs.
organizer_invitations	id PK, wedding_id FK, side_id FK, invited_email_normalized, intended_role, invited_by_user_id, token_hash UNIQUE, status, expires_at, accepted_at	One-time owner/parent/sibling invite; invited email must match verified identity; revoke/expire, no self-granted roles.

11.2 Design constraints and indexes

- All side-scoped entities must carry consistent wedding_id + side_id; enforce consistency with composite foreign keys or service validations plus automated tests.
- Indexed joins: wedding_members(side_id,user_id), households(side_id,email), tasks(side_id,due_at,status), event_invitations(household_id,event_id), rsvps(invitation_id,event_id).
- Invitation links use >=128-bit random opaque tokens. Store hash only; never log raw token. Rotate/revoke tokens and prevent indexing/cache of guest pages.
- Monetary data stored in integer paise with currency INR; do not use floating-point numbers for totals.
- Storage objects and signed URLs are checked against event invitations, album membership, family-side visibility and photo approval; do not expose private bucket paths or allow client-chosen object keys.
- Enforce photo_albums.event_id UNIQUE with creation inside event transaction or idempotent upsert. events.id is the canonical folder identifier; avoid brittle folder names in storage paths.
- Use private object keys like weddings/{wedding_id}/events/{event_id}/photos/{photo_id}/original; user-supplied filenames are metadata only. Add indexes photos(album_id,moderation_status,created_at) and photo_albums(event_id).
- Photo cross-side sharing must be explicit and revocable; permission evaluation uses photos.owner_side_id, JOINT event access and sharing grants, not event_id alone.
- Email job unique idempotency_key = stable combination of invitation + reminder type + scheduled window + version.
- AI context builder receives only authorized selected records, not unconstrained database results; log prompt metadata, usage and approvals.
- Guest request scope derived from invitation token on server; client cannot choose household_id or side_id for a guest read.

12. API and service architecture

Suggested monorepo: React + Vite + TypeScript web client; Node.js + Express/TypeScript API; PostgreSQL + Prisma migrations; Supabase Auth and object storage; scheduled worker (BullMQ/Redis or managed job queue); transactional email provider; YouTube iframe; AI provider adapter with budget controls.

SERVICE	RESPONSIBILITY	KEY ENDPOINT EXAMPLES
Auth / tenant	Login, membership checks, side switching	GET /me; POST /weddings; POST /members/invite
Wedding / events	Side-aware events and schedules	GET /weddings/:id/events; POST /events
Tasks / finance	Assignments, budget ledger and vendors	/tasks; /budgets; /expenses; /vendors

SERVICE	RESPONSIBILITY	KEY ENDPOINT EXAMPLES
Households / RSVP	Guest entitlement and event responses	POST /households; GET /i/:token; PUT /i/:token/rsvps
Invitations / email	Designer versions, sending and reminders	POST /designs; POST /invitations/:id/send; POST /email/webhooks
Gallery / streaming	Event album listing, secure event-scoped image uploads, moderation and YouTube embeds	GET /weddings/:id/photo-albums; GET /events/:id/photos; POST /i/:token/events/:eventId/photos; POST /photos/:id/review; GET /i/:token/gallery/events/:eventId
AI	Draft/chat, tool-restricted planning context	POST /ai/invitation-copy; POST /ai/chat
Authentication lifecycle	Register, verify, sign in, forgot/reset credentials; session via auth provider	POST /auth/register; /auth/verify; /auth/forgot-password; /auth/reset-password; GET /me
Onboarding + role acceptance	Create two sides transactionally; issue invitation, validate and redeem once	POST /weddings/setup; POST /organizer-invitations; GET /organizer-invitations/:token/preview; POST /organizer-invitations/:token/accept

Security boundary: API middleware verifies authenticated organizer identity OR guest token, resolves wedding and side scope, checks requested action, and queries only authorized rows. Storage, websocket/event notifications, file URLs and background jobs must use the same authorization model.

13. Non-functional requirements

CATEGORY	REQUIREMENT / TEST
Security	TLS; securely configured cookies/tokens; hashed invite bearer tokens; CSRF where applicable; XSS sanitization in designer/AI output; rate limits.
Privacy	Explicit purposes/notice for invitation/guest media; deletion/export requests; controlled retention; image moderation; limited model data access.
Availability	Error monitoring, backups, job retries; clear degraded behavior when email/AI/YouTube unavailable.
Performance	Mobile-first pages, progressive image sizes, lazy-loaded gallery, compressed assets; no heavy canvas on guest pages.
Accessibility	Keyboard support for organizer controls; WCAG 2.2 AA goals where practical; invitation editor should offer non-drag property edits.
Localization	English/Hindi; Indian phone normalization (+91); IST display; INR formatting; Unicode/Devanagari invitation exports.
Observability	App traces, non-PII analytics, alerting for send failure, upload failures and cross-side access denials.
Cost controls	Monthly and per-wedding quotas for storage/uploads, AI calls and outbound mail; warn before exceeding soft limits.
Maintainability	Versioned API, type-safe validation (Zod or similar), migrations, automated unit/integration/e2e tests.
Legal review	Review India privacy/data processing requirements, email sending practices and YouTube platform terms before launch.

14. Security and QA test matrix

TEST ID	EXPECTED RESULT
SEC-01	Bride owner querying groom budget via guessed API path

TEST ID	EXPECTED RESULT
	gets 403/no data without sharing grant.
SEC-02	Parent sees own-side full guest records and cannot grant themselves ownership.
SEC-03	Sibling cannot see budget through API, AI chat, exports or cached client payloads.
SEC-04	Revoked household token cannot see event, RSVP or approved photos.
SEC-05	Forwarded household link can be blocked by token rotation; optional verification protects edits.
SEC-06	Raw invitation token never appears in HTTP logs, analytics or AI prompts.
INV-01	Household RSVP count <= event-specific allocation; updated answer replaces prior response.
MAIL-01	Provider retry webhook does not duplicate sent email event records or reminder job.
MAIL-02	Declined/confirmed RSVP status suppresses chase reminder; opted-out contact not emailed.
PHOTO-01	Pending photo not publicly accessible or guessable via storage URL.
PHOTO-02	Moderation updates reflected across signed URL access and cache.
VIDEO-01	Only YouTube links/IDs accepted; guest cannot open non-invited stream via page endpoint.
AI-01	Prompt injection asking for other family budget returns no private info.
AI-02	AI cannot initiate transactional email or expense update without authorization and confirmation.
UX-01	Hindi/English invites render correctly in export and on narrow mobile screens.
AUTH-01	Register → verification → login: only verified email may create a wedding; duplicate user prevented.
AUTH-02	Reset request is indistinguishable for unknown email; expired or replayed token is denied.
AUTH-03	Organizer invite acceptance requires verified matching email and accepts token at most once.
AUTH-04	Wrong-side owner/sibling guessing dashboard URL gets 403 or scoped-empty response; no leaked rows.
SETUP-01	Both bride-start and groom-start create exactly two side records, one owner for selected side only.
SETUP-02	Step validation, previous/next navigation, partial retry and delivery failure do not duplicate weddings.
PHOTO-03	Creating Haldi / Mehendi / Sangeet functions creates one album per event; retrying event creation cannot duplicate albums.
PHOTO-04	Haldi upload is stored under Haldi album_id; it does not appear in any other event folder or cross-event query.
PHOTO-05	Guest invitation only for Haldi cannot upload to or list Mehendi album, even by changing eventId in API URL.
PHOTO-06	JOINT event album respects owner_side_id and sharing grants; cross-side photos remain private until specifically shared.
PHOTO-07	After organizer reassigns a photo to another event, moderation/visibility checks are reevaluated and an audit entry is written.

15. Suggested build plan and gates

STAGE	IMPLEMENTATION ORDER	EXIT GATE
0A. Design & foundations	Responsive auth UI specs, design tokens, provider configuration, sessions, wedding/side schema	Login, Registration and Forgot Password designs reviewed; auth/session tests pass.
0B. Auth and recovery	Implement S01 Login, S02 Registration, S03 Forgot Password + reset-link state	Verified accounts can sign in, recover and retain secure sessions; no wedding data leaks.
0C. Wizard & invitations	Implement S04 Wedding Setup Wizard and S05 Family Invitation Acceptance; create sides, grant scoped roles	Both creator-side variants work; invitations are one-time, expiring and email-bound.
1. Dashboard & planner core	Only now implement S06 dashboard, events, tasks, members, budgets, expenses and vendors	Only permitted own-side and explicitly shared JOINT data appear in dashboard and CRUD.
2. Guest invitations	Households, guest tokens, RSVP, drag-and-drop builder, email delivery and WhatsApp share	Invitation email → no-login household RSVP works end to end.
3. Media + AI	Event-based photo folders, authorized uploads, approvals, gallery, YouTube Live and bounded AI assistant	All functions have separate album folders; upload, permission, and moderation isolation tests pass; AI permissions proven.
4. Stabilize / pilot	Hindi content QA, backups, deliverability, privacy flows, usage limits and mobile QA	10+ realistic test weddings; cross-role security signoff.

Scope warning: a full drag-and-drop designer + moderated photo storage + multi-tenant permissions + AI chatbot is significantly more complex than a typical starter MVP. The final requested launch scope is feasible as a staged implementation, but not a small weekend project. Complete and test each gate before releasing the next.

16. Launch review: unresolved choices and assumed defaults

DECISION TO VALIDATE	DEFAULT IN THIS PRD
Cross-side role on JOINT events	Each owner controls shared event details; private guest lists and budgets remain separate.
One household listed by both families	Keep two separate side-owned records; show privacy-preserving duplicate warning only within side.
Editing RSVP with forwarded link	Display RSVP; for edits after first submission require email OTP or organizer reset.
Gallery event access	One canonical folder per event; only invited guests view approved images. For JOINT events, each side's uploaded photos remain private unless sharing is explicitly granted.
Reminder timing	Configurable wedding-level defaults: RSVP follow-up once; event reminder 1 day before, organizers review sends.
Siblings invitation privileges	May share published invitations; create/send/manage limited by explicit permission.
Stream visibility	Organizer adds unlisted YouTube stream and accepts clear re-sharing disclosure.
Default data lifecycle	Archive after event; request owner-defined photo retention and secure deletion, review legal requirements.
Free product limits	Configurable soft limits for storage, email volume and AI, visible before any charge; no billing in MVP.
Auth default for MVP	Email + password with verified email and provider-managed reset. Email magic link is optional UI only if supported and tested; social sign-in and mandatory MFA deferred.

DECISION TO VALIDATE	DEFAULT IN THIS PRD
Organizer invite expiry	Proposed 7-day validity; invite issuer may revoke/resend. Token hashed at rest and consumed transactionally after verified email match.
Photo upload quota (proposed)	Initial limit: JPEG/PNG/WebP, <=15 MB per image, <=20 files per batch, with configurable wedding storage allowance; test against provider costs.

17. References and verification notes

External technical references reviewed on 18 October 2026. Product requirements and target metrics above are design recommendations, not claims made by these providers.

- WhatsApp official help - Click to Chat: https://faq.whatsapp.com/5913398998672934
- YouTube Help - video privacy, unlisted sharing: https://support.google.com/youtube/answer/157177?hl=en
- YouTube IFrame Player API: https://developers.google.com/youtube/iframe_api_reference
- Resend - webhooks and delivery events: https://www.resend.com/features/webhooks
- Supabase - Row Level Security: https://supabase.com/docs/guides/database/postgres/row-level-security
- Supabase - Authentication: https://supabase.com/docs/guides/auth

Compliance note: review India-specific data protection obligations with qualified counsel before processing guests' personal information and photographs at scale. Requirements and commencement dates can change, so verify current official notifications at launch.