

Database Systems

Quiz-2

Roll no:

Name:

Database Schema:

- Web_events (id, account_id, occurred_at, channel)
- Accounts (id , name, website, lat, long, primary_poc, sales_rep_id)
- Orders (id, account_id, standard_qty, poster_qty, gloss_qty, total, occurred_at, standard_amt_usd, gloss_amt_usd, poster_amt_usd, total_amt_usd)
- Sales_reps (id, name, region_id)
- Region (id, name)

Considering the above Database, answer the following queries:

1: Write a query to return the top 5 orders in terms of largest total_amt_usd. Include the id, account_id, and total_amt_usd.

```
SELECT id, account_id, total_amt_usd
FROM orders
```

```
ORDER BY total_amt_usd DESC
LIMIT 5;
```

2: Write a query that displays the order ID, account ID, and total dollar amount for all the orders, sorted first by the account ID (in descending order), and then by the total dollar amount (in ascending order).

```
SELECT id, account_id, total_amt_usd
FROM orders
ORDER BY account_id desc, total_amt_usd ;
```

3: Filter the accounts table to include the company name, website, and the primary point of contact (primary_poc) just for the 'Exxon mobil' company in the accounts table.

```
SELECT name, website, primary_poc
FROM accounts
WHERE name = 'Exxon Mobil';
```

4: Use the accounts table to find All companies whose names end with 's'.

```
SELECT name
FROM accounts
WHERE name LIKE '%s';
```

5: Write a query that returns a list of orders where the standard_qty is zero and either the gloss_qty or poster_qty is over 1000.

```
SELECT *  
FROM orders  
WHERE standard_qty = 0 AND (gloss_qty > 1000 OR poster_qty > 1000);
```

6: Use the web_events table to find all information regarding individuals who were contacted via the channel of 'organic' or 'adwords'.

```
SELECT *  
FROM web_events  
WHERE channel IN ('organic', 'adwords');
```

7: Using the accounts table, find all the companies whose names do not start with 'C' and end with 's'.

```
SELECT name  
FROM accounts  
WHERE name NOT LIKE 'C%' AND name LIKE '%s';
```

8: Write an SQL query to display web_events.id, web_events.channel, and accounts.name. Show all web events, even if there is no matching account for those events.

```
SELECT w.id, w.channel, a.name  
FROM web_events w  
LEFT JOIN accounts a  
ON w.account_id = a.id;
```

9: Provide a table for all web_events associated with account name of Walmart. There should be three columns. Be sure to include the primary_poc, time of the event, and the channel for each event. Additionally, you might choose to add a fourth column to assure only Walmart events were chosen.

```
SELECT a.primary_poc, w.occurred_at, w.channel, a.name
FROM web_events w
JOIN accounts a
ON w.account_id = a.id
WHERE a.name = 'Walmart';
```

10: Provide a table that provides the region for each sales_rep along with their associated accounts. This time only for accounts where the sales rep has a first name starting with s and in the Midwest region. Your final table should include three columns: the region name, the sales rep name, and the account name. Sort the accounts alphabetically (A-Z) according to account name.

```
SELECT r.name region, s.name rep, a.name account
FROM sales_reps s
JOIN region r
ON s.region_id = r.id
JOIN accounts a
ON a.sales_rep_id = s.id
WHERE r.name = 'Midwest' AND s.name LIKE 'S%'
ORDER BY a.name;
```

