

Database Systems

Quiz-2

Roll no:

Name:

Database Schema:

- Web_events (id, account_id, occurred_at, channel)
- Accounts (id , name, website, lat, long, primary_poc, sales_rep_id)
- Orders (id, account_id, standard_qty, poster_qty, gloss_qty, total, occurred_at, standard_amt_usd, gloss_amt_usd, poster_amt_usd, total_amt_usd)
- Sales_reps (id, name, region_id)
- Region (id, name)

Considering the above Database, answer the following queries:

1: Write a query to return the lowest 20 orders in terms of smallest total_amt_usd. Include the id, account_id, and total_amt_usd.

```
SELECT id, account_id, total_amt_usd
FROM orders
ORDER BY total_amt_usd
```

LIMIT 20;

2: Write a query that displays the order ID, account ID, and total dollar amount for all the orders, sorted first by the account ID (in ascending order), and then by the total dollar amount (in descending order).

```
SELECT id, account_id, total_amt_usd
FROM orders
ORDER BY account_id, total_amt_usd DESC;
```

3: Write a query that pulls the first 5 rows and all columns from the orders table that have a dollar amount of gloss_amt_usd greater than or equal to 1000.

```
SELECT *
FROM orders
WHERE gloss_amt_usd >= 1000
LIMIT 5;
```

4: Using the accounts table, find all the companies whose names contain the string 'one' somewhere in the name.

```
SELECT name
FROM accounts
WHERE name LIKE '%one%';
```

5: Find all the company names that start with a 'C' or 'W', and the primary contact contains 'ana' or 'Ana', but it doesn't contain 'eana'.

```
SELECT *  
FROM accounts  
WHERE (name LIKE 'C%' OR name LIKE 'W%') AND ((primary_poc LIKE  
'%ana%' OR primary_poc LIKE '%Ana%') AND primary_poc NOT LIKE  
'%eana%');
```

6: Use the accounts table to find the account name, primary poc, and sales rep id for all stores except 'Walmart', 'Target', and 'Nordstrom'.

```
SELECT name, primary_poc, sales_rep_id  
FROM accounts  
WHERE name NOT IN ('Walmart', 'Target', 'Nordstrom');
```

7: Write a query that returns all the orders where the standard_qty is over 1000, the poster_qty is 0, and the gloss_qty is 0.

```
SELECT *  
FROM orders  
WHERE standard_qty > 1000 AND poster_qty = 0 AND gloss_qty = 0;
```

8: Write a SQL query to display the account name, order id, and total order amount in USD. Show all accounts, even if they have not placed any orders.

```
SELECT a.name AS account_name, o.id AS order_id, o.total_amt_usd
FROM accounts a
LEFT JOIN orders o
ON a.id = o.account_id;
```

9: Provide a table that provides the region for each sales_rep along with their associated accounts. Your final table should include three columns: the region name, the sales rep name, and the account name. Sort the accounts alphabetically (A-Z) according to account name.

```
SELECT r.name region, s.name rep, a.name account
FROM sales_reps s
JOIN region r
ON s.region_id = r.id
JOIN accounts a
ON a.sales_rep_id = s.id
ORDER BY a.name;
```

10: Provide a table that provides the region for each sales_rep along with their associated accounts. This time only for accounts where the sales rep has a last name starting with 'K' and in the Midwest region. Your final table should include three

columns: the region name, the sales rep name, and the account name. Sort the accounts alphabetically (A-Z) according to account name.

```
SELECT r.name region, s.name rep, a.name account \
FROM sales_reps s
JOIN region r
ON s.region_id = r.id
JOIN accounts a
ON a.sales_rep_id = s.id
WHERE r.name = 'Midwest' AND s.name LIKE '% K%'
ORDER BY a.name;
```