

INSERTING RECORDS INTO THE TABLES

STEP 1: Insert to users

INSERT INTO users (username, password, email, role) VALUES

```
('admin1', 'pass123', 'admin1@mail.com', 'admin'),
('dr_sharma', 'pass123', 'sharma@mail.com', 'doctor'),
('dr_khan', 'pass123', 'khan@mail.com', 'doctor'),
('patient_rahul', 'pass123', 'rahul@mail.com', 'patient'),
('patient_aman', 'pass123', 'aman@mail.com', 'patient'),
('patient_sara', 'pass123', 'sara@mail.com', 'patient'),
('analyst1', 'pass123', 'analyst@mail.com', 'analyst'),
('patient_neha', 'pass123', 'neha@mail.com', 'patient'),
('dr_mehta', 'pass123', 'mehta@mail.com', 'doctor'),
('patient_raj', 'pass123', 'raj@mail.com', 'patient');
```

```
MariaDB [healthcare_analytics]> INSERT INTO users (username, password, email, role) VALUES
→ ('admin1', 'pass123', 'admin1@mail.com', 'admin'),
→ ('dr_sharma', 'pass123', 'sharma@mail.com', 'doctor'),
→ ('dr_khan', 'pass123', 'khan@mail.com', 'doctor'),
→ ('patient_rahul', 'pass123', 'rahul@mail.com', 'patient'),
→ ('patient_aman', 'pass123', 'aman@mail.com', 'patient'),
→ ('patient_sara', 'pass123', 'sara@mail.com', 'patient'),
→ ('analyst1', 'pass123', 'analyst@mail.com', 'analyst'),
→ ('patient_neha', 'pass123', 'neha@mail.com', 'patient'),
→ ('dr_mehta', 'pass123', 'mehta@mail.com', 'doctor'),
→ ('patient_raj', 'pass123', 'raj@mail.com', 'patient');
Query OK, 10 rows affected (0.068 sec)
Records: 10 Duplicates: 0 Warnings: 0
```

STEP 2: Insert into hospitals

INSERT INTO hospitals (name, location, contact_info) VALUES

```
('AIIMS Delhi', 'Delhi', '011-26588500'),
('Fortis Hospital', 'Noida', '0120-2400222'),
('Apollo Hospital', 'Delhi', '011-26925858'),
('Max Hospital', 'Saket', '011-26515050'),
('Medanta', 'Gurgaon', '0124-4141414');
```

```
MariaDB [healthcare_analytics]> INSERT INTO hospitals (name, location, contact_info) VALUES
→ ('AIIMS Delhi', 'Delhi', '011-26588500'),
→ ('Fortis Hospital', 'Noida', '0120-2400222'),
→ ('Apollo Hospital', 'Delhi', '011-26925858'),
→ ('Max Hospital', 'Saket', '011-26515050'),
→ ('Medanta', 'Gurgaon', '0124-4141414');
Query OK, 5 rows affected (0.013 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

STEP 3: Insert into user_profiles

INSERT INTO user_profiles (user_id, first_name, last_name, date_of_birth, contact_number, address) VALUES

```
(1,'Admin','One','1990-01-01','9999999991','Delhi'),
(2,'Ravi','Sharma','1980-05-12','9999999992','Delhi'),
(3,'Ali','Khan','1985-07-20','9999999993','Noida'),
(4,'Rahul','Verma','2000-03-10','9999999994','Delhi'),
(5,'Aman','Singh','1999-08-15','9999999995','Noida'),
(6,'Sara','Ali','2001-11-22','9999999996','Delhi'),
(7,'Data','Analyst','1995-02-14','9999999997','Gurgaon'),
(8,'Neha','Gupta','2002-06-18','9999999998','Delhi'),
(9,'Vikas','Mehta','1982-09-30','9999999999','Delhi'),
(10,'Raj','Kumar','1998-12-25','9999999990','Noida');
```

```
MariaDB [healthcare_analytics]> INSERT INTO user_profiles (user_id, first_name, last_name, date_of_birth, contact_number, address) VALUES
→ (1,'Admin','One','1990-01-01','9999999991','Delhi'),
→ (2,'Ravi','Sharma','1980-05-12','9999999992','Delhi'),
→ (3,'Ali','Khan','1985-07-20','9999999993','Noida'),
→ (4,'Rahul','Verma','2000-03-10','9999999994','Delhi'),
→ (5,'Aman','Singh','1999-08-15','9999999995','Noida'),
→ (6,'Sara','Ali','2001-11-22','9999999996','Delhi'),
→ (7,'Data','Analyst','1995-02-14','9999999997','Gurgaon'),
→ (8,'Neha','Gupta','2002-06-18','9999999998','Delhi'),
→ (9,'Vikas','Mehta','1982-09-30','9999999999','Delhi'),
→ (10,'Raj','Kumar','1998-12-25','9999999990','Noida');
Query OK, 10 rows affected (0.008 sec)
Records: 10 Duplicates: 0 Warnings: 0
```

STEP 4: Insert Into patients

INSERT INTO patients (user_id, gender, blood_group, emergency_contact) VALUES

```
(4,'Male','B+','8888888881'),
(5,'Male','O+','8888888882'),
(6,'Female','A+','8888888883'),
(8,'Female','AB+','8888888884'),
(10,'Male','O-','8888888885');
```

```
MariaDB [healthcare_analytics]> INSERT INTO patients (user_id, gender, blood_group, emergency_contact) VALUES
→ (4,'Male','B+','8888888881'),
→ (5,'Male','O+','8888888882'),
→ (6,'Female','A+','8888888883'),
→ (8,'Female','AB+','8888888884'),
→ (10,'Male','O-','8888888885');
Query OK, 5 rows affected (0.008 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

STEP 5: Insert Into doctors

INSERT INTO doctors (user_id, hospital_id, specialization, license_number) VALUES

```
(2,1,'Cardiologist','LIC123'),
(3,2,'Neurologist','LIC124'),
(9,3,'Orthopedic','LIC125'),
(2,4,'General Physician','LIC126');
```

```
MariaDB [healthcare_analytics]> INSERT INTO doctors (user_id, hospital_id, specialization, license_number) VALUES
→ (2,1,'Cardiologist','LIC123'),
→ (3,2,'Neurologist','LIC124'),
→ (9,3,'Orthopedic','LIC125'),
→ (2,4,'General Physician','LIC126');
Query OK, 4 rows affected (0.009 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

STEP 6: Insert Into appointments

```
INSERT INTO appointments (patient_id, doctor_id, hospital_id, appointment_date, status, reason) VALUES
(1,1,1,'2026-03-20','completed','Chest pain'),
(2,2,2,'2026-03-21','scheduled','Headache'),
(3,3,3,'2026-03-22','completed','Fracture'),
(4,1,1,'2026-03-23','cancelled','Routine check'),
(5,2,2,'2026-03-24','scheduled','Migraine'),
(1,3,3,'2026-03-25','completed','Back pain'),
(2,1,1,'2026-03-26','completed','BP issue'),
(3,2,2,'2026-03-27','scheduled','Dizziness'),
(4,3,3,'2026-03-28','completed','Joint pain'),
(5,1,1,'2026-03-29','scheduled','Heart check');
```

```
MariaDB [healthcare_analytics]> INSERT INTO appointments (patient_id, doctor_id, hospital_id, appointment_date, status, reason) VALUES
→ (1,1,1,'2026-03-20','completed','Chest pain'),
→ (2,2,2,'2026-03-21','scheduled','Headache'),
→ (3,3,3,'2026-03-22','completed','Fracture'),
→ (4,1,1,'2026-03-23','cancelled','Routine check'),
→ (5,2,2,'2026-03-24','scheduled','Migraine'),
→ (1,3,3,'2026-03-25','completed','Back pain'),
→ (2,1,1,'2026-03-26','completed','BP issue'),
→ (3,2,2,'2026-03-27','scheduled','Dizziness'),
→ (4,3,3,'2026-03-28','completed','Joint pain'),
→ (5,1,1,'2026-03-29','scheduled','Heart check');
Query OK, 10 rows affected (0.025 sec)
Records: 10 Duplicates: 0 Warnings: 0
```

STEP 7: Insert Into patient_vitals

```
INSERT INTO patient_vitals (patient_id, heart_rate, bp_systolic, bp_diastolic, temperature, respiratory_rate)
VALUES
(1,72,120,80,98.6,16),
(2,85,130,85,99.1,18),
(3,90,140,90,100.2,20),
(4,70,110,75,98.4,15),
(5,88,135,88,99.5,19);
```

```
MariaDB [healthcare_analytics]> INSERT INTO patient_vitals (patient_id, heart_rate, bp_systolic, bp_diastolic, temperature, respiratory_rate) VALUES
→ (1,72,120,80,98.6,16),
→ (2,85,130,85,99.1,18),
→ (3,90,140,90,100.2,20),
→ (4,70,110,75,98.4,15),
→ (5,88,135,88,99.5,19);
Query OK, 5 rows affected (0.012 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

STEP 8: Insert Into medical_records

```
INSERT INTO medical_records (patient_id, doctor_id, hospital_id, visit_date, diagnosis, treatment_plan)
VALUES
(1,1,1,'2026-03-20','Hypertension','Medication'),
(2,2,2,'2026-03-21','Migraine','Painkillers'),
(3,3,3,'2026-03-22','Fracture','Surgery'),
(4,1,1,'2026-03-23','Normal','Routine check'),
(5,2,2,'2026-03-24','Headache','Rest');
```

```
MariaDB [healthcare_analytics]> INSERT INTO medical_records (patient_id, doctor_id, hospital_id, visit_date, diagnosis, treatment_plan) VALUES
→ (1,1,1,'2026-03-20','Hypertension','Medication'),
→ (2,2,2,'2026-03-21','Migraine','Painkillers'),
→ (3,3,3,'2026-03-22','Fracture','Surgery'),
→ (4,1,1,'2026-03-23','Normal','Routine check'),
→ (5,2,2,'2026-03-24','Headache','Rest');
Query OK, 5 rows affected (0.020 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

STEP 9: Insert Into prescription

```
INSERT INTO prescriptions (record_id, medication_name, dosage, frequency, start_date, end_date) VALUES
(1,'Amlodipine','5mg','Once daily','2026-03-20','2026-04-20'),
(2,'Paracetamol','500mg','Twice daily','2026-03-21','2026-03-25'),
(3,'Calcium','1 tab','Daily','2026-03-22','2026-04-22'),
(4,'Vitamin D','1 tab','Weekly','2026-03-23','2026-05-23'),
(5,'Ibuprofen','400mg','Thrice daily','2026-03-24','2026-03-28');
```

```
MariaDB [healthcare_analytics]> INSERT INTO prescriptions (record_id, medication_name, dosage, frequency, start_date, end_date) VALUES
→ (1,'Amlodipine','5mg','Once daily','2026-03-20','2026-04-20'),
→ (2,'Paracetamol','500mg','Twice daily','2026-03-21','2026-03-25'),
→ (3,'Calcium','1 tab','Daily','2026-03-22','2026-04-22'),
→ (4,'Vitamin D','1 tab','Weekly','2026-03-23','2026-05-23'),
→ (5,'Ibuprofen','400mg','Thrice daily','2026-03-24','2026-03-28');
Query OK, 5 rows affected (0.008 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

STEP 10: Insert Into billings

```
INSERT INTO billings (appointment_id, patient_id, amount, payment_status) VALUES
(1,1,1500,'paid'),
(2,2,1200,'pending'),
(3,3,5000,'paid'),
(4,4,800,'unpaid'),
(5,5,1000,'paid');
```

```
MariaDB [healthcare_analytics]> INSERT INTO billings (appointment_id, patient_id, amount, payment_status) VALUES
→ (1,1,1500,'paid'),
→ (2,2,1200,'pending'),
→ (3,3,5000,'paid'),
→ (4,4,800,'unpaid'),
→ (5,5,1000,'paid');
Query OK, 5 rows affected (0.013 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

STEP 11: Insert Into insurance

```
INSERT INTO insurance (patient_id, provider_name, policy_number, coverage_details, expiry_date) VALUES
(1,'LIC','POL123','Full','2027-01-01'),
(2,'HDFC','POL124','Partial','2026-12-01'),
(3,'ICICI','POL125','Full','2027-06-01'),
(4,'Bajaj','POL126','Partial','2026-09-01'),
(5,'Star Health','POL127','Full','2027-03-01');
```

```
MariaDB [healthcare_analytics]> INSERT INTO insurance (patient_id, provider_name, policy_number, coverage_details, expiry_date) VALUES
→ (1,'LIC','POL123','Full','2027-01-01'),
→ (2,'HDFC','POL124','Partial','2026-12-01'),
→ (3,'ICICI','POL125','Full','2027-06-01'),
→ (4,'Bajaj','POL126','Partial','2026-09-01'),
→ (5,'Star Health','POL127','Full','2027-03-01');
Query OK, 5 rows affected (0.010 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

STEP 12: Insert Into lab_tests

```
INSERT INTO lab_tests (test_name, description, std_range_min, std_range_max) VALUES
('Blood Sugar', 'Measures glucose level', 70, 140),
('Cholesterol', 'Measures cholesterol level', 125, 200),
('Hemoglobin', 'Measures Hb level', 12, 18),
('Thyroid', 'TSH level test', 0.4, 4.0),
('Vitamin D', 'Vitamin D level', 20, 50);
```

```
MariaDB [healthcare_analytics]> INSERT INTO lab_tests (test_name, description, std_range_min, std_range_max) VALUES
→ ('Blood Sugar', 'Measures glucose level', 70, 140),
→ ('Cholesterol', 'Measures cholesterol level', 125, 200),
→ ('Hemoglobin', 'Measures Hb level', 12, 18),
→ ('Thyroid', 'TSH level test', 0.4, 4.0),
→ ('Vitamin D', 'Vitamin D level', 20, 50);
Query OK, 5 rows affected (0.011 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

STEP 13: Insert Into health_risk_scores

INSERT INTO health_risk_scores (patient_id, risk_model, score_value, risk_level) VALUES

(1, 'CardioRiskModel', 0.75, 'High'),
(2, 'NeuroRiskModel', 0.40, 'Medium'),
(3, 'OrthoRiskModel', 0.30, 'Low'),
(4, 'GeneralHealthModel', 0.20, 'Low'),
(5, 'CardioRiskModel', 0.65, 'Medium');

```
MariaDB [healthcare_analytics]> INSERT INTO health_risk_scores (patient_id, risk_model, score_value, risk_level) VALUES
→ (1, 'CardioRiskModel', 0.75, 'High'),
→ (2, 'NeuroRiskModel', 0.40, 'Medium'),
→ (3, 'OrthoRiskModel', 0.30, 'Low'),
→ (4, 'GeneralHealthModel', 0.20, 'Low'),
→ (5, 'CardioRiskModel', 0.65, 'Medium');
Query OK, 5 rows affected (0.008 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

STEP 14: Insert Into analytics_logs

INSERT INTO analytics_logs (user_id, entity_affected, details) VALUES

(1, 'users', 'Created new doctor account'),
(2, 'appointments', 'Viewed appointment list'),
(3, 'patients', 'Updated patient record'),
(7, 'analytics', 'Generated report'),
(1, 'billings', 'Checked revenue stats');

```
MariaDB [healthcare_analytics]> INSERT INTO analytics_logs (user_id, entity_affected, details) VALUES
→ (1, 'users', 'Created new doctor account'),
→ (2, 'appointments', 'Viewed appointment list'),
→ (3, 'patients', 'Updated patient record'),
→ (7, 'analytics', 'Generated report'),
→ (1, 'billings', 'Checked revenue stats');
Query OK, 5 rows affected (0.012 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

STEP 15: Insert Into audit_logs

INSERT INTO audit_logs (user_id, table_name, record_id, action, old_value, new_value) VALUES

(1, 'users', 2, 'UPDATE', 'old email', 'new email'),
(1, 'patients', 3, 'DELETE', 'patient data', 'NULL'),
(1, 'appointments', 4, 'UPDATE', 'scheduled', 'cancelled'),
(1, 'billings', 2, 'UPDATE', 'pending', 'paid'),
(1, 'doctors', 1, 'INSERT', 'NULL', 'new doctor added');

```
MariaDB [healthcare_analytics]> INSERT INTO audit_logs (user_id, table_name, record_id, action, old_value, new_value) VALUES
→ (1, 'users', 2, 'UPDATE', 'old email', 'new email'),
→ (1, 'patients', 3, 'DELETE', 'patient data', 'NULL'),
→ (1, 'appointments', 4, 'UPDATE', 'scheduled', 'cancelled'),
→ (1, 'billings', 2, 'UPDATE', 'pending', 'paid'),
→ (1, 'doctors', 1, 'INSERT', 'NULL', 'new doctor added');
Query OK, 5 rows affected (0.009 sec)
Records: 5 Duplicates: 0 Warnings: 0
```