1. What does VHDL stand for? *(5 points)*

A. Very High Speed Integrated Circuit Hardware Description Langugage

B. Virtual Hot Dog Lovers

C. Vast Hardware Description Language

D. Very High Downloads

2. Which of the following is not a primitive data type in Java? *(5 points)*

A. int

B. double

C. char

D. ArrayList

E. float

F. boolean

G. byte

3. What is the value of x after the following statement?
int x = 12/5;

(10 points)

A. 2.4

B. 2

C. 3

D. Undefined

1. What does VHDL stand for?   *(5 points)*

A. Very High Speed Integrated Circuit Hardware Description Langugage

B. Virtual Hot Dog Lovers

C. Vast Hardware Description Language

D. Very High Downloads

2. What is the value of x after the following statement?
int x = 12/5;   *(10 points)*

A. 2.4

B. 2

C. 3

D. Undefined

3. Which of the following is not a primitive data type in Java?   *(5 points)*

 A. int

 B. double

 C. char

 D. ArrayList

 E. float

 F. boolean

 G. byte

1. Which of the following is not a primitive data type in Java? *(5 points)*

 A. int

 B. double

 C. char

 D. ArrayList

 E. float

 F. boolean

 G. byte

2. What does VHDL stand for? *(5 points)*

 A. Very High Speed Integrated Circuit Hardware Description Langugage

 B. Virtual Hot Dog Lovers

 C. Vast Hardware Description Language

 D. Very High Downloads

3. What is the value of x after the following statement?
int x = 12/5;

(10 points)

A. 2.4

B. 2

C. 3

D. Undefined

1. Which of the following is not a primitive data type in Java? *(5 points)*

     A. int

     B. double

     C. char

     D. ArrayList

     E. float

     F. boolean

     G. byte

---

2. What does VHDL stand for? *(5 points)*

     A. Very High Speed Integrated Circuit Hardware Description Langugage

     B. Virtual Hot Dog Lovers

     C. Vast Hardware Description Language

     D. Very High Downloads

3. What is the value of x after the following statement?
int x = 12/5;

(10 points)

A. 2.4

B. 2

C. 3

D. Undefined

1. What does VHDL stand for? *(5 points)*

A. Very High Speed Integrated Circuit Hardware Description Langugage

B. Virtual Hot Dog Lovers

C. Vast Hardware Description Language

D. Very High Downloads

---

2. Which of the following is not a primitive data type in Java? *(5 points)*

A. int

B. double

C. char

D. ArrayList

E. float

F. boolean

G. byte

3. What is the value of x after the following statement?
int x = 12/5;   *(10 points)*

 A. 2.4

 B. 2

 C. 3

 D. Undefined

1. What does VHDL stand for? *(5 points)*

 A. Very High Speed Integrated Circuit Hardware Description Langugage

 B. Virtual Hot Dog Lovers

 C. Vast Hardware Description Language

 D. Very High Downloads

---

2. Which of the following is not a primitive data type in Java? *(5 points)*

 A. int

 B. double

 C. char

 D. ArrayList

 E. float

 F. boolean

 G. byte

3. What is the value of x after the following statement?
int x = 12/5;

(10 points)

A. 2.4

B. 2

C. 3

D. Undefined

1. What does VHDL stand for? *(5 points)*

A. Very High Speed Integrated Circuit Hardware Description Langugage

B. Virtual Hot Dog Lovers

C. Vast Hardware Description Language

D. Very High Downloads

---

2. What is the value of x after the following statement?
int x = 12/5; *(10 points)*

A. 2.4

B. 2

C. 3

D. Undefined

3. Which of the following is not a primitive data type in Java?   *(5 points)*

A. int

B. double

C. char

D. ArrayList

E. float

F. boolean

G. byte

1. Which of the following is not a primitive data type in Java?   *(5 points)*

 A. int

 B. double

 C. char

 D. ArrayList

 E. float

 F. boolean

 G. byte

2. What is the value of x after the following statement?
int x = 12/5;   *(10 points)*

 A. 2.4

 B. 2

 C. 3

 D. Undefined

3. What does VHDL stand for?   *(5 points)*

A. Very High Speed Integrated Circuit Hardware Description Langugage

B. Virtual Hot Dog Lovers

C. Vast Hardware Description Language

D. Very High Downloads

1. What is the value of x after the following statement?
int x = 12/5;

(10 points)

▣ **A.** 2.4

▣ **B.** 2

▣ **C.** 3

▣ **D.** Undefined

---

2. Which of the following is not a primitive data type in Java?

(5 points)

▣ **A.** int

▣ **B.** double

▣ **C.** char

▣ **D.** ArrayList

▣ **E.** float

▣ **F.** boolean

▣ **G.** byte

3. What does VHDL stand for?   *(5 points)*

 A. Very High Speed Integrated Circuit Hardware Description Langugage

 B. Virtual Hot Dog Lovers

 C. Vast Hardware Description Language

 D. Very High Downloads

1. What is the value of x after the following statement?
int x = 12/5;   *(10 points)*

 A. 2.4

 B. 2

 C. 3

 D. Undefined

2. Which of the following is not a primitive data type in Java?   *(5 points)*

 A. int

 B. double

 C. char

 D. ArrayList

 E. float

 F. boolean

 G. byte

3. What does VHDL stand for?   *(5 points)*

A. Very High Speed Integrated Circuit Hardware Description Langugage

B. Virtual Hot Dog Lovers

C. Vast Hardware Description Language

D. Very High Downloads