

2026

About Me

Skills

Vitae

Projects

Portfolio

Game Design

Nando Berg

>About Me



Nando Berg

30 Years old

- Student
- (B.Sc.) Media Informatics
- Computer Science Expert

My name is Nando Berg, a trained Computer Science Expert with a Bachelor of Science in Media Informatics and currently pursuing a Master of Arts in Media & Games Development at HS Harz.

I am passionate about programming, especially algorithms and procedural generation, but I have also learned to appreciate the creative side through my studies, like 3D-Modelling, Pixel-Art and Storytelling.

From a young age I've always dreamed of working in the game industry and help creating games that people will remember.

>Contacts

Tel.: +49 1636313122
E-Mail: nan.be@gmx.de
Xing: xing.com/profile
LinkedIn: linkedin.com/profile

>Profiles

itch.io: umbraluxx
GitHub: github.com/UmbraLux

>Languages

GER ██████████
JPN ████████

ENG ██████████

>Skills




Unreal Engine 5

Level building, Blueprints, Effects, game development.



Pyxel Edit

Pixel-Art with Animation.



Unity

Level building, C#, GDScript, Animations, Game development.



FMOD & Reaper

Music, Sounds, Atmosphere



Maya

Modelling, Shading & Lighting, Rigging, Animations, Export to game engines.




DaVinci Resolve

Video- & Audio-Editing.



Languages


Programming Languages that I use most frequently.



Adobe Software

Animation, Textures, Design.

>Vitae



>Projects

>Professionally released Games



[Link to Steam Store](#)


Highway Patrol Simulator - Z-Software

Contribution: • Programming
 • Quest Design

Positions: • Student
 Intern
 (Programmer)
 • Working
 Student
 (Programmer)

>Projects

>Bachelor Thesis




Procedural Generation of 3D maps with Wave-Function-Collapse

- Combination of WFC & Perlin
- Generation via modular 3D-Models
- Customizable models and map settings
- Customizable generation restraints

>Projects

>Downloadable/Released Games



OcTeaPop! - GGJ 25 Game

- Contribution:
- Mechanics
 - Core Game Logic (Code)
 - Save&Load System



Larry the Lizard Wizard - LD 58 Game

- Contribution:
- Team-Leader
 - Concept
 - Level-Design
 - Core Game Logic (Code)


Second Spring - PlayAcrossBorders

- Contribution:
- Core Game Logic
 - ProcGen



TwoConnect - BFO Game Design

- Contribution:
- 2D-Artist
 - Sprites/Assets



>Projects

>Downloadable/Released Games



Schnorps - LD 56 Game

- Contribution:
- 2D-Artist
 - Enemy Design
 - VFX
 - Enemy-Behaviour



Wind's Will - GGJ 23 Game

- Contribution:
- Team-Leader
 - Concept
 - Level-Design
 - Core Game Logic (Code)


You gnome the drill - LD 57 Game

- Contribution:
- 2D-Artist
 - Sprites/Assets
 - Enemy-Behaviour



>Projects

>Projects & Prototypes



Depths of my Mind - Game Engines

Contribution: • Solo Project




The Long Journey - Game Design (GGJ Prep)

Contribution: • Pixel-Art
• Enemy AI
• Level-Design
• Camera-Script

The Circle - BFO Mixed Reality

Contribution: • Turret AI
• VFX Turret
• 3D-Models
• Level-Design




DnD-Generator - Software Concepts

Contribution: • Solo Project




> Bachelor Thesis

- Made in Unity
- 3D-Models were imported from Kenny
- Implements WFC and a version in combination with Perlin-Noise
- Switch between algorithms on-demand
- Constraints, models, choice weight and size adjustable
- Live generation on-demand



Screenshot: Running Game



Screenshot:
Settings in Inspector

Code-Snippets:
Important Functions

```

//unity called 122 usages
private void CollapseNode(Node wfcGridNode)
{
    Module selectedModule;

    //if debug is enabled the generation will stop and throw a exception, if not the generation just restarts and begins anew
    if (!debug)
    {
        try
        {
            // collapse node in the grid set node to collapsed; also get module that got chosen
            if (wfcGridNode.isCollapsed) return;
            selectedModule = wfcGridNode.CollapseNode(weightedGen);
        }
        catch //reload scene on error
        {
            SceneManager.LoadScene(SceneManager.GetActiveScene().buildIndex);
            selectedModule = null;
        }
    }
    else
    {
        if (wfcGridNode.isCollapsed) return;
        selectedModule = wfcGridNode.CollapseNode(weightedGen);
    }

    //spawn module - if gen should be visualized it gets saved into a separate stack instead
    if (!visualizeGeneration)
    {
        Instantiate(selectedModule, wfcGridNode.transform.position, selectedModule.transform.rotation,
            GameObject.Find("Island").transform);
    }
    else

```

```

//create a List functioning as stack
List<Node> stack = new List<Node>();
stack.Add(wfcGridNode);

//as long as something is in the stack propagate
while (stack.Count > 0)
{
    //get a grid-node location from the stack
    Node currentNode = stack[stack.Count - 1];
    stack.RemoveAt(stack.Count - 1);

    //for all connecting neighbours
    foreach (Vector3 neighbourDirection in ValidGridNodeDirections(currentNode))
    {
        //save the direction of one valid neighbour
        Vector3 wfcGridNeighbourLocation = currentNode.getGridLocation() + neighbourDirection;
        Node currentNeighbour = GetNodeAt(wfcGridNeighbourLocation);

        //save neighbour Modules & available modules in current position
        List<Module> validNeighbours = GetValidNeighbourModulesOfDirection(currentNode, neighbourDirection);
        List<Module> availableModulesOfNeighbour = currentNeighbour.GetModules();

        foreach (Module neighbourModule in availableModulesOfNeighbour.ToArray())
        {
            if (!validNeighbours.Contains(neighbourModule))
            {
                ConstrainNode(currentNeighbour, neighbourModule);
                if (!stack.Contains(currentNeighbour))
                {
                    stack.Add(currentNeighbour);
                }
            }
        }
    }
}

```

```

* If Generation is visualized this runs as coroutine
*/
// Frequently called 1 usage
private IEnumerator RunWFC()
{
    Node wfcGridNodeMinEntropy = null;

    // Run until the grid is fully collapsed
    while (!WfcGridIsCollapsed())
    {
        // Get the node with the minimum entropy
        wfcGridNodeMinEntropy = GetMinEntropyNode();

        // Collapse the node
        CollapseNode(wfcGridNodeMinEntropy);

        // Propagate constraints
        Propagate(wfcGridNodeMinEntropy);

        // Update visualization
        UpdateVisualization();

        // Yield control back to Unity for one frame
        yield return new WaitForSeconds(0.1f);
    }
}

```

Code-Snippet:
Base Algorithm

>OcTeaPop!

- PC & Mobile Game for Global Game Jam 25
- Made in Godot
- Topic: "Bubbles"
- Incremental-Clicker-Game
- Main-Contribution: Event-, Upgrade- a. Save&Load-System, Bubbles
- Download here: @OcTeaPop

USP

- Cookie-Clicker x Bubble Tea!
- Pop bubbles to build your cozy bubble tea shop!
- Cozy double-screen idle-clicker with a few cat related eastereggs



Designed App-Icon

```
var save_file = FileAccess.open(save_file_path, FileAccess.WRITE)
var save_nodes = get_tree().get_nodes_in_group("Persistables")
var node_data
var json_string

for node in save_nodes:
    # Check the node is an instanced scene so it can be instanced again during load.
    #if node.scene_file_path.is_empty():
    #    if node.get_path().is_empty():
    #        print("no path 'Ns' skipped" % node.name)
    #        continue
    #    # Check the node has a save function.
    #    if !node.has_method("save_state"):
    #        print("persistent node 'Ns' is missing a save() function, skipped" % node.name)
    #        continue
    #    # Call the node's save function.
    #    node_data = node.call("save_state")
    #    # JSON provides a static method to serialized JSON string.
    #    json_string = JSON.stringify(node_data)
    #    # Store the save dictionary as a new line in the save file.
    #    save_file.store_line(json_string)

#Exception Tutorial
node_data = {
    "type": "Tutorial",
    "tutorial_completed": SignalManager.tutorial_completed
}
json_string = JSON.stringify(node_data)
save_file.store_line(json_string)

#Exception Reset Count
node_data = {
    "type": "Resets",
    "reset_count": SignalManager.reset_count
```

Code-Snippets: Save & Upgrade

```
func upgradePressed(btnNum: int)->void:
    var currMoney = $"/../BubbleArea".getCash()
    currentLvl = bubble_spawnners[btnNum].getLevel()
    # If the player doesn't have enough money to unlock or upgrade a Machine,
    # play a Sound, then return
    if currMoney < arrUpgradeCosts[btnNum][currentLvl+1]:
        if currentLvl+1 == 0:
            SignalManager.cant_unlock.emit()
        else:
            SignalManager.cant_upgrade.emit()
        return
    if currentLvl+1 <= maxLvl:
        currentLvl = bubble_spawnners[btnNum].levelUp()
        var animation_name = "Level_" + str(currentLvl + 1)
        cup_sprites[btnNum].play(animation_name)
        if currentLvl < 2:
            arrLabels[btnNum].text = str(arrUpgradeCosts[btnNum][currentLvl+1], "$")
        else:
            arrLabels[btnNum].text = "Max"
        SignalManager.money_changed.emit((arrUpgradeCosts[btnNum][currentLvl]*-1))
    for spawner in bubble_spawnners:
        if spawner.getLevel() < 2:
            return
    SignalManager.fully_upgraded_everything.emit()
    print("All Machines Maxed out")
```



Ingame Screenshot:
Upgrade & Play Area

>A Second Spring

- Game for Play-Across-Borders/International Game Studio
- Cooperation between HS-Harz(ger), TUT(jap), UNAM(mex)
- Displayed at Tokyo Game Show 2025
- Made in Godot
- 2D-Action-Roguelike
- Main-Contribution: ProcGen, PopUp-System, Items, Data-Management
- Download here: @ASecondSpringGame

USP

- Discover a weapon system where your staff is your canvas for devastating power.
- Collect new spells and link them with powerful modifiers to create unique chain reactions.

```
#generate mainPath
while currPos.x < WIDTH-1:
  >| var options = []
  >| if currPos.y > 0 and not visited[currPos.x][currPos.y - 1]:
  >| >| options.append(Vector2i(0, -1)) #up
  >| if currPos.y < HEIGHT - 1 and not visited[currPos.x][currPos.y + 1]:
  >| >| options.append(Vector2i(0, 1)) #down
  >| if currPos.x < WIDTH - 1 and not visited[currPos.x + 1][currPos.y]:
  >| >| options.append(Vector2i(1, 0)) #right
  >|
  >| if options.is_empty():
  >| >| break
  >|
  >| var move = options.pick_random()
  >| currPos += move
  >| visited[currPos.x][currPos.y] = true
  >|
  >| mainPath.append(currPos)
```

Code-Snippets:
ProcGen

```
algorithm to generate a level
func genLevel():
  >| init_grid()
  >| generateMainPath()
  >| fillGridWithMain()
  >| assignRoomTemplatesBasedOnNeighbors()
  >| placeStartRoom()
  >| placeEndRoom()
  >| instantiateRooms()
  >| fixOuterBounds()
  >| return
```



Screenshot: Main Menu



Screenshot: Staff/Magic
Customization



Screenshot: Ingame

>Larry the Lizard Wizard

- Game for Ludum Dare 58
- Made in Godot
- Theme: "Collector"
- Orthographic-2D-Roguelike
- Main-Contribution: Level-Design, ProcGen
- Download here: [@LarryTheLizardWizard](#)

USP

- Play as ~~Garry~~ ~~Mary~~ Larry the Lizard Wizard and use your magical abilities to free your little gecko friends, that are held captive by evil cave-dwelling Rats (with guns)!
- Collect the little geckos and profit from their Ability enhancing capabilities.

```
func placeGeckoRooms():  
    >| var candidates: Array[Vector2i] = []  
    >| for pos in mainPath:  
    >| >| if pos != startRoomPos:  
    >| >| >| var grid_room = grid[pos.x][pos.y]  
    >| >| >| if grid_room and grid_room.roomdata != endRoom:  
    >| >| >| candidates.append(pos)  
  
    >| candidates.shuffle()  
    >| for i in range(min(num_geckos, candidates.size())):  
    >| >| grid[candidates[i].x][candidates[i].y].roomdata.isGeckoRoom = tr
```

Code-Snippet: Loot-Gen



Ingame Screenshot: Tutorial Level

Code-Snippet:
ProcGen-Function

```
func genLevel():  
    >| setParamDependingOnGameProgression()  
    >| init_grid()  
    >| generateDungeon()  
    >| addBranchesUntilMax()  
    >| fillGridWithMain()  
    >| assignRoomTemplatesBasedOnNeighbors()  
    >| placeStartRoom()  
    >| placeEndRoom()  
    >| placeGeckoRooms()  
    >| placeDeadEndsAtStartAndEnd()  
    >| instantiateRooms()  
    >| fixOuterBounds()  
    >| return
```




Designed App-Icon

>Two Connect

- Mobile Game as part of BFO Game Design
- Made in Unity
- 2D-Puzzle-Platformer
- Main-Contribution: 2D-Artist, primarily tilesets & specific UI-Elements
- Download here: [@TwoConnectGame](#)

USP


- Bring Lucy and Joy together as one and use the sisters' magnetism to solve puzzles.
- Guide Lucy and Joy, solve puzzles and overcome challenges in this unique puzzle platformer.
- Easy to grasp the concept, due to simple core mechanics
- Special game feeling, due to the use of magnetism to solve puzzles



Ingame Screenshot: Factory Level



Ingame Screenshot: Tutorial Level



Designed App-Icon

Example: Factory Assets



>Schnorps - Invasion of Blorps

- Game for Ludum Dare 56
- Made in Unity
- Topic: "Tiny"
- Tower Defense, Combo
- Main-Contribution: 2D-Artist (Enemies, SFX), Enemy-Behaviour
- Download here: [@SchnorpsGame](#)

USP

- A 2D Tower Defense Game where very small alien creatures attack a magical world with gigantic turrets. Build awesome combos with your turret parts and create the ultimate defense against these cute wee warriors!



Screenshot: Running Game



Enemy-Sprites




```
void OnClickFunction(object sender, EnemyController.EventParameters e)
{
    if(HealCD <= 0)
    {
        Collider2D[] results =
        Physics2D.OverlapCircleAll(transform.position, AOE, EnemyLayer);

        foreach (var result in results)
        {
            if (result.TryGetComponent<EnemyController>(out EnemyController enemyController))
            {
                enemyController.Damage(-HealAmount);
            }
        }
        HealAOEIndicator.SetActive(true);
        HealAOEIndicator.transform.localScale = Vector3.one * AOE;
        StartCoroutine(DelayedDisable(0.1f));
        HealCD = HealDelay;
    }
    HealCD -= Time.fixedDeltaTime;
}
```

```
ite void OnDeathFunction(object sender, EnemyController.EventParameters e)
{
    for (int i = 0; i < SplitAmount; i++)
    {
        EnemyController newEnemy = GameObject.Instantiate(NewEnemy, Enemy.transform.position, Enemy.transform.rotation);
        newEnemy.rigidbody.AddForce(new Vector2(UnityEngine.Random.Range(-3, 10), UnityEngine.Random.Range(3, 10)));
        newEnemy.invulnerableDuration = 0.5f;
        WaveManager.instance.AmountEnemiesAlive++;
    }
}
```

Code-Snippets:
Enemy related Code



Projectile-Sprites



>You Gnome the Drill!

- Game for Ludum Dare 57
- Made in Godot
- Topic: "Depth"
- 2D-Roguelike
- Main-Contribution: Enemy-Behaviour, Pixel-Artist (Enemies, Tiles)
- Download here: [@YouGnomeTheDrill](#)

USP


- Gather resources as you explore the dungeon, but return in time to keep your drill safe from waves of attacking monsters!

```
func flip_direction():  
    direction *= -1  
    $AnimatedSprite2D.flip_h = direction < 0  
    time_since_turn = 0.0 #reset cd  
  
func _is_floor_ahead() -> bool:  
    var space_state = get_world_2d().direct_space_state  
    var params = PhysicsRayQueryParameters2D.new()  
  
    var offset_x = direction * raycast_distance  
    var offset_y = 16.0  
    var ray_origin = global_position + Vector2(offset_x, 0)  
    var ray_end = ray_origin + Vector2(0, offset_y + raycast_distance)  
  
    params.from = ray_origin  
    params.to = ray_end  
    params.exclude = [self]  
    params.collision_mask = 1 #layer mask  
  
    var result = space_state.intersect_ray(params)  
  
    return not result.is_empty()
```

Code-Snippets:
Enemy-Behaviour



Enemy-
Sprites



Ludum Dare Logo



Used Tileset


>Wind's Will

- Game for Global Game Jam 2023
- Made in Unity
- Topic: "Roots"
- 2D-SideScroller
- Main-Contribution: concept/idea, GameState, Level-Design, Team-Leader
- Download here: [@WindsWillGame](#)

USP

- Control a wind current and accompany a lonely dandelion seed on it's journey to a new home.
- Dodge dangers and carry the seed as far as possible

Screenshot:
Intro-Animation



Screenshot: Running Game

```
static void spawnEnemy(GameObject enemy, float elapsedTime, float cd, int maxEnemies, AudioSource source, Vector2 spawnLoco)
{
    if (elapsedTime > cd)
    {
        switch (enemy.name)
        {
            case "Bird":
                randY = Random.Range(4.0f, 7.0f);
                spawnLoco = new Vector2(enemy.transform.position.x, randY);
                print(message: "birdsp");
                break;
            case "Rat":
                spawnLoco = new Vector2(enemy.transform.position.x, enemy.transform.position.y);
                print(message: "rats rats we are the rats!");
                break;
            case "Frog":
                spawnLoco = new Vector2(enemy.transform.position.x, enemy.transform.position.y);
                print(message: "yeet");
                break;
            default:
                print(message: "default");
                break;
        }

        //randX = Random.Range(-8.4f, 8.4f);
        //spawnLoco = new Vector2(randX, transform.position.y);
        if (enemyCount == maxEnemies) return;
        enemyCount++;
        spawnedObj = Instantiate(enemy, (Vector3)spawnLoco, Quaternion.identity);
        spawnedObj.SetActive(true);
        source.PlayOneShot(clip);
    }
}
```

```
private void spawnEnergy()
{
    spawnCDEnergy += Time.deltaTime;

    if (spawnCDEnergy > 1.5f / velocity)
    {
        print(message: "energy");

        spawnedObj = Instantiate(prefabEnergy, position: (Vector3)new Vector2(prefabEnergy.transform.position.x,
        y: Random.Range(4.0f, 7.0f)), Quaternion.identity);
        spawnedObj.SetActive(true);

        spawnCDEnergy = 0f;
    }
}
```

Code-Snippets:
different
Object-Spawns



Debug-View:
GameStateController

>Depths of my Mind


- My first game in Unreal Engine
- Project as part of module "Game Engines"
- Horror game demo made on my own
- Unique design choices due to specific restrictions of given task
- Currently not uploaded to itch.io (need to remove student id etc.)

USP

- Sanity-Meter as health, stay too long in the dark and you die
- "Regain" sanity in range of candles
- VHS-Effect & Camera-FoV




Ingame Screenshots



VHS Post-Processing Effect

Close-Up Sanity-Script



Player Scripts

Level-Design First Floor



>The Circle

- My first VR game
- Made in Unity
- Project as part of module "Mixed-Reality"
- Theme: "Hide&Seek"
- Escape-Room-Style game
- Main-Contribution: 3D-Models, Turret-AI, Projectiles-Scripts and -VFX

USP

- VR-Escape game
- Solve puzzles and navigate around a sci-fi environment
- Dodge turret-ai which is trying to stop you
- Different interactions in first person

Code-Snippet:
Turret-Aim

```
public Boolean RotateAndSearchTarget()
{
    //Check ob der Ray den Spieler getroffen hat
    if (Physics.Raycast(turretVision, out hitData) && hitData.transform.gameObject.CompareTag("Player"))
    {
        Debug.Log("Message: You hit the player!");
        player = hitData.transform.gameObject();
        return true;
    }

    //konstante Geschwindigkeit setzen
    interpolationRatio = Time.deltaTime * searchRotation;

    //rotation
    turretCannon.rotation = Quaternion.Lerp(Quaternion.LookRotation(turretCannon.forward, turretCannon.transform.up),
        Quaternion.Euler(0, targetRotation, 0), interpolationRatio);

    //drehe Turret basierend auf Zeit
    if (Quaternion.Angle(Quaternion.Euler(0, targetRotation, 0), turretCannon.rotation) < 0.01f)
    {
        //vergehe Zeit speichern
        elapsedTime += Time.deltaTime;

        //pruefe ob Zeitlimit erreicht wurde
        if (elapsedTime >= waitTime)
        {
            //zuruecksetzen der Zeit
            elapsedTime = 0f;

            //setze zufaellige Rotation
            targetRotation = UnityEngine.Random.Range(0, 360);


            //spiele Sound
            playSound();

            //falls gleiche Rotation erneut generiert wurde, erneut generieren
            while (oldRot == targetRotation)
            {
                targetRotation = UnityEngine.Random.Range(0, 360);
            }


            //speichere Rotation fuer naechsten Durchlauf
            oldRot = targetRotation;
        }
    }

    return false;
}
```


Interaction between
my models ingame




Shot VFX-Sprite




Fusion-Core
Model




"Fuse-Box"-
Model



Turret-Model



Turret shooting test




Planning the Game Loop

>The Long Journey (Prototype)

- Practice for global game jam 2023
- Made in Unity
- Theme: "And they lived happily ever after."
- 2D-Platformer
- Main-Contribution: Pixel-Art, Enemy-AI, Level-Design, Camera-Script

USP

- Accompany an old hero on his way back home
- The player gets older and stats decrease the longer the journey takes
- A "reverse" adventure



Screenshot: Prototype Level

```
private void CheckForWalls()
{
    Vector3 raycastDirection = (bIsGoingRight) ? Vector3.right : Vector3.left;

    // Raycasting takes as parameters a Vector3 which is the point of origin, another Vector3 which gives the direction, and finally a float for the maximum distance of the raycast
    RaycastHit2D hit = Physics2D.Raycast(transform.position + raycastDirection * mRaycastingDistance, raycastDirection, distance: 0.075f);

    // if we hit something, check its tag and act accordingly
    if (hit.collider != null)
    {
        if (hit.transform.CompareTag("Wall"))
        {
            bIsGoingRight = !bIsGoingRight;
            _mSpriteRenderer.flipX = bIsGoingRight;
        }
    }
}
```

Code-Snippet: Enemy-AI (Slime)



Sprite Examples
(more below
in Pixel-Art)

>DnD-Generator

- Tool created for Software Concepts
- Made in Godot
- Scale-able loot generator for DnD 5e
- Scaling based on: fight difficulty, group size, player level
- Based on “DnD Treasure Hoard”-System
- Loot tables can be customized and adjusted

```

#check what items correspond to d100 and save item to dictionary
for j in range(len(magicTable.roll_list)-1) :
    entry = magicTable.roll_list[j]
    nextEntry = magicTable.roll_list[j+1]

    if (d100 >= entry.roll_threshold and d100 < nextEntry.roll_threshold) :
        #print("item =" +magicTable.roll_list[j].item.name)
        #rolledItems.append(magicTable.roll_list[j].item)
        tmpItem = magicTable.roll_list[j].item
        if tmpItem.name in rolledItems:
            rolledItems[tmpItem.name]["count"] += 1
        else:
            rolledItems[tmpItem.name] = { "count": 1, "item": tmpItem }
        break
    elif d100 == 100:
        #print("dice100" + magicTable.roll_list[-1].item.name)
        #print("dice100_item davor" +magicTable.roll_list[-1].item.name)
        #rolledItems.append(magicTable.roll_list[-1].item)
        tmpItem = magicTable.roll_list[-1].item
        if tmpItem.name in rolledItems:
            rolledItems[tmpItem.name]["count"] += 1
        else:
            rolledItems[tmpItem.name] = { "count": 1, "item": tmpItem }
        break

```

Code-Snippet: Loot Roll



Tool-UI



Screenshot:
Loot-Table via Ressources

>3D-Work

Project: "Workspace"

- 3D-Model project as part of module "3D-Modellierung"
- Topic: "Workspace"
- Scene is heavily inspired by a shop from the videogame "The Legend of Zelda: Ocarina of Time" (original Image below)
- Due to render problems, additionally rendered in Blender



Inspiration: Original "Bazaar" of TLoZ:OoT



Maya Render (above)
Blender Render (below)




Project: "Narrative Space"

- 3D-Animation project as part of module "3D-Animation"
- My first 3D-Animation
- Total length: 30sec
- Topic: "Narrative Space"
- Animation is inspired by "Kirby and the Forgotten Lands"
- Because I wanted to create a cartoon styled animation, instead of a realistic one



Frame of the final animation



Frame of the Animatic




Inspiration: "Waddle Dee Café"

>Pixel-Art


Tool in use: Pyxel Edit




Ending Screen (abandoned project)



Gift for a friend



sword slash
animation
("Long Journey")




Brainstorm
for Avatar/
Profile picture



TileSets for different seasons ("Long Journey")

>Storytelling



Main-Page of IP

What is this Project?


A self-designed IP as part of the module: Mediengestaltung III.

Content:


- Story & Background / IP
- Art & Visualising
- Positioning
- Competitor Analysis

Summary

- Title: Die Legende von Thaelinnia | The Legend of Thaelinnia
- Tagline: Human future stands on knife's edge due to a new energy resource.
- Logline: In a retrofuturistic Victorian world attempts are made to stop and survive a plague created by an energy reform.



[Link to Document](#)



Moodboard

World

The setting takes place in an alternative, retrofuturistic world, where people have to live on an oversized turtle, because the entire planet is flooded with water and thus uninhabitable.

Period

In this world people are in a kind of Victorian age with a steampunk technological point of view. Due to the particular living conditions, resources are scarce. Therefore, almost all houses are made exclusively of stone and/or similar materials. For the rest of the materials, such as metals and raw materials, the inhabitants have to dive.



Character Creation

>Contact Me

First Name*

Last Name*

E-Mail*

Phone Number

Subject*

Message*

Send