Akoizo Original Practice - Form 2

Division B | Food Science | 50-minute written practice

Original Akoizo curriculum practice. This is not a historical tournament paper. Written build, CAD, lab and communication exercises supplement real practical preparation.

Name: _____ Date: _____

1. (2 points) Why are saturated fats usually solid at room temperature?

Unit: Fats: saturation, esters, and emulsions.
Worked-case data: A team churns 150 mL of cream (mass 148 g) and collects 52 g of butter. If butter is about 80% fat, estimate the cream's fat percentage.
Separate investigation observations:
Trial 1: Cream at 4 °C: no butter after 15 minutes of shaking.
Trial 2: Cream at 13 °C: butter formed in 8 minutes.
Trial 3: Cream at 25 °C: soft, greasy butter; cloudy buttermilk.

A. They are water-soluble

B. They have fewer carbons

C. Straight chains pack tightly together

D. They contain double bonds

Answer: _____

2. (2 points) Why does adding salt make an ice bath colder?

Unit: Freezing point depression and ice cream.
Worked-case data: Estimate the freezing point of meltwater in which 2.0 mol of NaCl dissolves per kilogram of water.
Separate investigation observations:
Trial 1: Milk, 30 mL salt: soft slush, 2 cm tall.
Trial 2: Milk, 90 mL salt: firmer, 4 cm tall.
Trial 3: Cream, 90 mL salt: firm and smooth, 7 cm tall.

A. Salt releases cold energy

B. Salt reacts with ice to form a cold gas

C. Salt raises the melting point

D. Salt lowers the freezing point, so more ice melts and absorbs heat

Answer: _____

3. (2 points) Which vitamin helps the body absorb calcium?

Unit: Nutrition and food labels.
Worked-case data: A label lists 300 mg of calcium per serving and a Daily Value of 1,300 mg. A student drinks 3 servings. What percent DV is that, and is one serving “high”?
Separate investigation observations:
Milk A: 8 g fat, 12 g total sugars, 0 g added sugars, 25% DV calcium.
Milk B: 0 g fat, 12 g total sugars, 0 g added sugars, 25% DV calcium.
Milk C: 5 g fat, 24 g total sugars, 12 g added sugars, 25% DV calcium.

A. Vitamin D

B. Vitamin C

C. Vitamin K only

D. Riboflavin

Answer: _____

4. (2 points) About what percentage of milk protein is casein?

Unit: What milk is made of: sugars, fats, and proteins.
Worked-case data: A 250 mL glass of whole milk weighs about 258 g. Using 3.3% protein and 4.8% lactose by mass, estimate the grams of protein and lactose.
Separate investigation observations:
Liquid A: Clear after acid is added and curds are removed.
Test of A: Contains lactose and dissolved proteins.
Solid B: White clumps that formed at pH 4.6.

A. 20%

B. 50%

C. 5%

D. 80%

Answer: _____

5. (2 points) Which milk would likely give the greatest curd mass?

Unit: Proteins and curds.
Worked-case data: Milk in a beaker has mass 245.0 g; the empty beaker is 120.8 g. After curdling and draining, the curds on a 3.2 g cheesecloth weigh 22.0 g together. Find percent curd.
Separate investigation observations:
Trial A: Whole milk, 2 mL vinegar: 15% curd.
Trial B: Skim milk, 2 mL vinegar: 11% curd.
Trial C: Whole milk, 0.2 mL vinegar: 3% curd, cloudy whey.

A. Whole milk

B. Skim milk

C. Lactose-free skim milk

D. Water

Answer: _____

6. (2 points) Which reaction gives browned, toasty flavors in heated dairy?

Unit: Processing, cooking, and preservation.
Worked-case data: A dairy heats milk to 72 °C for 15 seconds, homogenizes it, and stores it at 4 °C. Another heats to 140 °C for 3 seconds and packages it in sterile cartons. Compare the products.
Separate investigation observations:
Sample X: Raw milk left at room temperature for 2 days: sour smell, clumps.
Sample Y: HTST milk, refrigerated 2 days: fresh.
Sample Z: Unopened UHT carton at room temperature, 2 months: fresh.

A. Freezing point depression

B. The Maillard reaction

C. Esterification

D. Hydrolysis of lactose

Answer: _____

7. (2 points) Why does lactose-free milk taste sweeter?

Unit: Lactose intolerance, allergies, alternatives, and the notebook.
Worked-case data: A student plans to test how vinegar volume affects curd mass. Design one notebook experiment.
Separate investigation observations:
Person 1: Bloating after milk; fine with yogurt and lactose-free milk.
Person 2: Hives within minutes of a tiny amount of cheese.
Test: Person 2 has antibodies to casein.

A. Fat is removed

B. Protein is concentrated

C. Lactose has been split into glucose and galactose

D. Sugar is added

Answer: _____

8. (2 points) Butter is an example of which kind of emulsion?

Unit: Fats: saturation, esters, and emulsions.
Worked-case data: A team churns 150 mL of cream (mass 148 g) and collects 52 g of butter. If butter is about 80% fat, estimate the cream's fat percentage.
Separate investigation observations:
Trial 1: Cream at 4 °C: no butter after 15 minutes of shaking.
Trial 2: Cream at 13 °C: butter formed in 8 minutes.
Trial 3: Cream at 25 °C: soft, greasy butter; cloudy buttermilk.

A. Not an emulsion

B. Water-in-oil

C. Oil-in-water

D. Air-in-water

Answer: _____

9. (2 points) Faster freezing of ice cream gives:

Unit: Freezing point depression and ice cream.
Worked-case data: Estimate the freezing point of meltwater in which 2.0 mol of NaCl dissolves per kilogram of water.
Separate investigation observations:
Trial 1: Milk, 30 mL salt: soft slush, 2 cm tall.
Trial 2: Milk, 90 mL salt: firmer, 4 cm tall.
Trial 3: Cream, 90 mL salt: firm and smooth, 7 cm tall.

A. No ice crystals

B. More lactose crystals only

C. Smaller ice crystals and a smoother texture

D. Larger ice crystals

Answer: _____

10. (2 points) Fat-free milk has less than how much fat per serving?

Unit: Nutrition and food labels.
Worked-case data: A label lists 300 mg of calcium per serving and a Daily Value of 1,300 mg. A student drinks 3 servings. What percent DV is that, and is one serving “high”?
Separate investigation observations:
Milk A: 8 g fat, 12 g total sugars, 0 g added sugars, 25% DV calcium.
Milk B: 0 g fat, 12 g total sugars, 0 g added sugars, 25% DV calcium.
Milk C: 5 g fat, 24 g total sugars, 12 g added sugars, 25% DV calcium.

A. 5 g

B. 1 g

C. 3.25 g

D. 0.5 g

Answer: _____

11. (4 points) Explain why milk is called an emulsion and a colloid.

Unit: What milk is made of: sugars, fats, and proteins.
Worked-case data: A 250 mL glass of whole milk weighs about 258 g. Using 3.3% protein and 4.8% lactose by mass, estimate the grams of protein and lactose.
Separate investigation observations:
Liquid A: Clear after acid is added and curds are removed.
Test of A: Contains lactose and dissolved proteins.
Solid B: White clumps that formed at pH 4.6.

Answer: _____
_____
_____

12. (4 points) Explain how acid causes casein micelles to clump.

Unit: Proteins and curds.
Worked-case data: Milk in a beaker has mass 245.0 g; the empty beaker is 120.8 g. After curdling and draining, the curds on a 3.2 g cheesecloth weigh 22.0 g together. Find percent curd.
Separate investigation observations:
Trial A: Whole milk, 2 mL vinegar: 15% curd.
Trial B: Skim milk, 2 mL vinegar: 11% curd.
Trial C: Whole milk, 0.2 mL vinegar: 3% curd, cloudy whey.

Answer: _____
_____
_____

13. (4 points) Explain the difference between pasteurization and homogenization.

Answer: _____
_____
_____

14. (4 points) Explain the difference between lactose intolerance and a milk allergy.

Answer: _____
_____
_____

15. (4 points) Why must cream be near 13 °C for efficient churning?

Answer: _____
_____
_____

16. (4 points) Give two ways to make ice cream stand taller in the lab.

Unit: Freezing point depression and ice cream.
Worked-case data: Estimate the freezing point of meltwater in which 2.0 mol of NaCl dissolves per kilogram of water.
Separate investigation observations:
Trial 1: Milk, 30 mL salt: soft slush, 2 cm tall.
Trial 2: Milk, 90 mL salt: firmer, 4 cm tall.
Trial 3: Cream, 90 mL salt: firm and smooth, 7 cm tall.

Answer: _____
_____
_____

17. (4 points) Describe one consequence of long-term calcium deficiency.

Unit: Nutrition and food labels.
Worked-case data: A label lists 300 mg of calcium per serving and a Daily Value of 1,300 mg. A student drinks 3 servings. What percent DV is that, and is one serving “high”?
Separate investigation observations:
Milk A: 8 g fat, 12 g total sugars, 0 g added sugars, 25% DV calcium.
Milk B: 0 g fat, 12 g total sugars, 0 g added sugars, 25% DV calcium.
Milk C: 5 g fat, 24 g total sugars, 12 g added sugars, 25% DV calcium.

Answer: _____
_____
_____

18. (4 points) Compare how casein and whey proteins respond to acid.

Unit: What milk is made of: sugars, fats, and proteins.
Worked-case data: A 250 mL glass of whole milk weighs about 258 g. Using 3.3% protein and 4.8% lactose by mass, estimate the grams of protein and lactose.
Separate investigation observations:
Liquid A: Clear after acid is added and curds are removed.
Test of A: Contains lactose and dissolved proteins.
Solid B: White clumps that formed at pH 4.6.

Answer: _____
_____
_____