Answer Key

Anatomy and Physiology Div B Kenston

1/13/18

1. D
2. C
3. D
4. A
5. C
6. A
7. D
8. C
9. *21 Pulmonary vein, 22 Capillary beds, 23 Alveoli, 24 Alveolar Sac, 25 Pleural cavity
10. D
11. C
12. C
13. F
14. B
15. B
16. A
17. D
18. C
19. D,E
20. True
21. A
22. C
23. E
24. J
25. C
26. B
27. E
28. C
29. C
30. D
31. C
32. *A
33. Lupus
34. *oesophagus, gallbladder, liver, pancreas, stomach, small intestine, bowel (large intestine or colon and rectum), and anus.
35. *A,B,C
36. B,C
37. A
38. A
39. A

40. C
41. *1.gastric pit, 2.submucosa, 3.oblique layer muscularis externa of stomach, 4.circular layer muscularis externa of stomach, 5. longitudinal layer muscularis externa of stomach, 6. serosa
42. A
43. A
44. A
45. C
46. *C due to position of the heart
47. A
48. A
49. B
50. C
51. B
52. C
53. A
54. D
55. A
56. *ART-Antiretroviral Therapy, BMI-Body mass index, AIDS-Acquired immune deficiency syndrome, GERD-gastroesophageal reflux disease, COPD-Chronic obstructive pulmonary disease
57. A
58. C
59. B
60. A

Kenston Invitational - Repaired practice edition - Answer key

Division B | Anatomy And Physiology | Repair appendix

This appendix contains authored replacements and supplied written alternatives. It does not reconstruct unpublished historical material. For the listed item IDs, use this appendix instead of the archived wording and key.

ANSWER KEY - Review only after submitting.

repair-case. (2 points) Authored written substitute for unavailable source material: Low DLCO with bullae points to:

Unit: Obstructive Disease: Asthma, Bronchitis, Emphysema, COPD.
Worked-case data: Dataset A has variable wheeze, reduced expiratory ratio, and largely preserved diffusion capacity. Dataset B has persistent obstruction, increased residual volume, and reduced diffusion capacity.

A. Chronic bronchitis

B. Emphysema

C. Pneumonia

D. Asthma

Correct: B