Disease Detectives B—Phoenix Invitational 2012

Answer Key

I. The 10 steps

1	M
2	Q
3	P
4	F
5	R
6	A
7	G
8	E
9	J
10	C

II. Match study & description.

11	C
12	D
13	B
14	A
15	B
16	D
17	B
18	D

II. is tie breaker 2

III. True (T) or False (F).

19	F
20	T
21	F
22	F
23	F
24	T
25	F

IV. Match 26-37 & (from A-N) definition.

26	E
27	L
28	H
29	C
30	D
31	B
32	A
33	M
34	N
35	G
36	J
37	I

V. Mutliple choice

38.	E
39.	F
40.	C
41.	C
42.	B
43.	F
44.	C
45.	E

VI. Questions on the chart

46.	T
47.	F
48.	T
49.	F
50.	F

VII. data interpretation and calculation

51.	Ice Cream
52.	(43/(43+11))/(3/(3+18))
53.	5.6 (5.57)
54.	46*100/(46+29)
55.	61
56.	23*100/(23+14)
57.	62
58.	(43/3)/(11/18) or (43*18)/(3*11)
59.	23
60.	75

VII. is tie breaker 1

Phoenix Invitational - Repaired practice edition - Answer key

Division B | Disease Detectives | Repair appendix

This appendix contains authored replacements and supplied written alternatives. It does not reconstruct unpublished historical material. For the listed item IDs, use this appendix instead of the archived wording and key.

ANSWER KEY - Review only after submitting.

repair-case. (4 points) Authored written substitute for unavailable source material: Why not compute risk from an ordinary case-control sample fraction?

Unit: Identifying study designs.
Worked-case data: Investigators interview every attendee on a banquet roster after an outbreak and compare illness by food consumed. Identify the design.

answer: Investigators choose case/control numbers; those fractions do not represent source-population disease occurrence. (4 points).