Thermodynamics

C Division
Raisbeck Invitational
December 2, 2017

Team Number: _____

School Name: _____

Team Name: _____

Team Members: _____

_____

Thermodynamics, Written Test TEAM#: C-_____
Raisbeck Invitational, Dec 2, 2017 Student names: _____ _____

Read each question carefully. Be sure to show work, include proper units and remember to report answer with proper significant figures.

Part i. Temperature (13 POINTS)

1. _____What are the units of specific heat capacity (**1 POINT)**
   A. J/g° C
   B. J g/°C
   C. J g °C
   D. 1/J g °C

Convert the following temperatures:

2. Find Celsius equivalent of 41.2°F **(2 POINTS)**

3. Convert 36.60°C to Fahrenheit. **(2 POINTS)**

4. Convert 26°F to Kelvin. **(4 POINTS)**

5. A new temperature scale is to be used where freezing and boiling temperature of water is at -100° N and 100° N respectively. Calculate Absolute Zero in °N **(4 POINTS)**

Thermodynamics, Written Test TEAM#: C-_____

Raisbeck Invitational, Dec 2, 2017 Student names: _____ _____

ii. Thermal calculations (2 POINTS EACH = 14 POINTS):

6. _____ A 15.75 g piece of iron absorbs 1086.75 joules of heat energy, and its temperature changes from 25°C to 175°C. Calculate the specific heat capacity of iron.
   A. 0.46 J/g°C
   B. 1.65 J/g°C
   C. 2.59 J/g°C
   D. 3.39 J/g°C

7. _____A 12.5 gram piece of iron (c = 0.450 J/g°C) has an initial temperature of 1.0 x 10^2°C. When the iron loses exactly 25.0 J of energy, its final temperature is _____, and is an _____ process.
   A. -4.4 °C, exothermic
   B. -4.4 °C, endothermic
   C. 95.6 °C, exothermic
   D. 95.6 °C, endothermic

8. _____How much heat is needed to raise the temperature of 10.0 g of aluminum from 22.0°C to 55.0°C, if the specific heat of aluminum is 0.900 J/g °C?
   A. 297 J
   B. 0.003 J
   C. 297 J/g°C
   D. 0.003 J/g°C

9. _____Entropy will generally increase when
   I. A molecule is broken into two or more smaller molecules.
   II. A reaction occurs that results in an increase in the number of moles of gas.
   III. A solid changes to a liquid.
   IV. A liquid changes to a gas.

   A. I only
   B. II only
   C. III only
   D. IV only
   E. I, II, III, and IV

Predict whether condition would be spontaneous.

10. Formation of H_2O_2: $2H_2O_{(l)} + O_{2(g)} \rightarrow 2H_2O_{2(l)}$	**SPONTANEOUS**	**NOT SPONTANEOUS**
11. Formation of a salt water solution	**SPONTANEOUS**	**NOT SPONTANEOUS**
12. Formation of starch by bonding glucose molecules.	**SPONTANEOUS**	**NOT SPONTANEOUS**

Thermodynamics, Written Test TEAM#: C-_____
Raisbeck Invitational, Dec 2, 2017 Student names: _____ _____
iii. Thermodynamic laws and processes (10 POINTS)

13. _____ What condition is necessary for a process to be adiabatic?
    A. Heat enters, but doesn't leave while process occurs.
    B. Heat doesn't enter, but leaves while the process occurs.
    C. Heat enters and leaves while process occurs.
    D. No heat enters or eaves while the process occurs.

14. _____ How does the Second Law of Thermodynamics relate to the direction of heat flow?
    A. It defines that heat flow direction in a system is constant.
    B. It defines that heat flow direction is conserved.
    C. It defines that heat flow direction moves from areas with more heat to areas with less heat.
    D. It defines that heat flow direction moves from areas with less heat to areas with more heat.

15. _____ Under what circumstances can entropy decrease in a system?
    A. Only when NO work is done on a system.
    B. Only when energy is
    C. Only with work or other organized energy input
    D. Entropy can never decrease in a system.

16. _____ When work is done on a system, internal energy _____ and temperature _____.
    A. increases, increases
    B. decreases, decreases
    C. increases, decreases
    D. decreases, increases

17. _____ When air is adiabatically compressed, temperature _____. When air adiabatically expands, temperature _____.
    A. increases, increases
    B. decreases, decreases
    C. increases, decreases
    D. decreases, increases

iv. History of thermodynamics: Match each scientist to a thermodynamic contribution **(8 POINTS)**

15. _____ Sir John Leslie	a. Invented the first **commercial steam engine.**
16. _____Robert Boyle	b. Introduced the terms **Latent Heat** and **Specific Heat.**
17. _____Thomas Saveray	c. Recognized the importance of **blackbody radiation**
18. _____ Joseph Black	d. Successfully combined Charles, Boyle's and Gay-Lussac's Gas Laws.
19. _____ Emile Clapeyron	e. Connected **electrochemical cell voltage** to **thermodynamics**
20. _____ Walter Nernst	f. A gases **volume is inversely proportional to pressure** in a closed system at constant temperature.
21. _____ Steven Hawking	g. Considered the "**Father of Thermodynamics"**
22. _____ Nicholas Sadi Carnot	h. Used thermodynamics to predict behavior of **black holes**

Raisbeck Invitational - Repaired practice edition

Division C | Thermodynamics | Repair appendix

This appendix contains authored replacements and supplied written alternatives. It does not reconstruct unpublished historical material. For the listed item IDs, use this appendix instead of the archived wording and key.

Name: _____ Date: _____

repair-case. (4 points) Authored written substitute for unavailable source material: List three stages from cold ice to warm water.

Unit: Latent heat, heating curves, and calorimetry.
Worked-case data: Melt 0.10 kg ice at 0 °C using Lf=334 kJ/kg. Find energy.

Answer: _____
_____
_____