Frankenmuth Invitational - Repaired practice edition - Answer key

Division C | Water Quality | Repair appendix

This appendix contains authored replacements and supplied written alternatives. It does not reconstruct unpublished historical material. For the listed item IDs, use this appendix instead of the archived wording and key.

ANSWER KEY - Review only after submitting.

A35. (2 points) Authored replacement for source item A35: Storage change equals…

Unit: Water properties and interacting cycles.
Worked-case data: A bay receives 8 units/day and loses 6 units/day. Find storage change over three days.

A. Inputs minus outputs

B. Inputs plus outputs always

C. Only evaporation

D. Only initial volume

Correct: A

A37. (2 points) Authored replacement for source item A37: pH is…

Unit: Chemical, physical, and biological water measures.
Worked-case data: Two sites both have 6 mg/L oxygen. Are they equally saturated?

A. A salinity unit

B. A direct oxygen measure

C. Logarithmic

D. Linear concentration

Correct: C

repair-case. (4 points) Authored written substitute for unavailable source material: Name one source-control strategy.

Unit: Human impacts, treatment, and pollution management.
Worked-case data: A river concentration halves while discharge doubles. What happens to load rate?

answer: Reduce nutrient application losses or improve wastewater nutrient removal, with local validation. (4 points).