Princeton Invitational - Repaired practice edition - Answer key

Division C | Anatomy And Physiology | Repair appendix

This appendix contains authored replacements and supplied written alternatives. It does not reconstruct unpublished historical material. For the listed item IDs, use this appendix instead of the archived wording and key.

ANSWER KEY - Review only after submitting.

18. (4 points) Authored replacement for source item Question 18: Left foot infection drains via which duct to which vein?

Unit: Central Immune Organs and Lymph Flow.
Worked-case data: A small skin abrasion introduces material into tissue fluid of the left foot. Trace a plausible route toward immune surveillance and return to blood.
Separate investigation observations:
Origin: Antigen enters interstitial fluid around a skin abrasion.
Transport: Afferent lymph carries antigen-bearing cells from the tissue.
Cell encounter: Mature naive lymphocytes meet presented antigen in organized lymphoid tissue.

answer: Thoracic duct to left subclavian vein. (4 points).

33. (4 points) Authored replacement for source item Question 33: Distinguish milk allergy from intolerance in one line each.

Unit: Lactose Intolerance, Obesity, and Exercise Metabolism.
Worked-case data: A teaching model supplies 24 g lactose during transit. In one setting, 18 g can be hydrolyzed; in another, only 6 g can be hydrolyzed.

answer: Allergy: immune hives/wheeze needing avoidance; intolerance: enzymatic bloating/diarrhea managed by dose/lactase. (4 points).