

# THERMODYNAMICS

## KRAEMER-LADERA-JEFFREY TRAIL SCRIMMAGE

### NOV 4, 2017

NAME \_\_\_\_\_

SCHOOL \_\_\_\_\_

DO NOT TURN THE PAGE UNTIL YOU ARE INSTRUCTED TO DO SO.

AMBIENT TEMP \_\_\_\_\_ VOLUME \_\_\_\_\_ STARTING TEMP \_\_\_\_\_

#### Science Olympiad

#### Thermodynamics Team Checklist / Data Sheet

- ☐ 2.a. Competitors MUST bring: insulating device, 2 identical 250 mL Pyrex beakers, eye protection, plots, writing utensils
- ☐ 2.a. Competitors MAY bring: notes, parts/supplies, calcs
- ☐ 2.a. All reference materials secured in a 3-ring binder
- ☐ 2.d. The team's device, parts and any supplies must be impounded before the event starts.
- ☐ 2.d. Eye protection does not need to be impounded.
- ☐ 2.e. Competitors must wear eye protection during set up and loading devices with water.
- ☐ 3. Device fits in 20.0 x 20.0 x 20.0 cm cube
- ☐ 3.a. Only allowed materials used in device
- ☐ 3.c. Device can accommodate 250mL beaker
- ☐ 3.d. Device has hole  $\geq 1.5$ cm diameter,  $< 12$  cm above beaker
- ☐ 3.e. Device has no energy sources
- ☐ 3.f. Device is not significantly different from room temp

Team #: \_\_\_\_\_

Team Name: \_\_\_\_\_

Competitor Names: \_\_\_\_\_

#### Device Testing Data

|                                |       |
|--------------------------------|-------|
| Predicted Internal Beaker Temp | _____ |
| Final Internal Beaker Temp     | _____ |
| Final External Beaker Temp     | _____ |
| Ice Water Added (ml)           | _____ |

### Multiple Choice

Identify the choice that best completes the statement or answers the question. Put answers on the answer sheet. (1/2 point each)

Write the letter that best answers the question or completes the statement on the line provided.

- \_\_\_\_ 1. From his observations of cannon drilling, Count Rumford concluded that heat could NOT be a form of
- a. kinetic energy.
  - b. potential energy.
  - c. matter.
  - d. radiation.
- \_\_\_\_ 2. As the temperature of an object rises, so does the
- a. kinetic energy of the object.
  - b. mass of the object.
  - c. thermal energy of the object.
  - d. potential energy of the object.
- \_\_\_\_ 3. Thermal energy depends on an object's
- a. mass.
  - b. phase (solid, liquid, or gas).
  - c. temperature.
  - d. all of the above





Figure 16-1

- \_\_\_\_ 4. The vacuum inside the thermos bottle shown in Figure 16-1 stops which type of thermal energy transfer to keep the liquid hot?
- a. convection
  - b. conduction
  - c. radiation
  - d. both a and b

- \_\_\_\_ 5. According to the first law of thermodynamics, the amount of work done by a heat engine equals the amount of
- a. work done on the engine.
  - b. waste heat it produces.
  - c. thermal energy added to the engine minus the waste heat.
  - d. thermal energy added to the engine plus the waste heat.
- \_\_\_\_ 6. Disorder in the universe increases because
- a. spontaneous changes produce more order in a system.
  - b. work produces disorder in a system.
  - c. work produces waste heat, which leaves a system.
  - d. all of the above
- \_\_\_\_ 7. What property of an object is related to the average kinetic energy of the particles in that object?
- a. specific heat
  - b. mass
  - c. conductivity
  - d. temperature
- \_\_\_\_ 8. To which of the following does the first law of thermodynamics apply?
- a. heating objects
  - b. transferring thermal energy
  - c. doing work on a system
  - d. all of the above
- \_\_\_\_ 9. The second law of thermodynamics states that thermal energy can flow from colder objects to hotter objects
- a. by convection.
  - b. only if work is done on the system.
  - c. spontaneously.
  - d. when thermal expansion takes place.
- \_\_\_\_ 10. Which of the following happens in a steam engine?
- a. Fuel is burned outside the engine
  - b. Heat is converted into work
  - c. Hot steam pushes a piston
  - d. all of the above
- \_\_\_\_ 11. A fluid that vaporizes and condenses inside the tubing of a heat pump is called the
- a. compressor.
  - b. fuel.
  - c. refrigerant.
  - d. condenser.

12. In the figure, which process is no work done on or by the gas?

- a) AB
- b) BC
- c) CD
- d) DA
- e) AB and CD
- f) BC and DA



13. In the figure, which process is work done by the gas?

- a) AB
- b) BC
- c) CD
- d) DA
- e) AB and CD
- f) BC and DA

14. In the figure, for which process is the greatest amount of work performed (either on the gas or by the gas)?

- a) AB
- b) BC
- c) CD
- d) DA
- e) AB and CD
- f) BC and DA

15. If 4 J of heat is added during process AB, and 2 J of heat is removed during process CD, what is the net work performed by a single cycle ABCDA?

- a) 2 J of work output from the cycle
- b) 2 J of work input to the cycle
- c) 4 J of work output from the cycle
- d) 4 J of work input to the cycle

16. Two gas-filled rubber balloons that have equal volumes are located at the bottom of a dark, cold lake. The temperature of the water decreases with increasing depth. One balloon rises rapidly and expands adiabatically as it rises. The other balloon rises more slowly and expands isothermally. The pressure in each balloon remains equal to the pressure in the water just next to the balloon. Which balloon has the larger volume when it reaches the surface of the lake?

- |                                           |                                              |
|-------------------------------------------|----------------------------------------------|
| a. The balloon that expands adiabatically | c. Both balloons have the same volume        |
| b. The balloon that expands isothermally  | d. There is not enough information to answer |

17-18. What is the average kinetic energy of a gas molecule at 20.0 degrees C ?

$$k = 1.38 \times 10^{-23}$$

19-20. "Room temperature" is generally defined to be 25 degrees C . (a) What is room temperature in F ? (b) What is it in K?

21-23. A 0.500 kg aluminum pan on a stove is used to heat 0.250 liters of water from 20.0 degrees C to 80.0 degrees C . How much heat is required?

$$c(\text{water}) = 4186 \text{ J/kg C}$$

$$c(\text{aluminum}) = 900 \text{ J/kg C}$$

24-25. (a) Suppose there is heat transfer of 40.00 J to a system, while the system does 10.00 J of work. Later, there is heat transfer of 25.00 J out of the system while 4.00 J of work is done on the system. What is the net change in internal energy of the system?

(b) What is the change in internal energy of a system when a total of 150.00 J of heat transfer occurs out of (from) the system and 159.00 J of work is done on the system?