

Configure the Arduino Integrated Development Environment (IDE)


Table

1. Install the Arduino Software (IDE).....	1
2. Install the CH340 driver.....	6
Method 1.....	7
Method 2.....	10

1. Install the Arduino Software (IDE)

The Arduino IDE contains a text editor for writing code, a message area, a text console, a toolbar with buttons for common functions and a series of menus. It connects to the Arduino hardware to upload programs and communicate with them. It is a cross-platform application for Microsoft Windows, macOS, and Linux.

You can visit this link: <https://www.arduino.cc> to install the latest Arduino software (IDE)



Click the menu bar [SOFTWARE](#) on the home page to enter the download interface. Then select and download the corresponding installer according to your operating system.

This document explains how to install the Arduino Software (IDE) on [Windows](#) machines. There are three Windows installation version options in the "DOWNLOAD OPTIONS" of the "SOFTWARE" interface.

Windows Win 10 and newer, 64 bits


Support Win10 and newer 64 bits windows system

Windows MSI installer

Arduino IDE Windows Installer (.exe)

Windows ZIP file

Arduino IDE Windows Zip package(Free installation)



We take the Arduino IDE Windows Zip package(Free installation) as an example, to explain how to use the Arduino Software (IDE) on Windows

Downloads



Arduino IDE 2.1.1

The new major release of the Arduino IDE is faster and even more powerful! In addition to a more modern editor and a more responsive interface it features autocompletion, code navigation, and even a live debugger.

For more details, please refer to the [Arduino IDE 2.0 documentation](#).

DOWNLOAD OPTIONS

Windows Win 10 and newer, 64 bits
Windows MSI installer
Windows ZIP file click to download

Linux AppImage 64 bits (X86-64)
Linux ZIP file 64 bits (X86-64)


macOS Intel, 10.14: "Mojave" or newer, 64 bits
macOS Apple Silicon, 11: "Big Sur" or newer, 64 bits

[Release Notes](#)

Click to download [Windows Zip file](#)


After the download is complete, you will get the compressed package of Arduino IDE 2.1.1.

Unzip it into a folder, open the folder, and double-click the "Arduino IDE" application inside.




For Windows users, a dialog box prompting "[Do you want to install the driver](#)" may pop up during the first run of the IDE software. If it pops up, please allow it to make the driver to be installed.


After the driver installation is complete, a shortcut to the Arduino IDE will be generated on the desktop. Double-click the shortcut to run the Arduino software.



When you run the software for the first time, Arduino will prompt to upgrade the libraries and boards, please click "[INSTALL ALL](#)".



After the libraries and boards are upgraded, the interface of the Arduino software is as follows:



Programs written using Arduino Software (IDE) are called sketches. These sketches are written in the text editor and are saved with the file extension .ino. The editor has features for cutting/pasting and for searching/replacing text. The message area gives feedback while saving and exporting and also displays errors. The console displays text output by the Arduino Software (IDE), including complete error messages and other information. The bottom righthand corner of the window displays the configured board and serial port. The toolbar buttons allow you to verify and upload programs, create, open, and save sketches, and open the serial monitor.



Verify

Checks your code for errors compiling it.



Upload

Compiles your code and uploads it to the configured board. See uploading below for details.



Debug

Check for errors in the code (only for some Arduino development boards)



Boards Manager

You can quickly find the development board you need and install the corresponding package.



Library Manager

You can quickly query the library you need, and then choose whether to install it or upgrade it according to your needs.



Serial Monitor

Opens the serial monitor.

Additional commands are found within the five menus: File, Edit, Sketch, Tools, Help. The menus are context sensitive, which means only those items relevant to the work currently being carried out are available.


2. Install the CH340 driver

Most computers have built-in driver or they can install the driver automatically when you first connect the control board of 4wd car to computer. If your computer cannot recognize the control board, please follow this document to install the driver.


Installing CH340 Driver on Windows

Check if the driver is installed

1. Connect your computer and control board of the car with a USB cable.
2. Go to desktop of your computer, select “This PC” and right-click to select “Manage” .




3. Click “Device Manager”. If your computer has installed the CH340 drive, you can see “USB-SERIAL CH340 (COMx)” in the device manager. This means you don't need to install the driver yourself.




Installing Driver

Method 1


1.If your computer fails to automatically install the CH340 driver, you will not see the your device in the device manager, but "USB Serial" with an exclamation point.




2.Click “USB Serial” and right-click to select “Update driver”.




3. Click "Search automatically for updated driver software".




4. Wait for CH340 to finish installation.



5. When you see the following interface, it indicates that CH340 driver has been installed to your computer. You can close this window.



6. If CH340 driver has been installed to your computer, when the control board is connected to your computer, you will see your device name and port number.



Method 2

1. First, you need to download CH340 driver,
2. click <http://www.wch-ic.com/search?q=CH340&t=downloads> to download the appropriate one based on your operating system.
3. The following figure marks the corresponding drivers for Windows, Linux and Mac computer systems.

Application (1)		SIR	
Video (1)		Driver&Tools	
News (0)		Windows	
		CH341SER.EXE	CH340/CH341 USB to serial port One-Key installation VCP vendor driver for Windows, supports Windows 11/10/8.1/8/7/VISTA/XP/2000/98 3.8
		CH341SER.ZIP	CH340/CH341 USB to serial port Windows driver, supports Windows XP/Vista/7/8/8.1/10/11/ SERVER 2003/2008/2012/2016/2019/2022 -32/64bit, Microsoft WHQL Certified, supports USB to 3-line and 9-line serial port. 3.8
		COMTransmit.ZIP	Serial port debug software for Windows. Integrates UART functions and various common tools, supports multi-serial port communication, UART intercommunication test, file sending and receiving, input and display of string and hexadecimal data, debug of module frame format etc. 1.4
		CH34XSER_MAC.ZL...	For CH340/CH341/CH342/CH343/CH344/CH347/CH9101/CH9102/CH9103/CH9104/CH9143, USB to serial port VCP vendor driver of macOS 1.8
		CH341SER_ANDROID...	USB to serial port Android driver-free installation driver, application library and demos, supports CH340/CH341/CH342/CH343/CH344/CH347/CH9101/CH9102/CH9103/CH9104/CH9143, for Android OS 4.4 and above in USB Host mode, without loading Android kernel driver and without root access operation. Includes apk installer, lib library file (Java Driver), App Demo (USB to UART Demo Project SDK) 1.7
		LINUX	
		CH341SER_LINUX...	Linux driver for USB to serial port, supports CH340 and CH341, supports 32/64-bit operating systems. 1.6
		MAC	
		CH341SER_MAC.ZL...	For CH340/CH341/CH342/CH343/CH344/CH347/CH9101/CH9102/CH9103/CH9104/CH9143, USB to serial port VCP vendor driver of macOS 1.8


You can also find the installation package in “CH340 Driver” folder.




1. Open the folder “Windows”----“CH341SER”.

DRVSETUP64	2023/7/22 13:43
WIN 1X	2023/7/22 13:43
CH341M64.SYS	2023/3/15 0:19
CH341PORTS.DLL	2023/3/15 0:19
CH341PORTSA64.DLL	2023/3/15 0:20
CH341PT.DLL	2023/3/15 0:20
CH341PTA64.DLL	2023/3/15 0:20
CH341S64.SYS	2023/3/15 0:20
CH341S98.SYS	2023/3/15 0:20
CH341SER	2023/3/15 0:20
CH341SER	2023/3/15 0:12
CH341SER.SYS	2023/3/15 0:20
CH341SER.VXD	2023/3/15 0:12
SETUP	2021/10/12 18:10


2. Double click “[SETUP](#)”.




3. Click “[INSTALL](#)” and wait for the installation to complete.



4. Install successfully. Close all windows.



5. When control board is connected to computer, select “This PC”, right-click to select “Manage” and click “Device Manager” in the newly pop-up dialog box, and you can see your device name and port number.



6. So far, CH340 driver has been installed successfully. You can close all dialog boxes.

Any questions and suggestions are welcome

Thank you for reading this document!

If you find any errors and omissions in the tutorial, or if you have any suggestions and questions, please feel free to contact us at:

cokoino@outlook.com

We will do our best to make changes and publish revisions as soon as possible.

If you want to learn more about smart cars, robots, learning kits and other technology products from us, please bookmark and pay attention to our website:

<http://cokoino.com/>

We will continue to launch interesting, cost-effective, innovative, user-friendly products.

LK COKOINO