```
Here is your **MCQ format without answers**:
### **Application Development Using Flutter and Dart - A894**
**1. Using \_\_\_\_\_\_\_ class, it is possible to determine the maxHeight
and maxWidth of the Widget. **
* a) Route
* b) Navigator
* c) LayoutBuilder
* d) ChangeNotifier
**2. \_\_\_\_\_\_\ widgets are those which allow only one widget as
their child.**
* a) SingleChildLayout
* b) CustomSingleChildLayout
* c) SingleMultipleLayout
* d) CustomMultipleChildLayout
**3. Which of the following is not an example of an asynchronous function?**
* a) Google search
* b) Fetching data from a database
* c) Uploading files from a device
* d) Adding two numbers
**4. \_\_\_\_\_\_\_ is a type available in Flutter through which one can
process the data.**
* a) Context
* b) Snapshot
* c) Future
* d) ConnectionStates
**5. What are the SQLite-related data types of Dart `num` and `Uint8List`?**
* a) BLOB and REAL
* b) REAL and BLOB
* c) INTEGER and REAL
* d) INTEGER and TEXT
**6. Which of the following is responsible for establishing connections between
the Firebase project and Flutter app?**
* a) firebase\_coreauth
* b) firebase\_core
* c) firebase\_auth
* d) All of these
```

- - -

```
firebase\_auth packages in pubspec.yaml?**
* a) dependencies: flutter: sdk: flutter cupertino\_icons: ^1.0.2
firebase\ core: ^1.20.0
* b) dependencies: flutter: sdk: flutter cupertino\_icons: ^1.0.2
firebase\_core: ^1.20.0 firebase\_auth: ^3.6.2
* c) dependencies: flutter: sdk: flutter cupertino\_icons: ^1.0.2
firebase\_authcore: ^1.20.0 and ^3.6.2
* d) None of these
- - -
**8. To maintain the authentication state in the application, Firebase offers
null if no user is logged in. **
* a) firebaseAuth
* b) currentUser.reload()
* c) authStateChanges()
* d) currentUser
**9. Which of the following are the features of StreamBuilder?**
* a) It will rebuild the UI whenever the data changes till the connection is
active.
* b) It is for fetching data more than once. Like listening to a data change.
* c) The main keywords are Future, async
**10. Arrange the following steps to enable Firebase authentication in the
correct sequence.**
a) How this feature can be used in the Flutter app is displayed.
b) Go to the project in the Firebase console.
c) Under build, click "authentication".
d) Click the sign-in methods tab and enable the Email/Password sign-in method.
* a) b, c, a, and d
* b) a, b, c, and d
* c) a, c, b, and d
* d) b, c, d, and a
**11. Arrange the following steps involved in utilizing REST APIs with Flutter
in the correct sequence.**
a) Send an HTTP request and receive a response.
b) Adding dependency.
c) Get the API URLs and Endpoint.
d) Map the reply to a custom model class.
* a) b, c, a, and d
* b) a, b, c, and d
* c) a, c, b, and d
* d) b, c, d, and a
```

**12. Which of the following is the modal route that replaces the entire screen

with platform-adaptive transition?**

**7. Which of the following is the correct code to add both firebase_core and

* a) Navigator.push()* b) MaterialPageRoute* c) Navigator.pop()* d) None of these
13. To create custom controllers, users can use the ________\class.
* a) Route* b) Navigator* c) MyHomePage* d) ChangeNotifier
14. The MaterialApp in main.dart has an argument called _____\ where developers can specify the theme for the whole app.
<pre>* a) style * b) custom * c) theme * d) default</pre>
15. Which of the following can be styled using the TextStyle method?
 * a) Container * b) Text * c) RaisedButton * d) None of these