Holmes 2025 — Chapter 2: The Watchman's Residue

AI Chatbot Manipulation & Remote Access Investigation

Scenario

With help from D.I. Lestrade, Holmes acquires logs from a compromised MSP connected to the city's financial core. The MSP's AI helpdesk bot looks to have been manipulated into leaking remote access keys — an old trick of Moriarty's. Your task is to investigate the attack chain and uncover the adversary's activities.

Task 1: Attacker IP Address

- Question: What was the IP address of the decommissioned machine used by the attacker to start a chat session with MSP-HELPDESK-AI?
- Answer: `10.0.69.45`

Methodology

We filtered network traffic for anything going to the chatbot (port 1337):

```
http.host contains "msp-helpdesk-ai" && tcp.port == 1337 &&
ip.dst == 172.18.0.2
```

Address A	Address B	Packets
10.0.69.45	172.18.0.2	45
10.32.43.31	172.18.0.2	28

Figure 1: Conversation Statistics — Suspicious IPs

Two suspicious IPs were identified. To determine which one was the attacker, we reconstructed the full chat conversation using a custom script that combined:

- **POST requests:** To map which IP sent which message.
- **GET responses:** To retrieve the full chronological chat history.

```
============================================================
==============  IP addr: 10.0.69.45  =================
============================================================

[2025-08-19T11:53:40.960Z] [USER]
   -> Hello Old Friend

[2025-08-19T11:53:42.674Z] [AI BOT]
   <- Hello! It's great to hear from you! How can I ass
ist you today? Whether you have questions about IT issu
es, account support, or anything else, I'm here to help
. Just let me know what's on your mind!
```

Figure 2: Full Chat Conversation — Attacker Identified (10.0.69.45)

Task 2: Decommissioned Machine Hostname

- **Question:** What was the hostname of the decommissioned machine?
- **Answer:** `WATSON-ALPHA-2`

Methodology

Decommissioned Windows machines broadcast their hostnames via NetBIOS (NBNS). We filtered for NBNS traffic originating from the attacker's IP address (`10.0.69.45`):




Figure 3: NetBIOS Name Service — Hostname Discovery

Conclusion

The decommissioned machine's hostname was `WATSON-ALPHA-2`.

Task 3: First Message

Question: What was the first message the attacker sent to the AI chatbot?
Answer: `Hello Old Friend`

Methodology

From the reconstructed chat conversation (Figure 2), the attacker's first message was: `Hello Old Friend`.

Task 4-5: RMM Credentials Leak

- Task 4: When did the attacker's prompt injection attack make MSP-HELPDESK-AI leak remote management tool info?
Answer: `2025-08-19 12:02:06`

- Task 5: What is the Remote management tool Device ID and password?
Answer: `565 963 039:CogWork_Central_97&65`

Methodology

The attacker used prompt injection to trick the AI into revealing sensitive information:




Figure 4: Prompt Injection — RMM Credentials Leaked

Conclusion

- Leak timestamp: `2025-08-19 12:02:06`
- Credentials: `565963039:CogWork_Central_97&65`

Task 6: Last Message

Question: What was the last message the attacker sent to MSP-HELPDESK-AI?
Answer: `JM WILL BE BACK`

Methodology

From the reconstructed chat conversation, the attacker's final message was:
`JM WILL BE BACK`.

Task 7-8: TeamViewer Access

- Task 7: When did the attacker remotely access Cogwork Central Workstation?
Answer: `2025-08-20 09:58:25`

- Task 8: What was the RMM Account name used by the attacker?
Answer: `James Moriarty`

Methodology

We examined the TeamViewer incoming connections log:




Figure 5: TeamViewer Connections Incoming Log

Conclusion

- Access time: `2025-08-20 09:58:25`
- Account name: `James Moriarty`

Task 9: Internal IP Address

- Question: What was the machine's internal IP address from which the attacker connected?
- Answer: `192.168.69.213`

Methodology

We searched the TeamViewer log file for IP addresses after the connection time:




Figure 6: TeamViewer Log — Internal IP

Conclusion

The attacker's internal IP was `192.168.69.213`.

Task 10: Tools Staging Path

- Question: The attacker brought some tools to the compromised workstation to achieve its objectives. Under which path were these tools staged?
- Answer: `C:\Windows\Temp\safe\`

Methodology

We searched the TeamViewer log for file write operations:

```
Write file C:\PATCH PUSHOVER\ANTI-WATSON PATCH 58.3.4.rar
Write file C:\Windows\Temp\safe\credhistview.zip
Write file C:\Windows\Temp\safe\Everything-1.4.1.1028.x86.zip
Write file C:\Windows\Temp\safe\JM.exe
Write file C:\Windows\Temp\safe\mimikatz.exe
Write file C:\Windows\Temp\safe\webbrowserpassview.zip
```

Figure 7: TeamViewer Log — File Write Operations

Conclusion

The tools were staged at `C:\Windows\Temp\safe\`.

Task 11: Browser Credential Tool Runtime

Question: The attacker staged a browser credential harvesting tool on the compromised system. How long did this tool run before it was terminated? (Provide your answer in milliseconds, rounded to the nearest thousand)
Answer: `8000`

Methodology

We analyzed the UserAssist registry key to determine application runtime:

`NTUSER.DAT → Software\Microsoft\Windows\CurrentVersion\Explorer\UserAssist`




Figure 8: UserAssist — Browser Credential Tool

The tool ran for `8000` milliseconds.

Task 12: Mimikatz Execution Time

- Question: The attacker executed a OS Credential dumping tool on the system. When was the tool executed?
- Answer: `2025-08-20 10:07:08`

Methodology

We analyzed the USN Journal (`$J`) for file creation events:

```
.\MFTECmd.exe -f '$J' --csv output
```

Then analyze it with Timeline Explorer

Update Timestamp	Name	Update Reasons
=		
2025-08-20 10:02:50	mimikatz.exe	FileCreate
2025-08-20 10:02:50	mimikatz.exe	FileCreate|BasicInfoChange
2025-08-20 10:02:50	mimikatz.exe	DataExtend|FileCreate|BasicInfoChang
2025-08-20 10:02:50	mimikatz.exe	DataOverwrite|DataExtend|FileCreate|
2025-08-20 10:02:50	mimikatz.exe	DataOverwrite|DataExtend|FileCreate|
2025-08-20 10:07:08	MIMIKATZ.EXE-A6294E76.pf	FileCreate
2025-08-20 10:07:08	MIMIKATZ.EXE-A6294E76.pf	DataExtend|FileCreate
2025-08-20 10:07:08	MIMIKATZ.EXE-A6294E76.pf	DataExtend|FileCreate|Close

Figure 9: USN Journal — Mimikatz Execution

Conclusion

Mimikatz was executed at `2025-08-20 10:07:08`.

Task 13: Exfiltration Start Time

Question: The attacker exfiltrated multiple sensitive files. When did the exfiltration start? (UTC)
Answer: `2025-08-20 10:12:07`

Methodology

We searched the TeamViewer log for file send operations:

```
 grep -i "send file" "./TRIAGE_IMAGE_COGWORK-CENTRAL/C/Program Files/TeamViewer/TeamView
er15_Logfile.log"
2025/08/20 11:12:07.902  1052       5128 G1   Send file C:\Windows\Temp\flyover\COG-HR-E
MPLOYEES.pdf
2025/08/20 11:12:07.985  1052       5128 G1   Send file C:\Windows\Temp\flyover\COG-SAT
LAUNCH.pdf
2025/08/20 11:12:08.002  1052       5128 G1   Send file C:\Windows\Temp\flyover\COG-WATS
ON-ALPHA-CODEBASE SUMMARY.pdf
```

Figure 10: TeamViewer Log — File Send Operations

Exfiltration started at `2025-08-20 10:12:07 UTC`.

Task 14: Heisen-9 Backup Move Time

- Question: Before exfiltration, several files were moved to the staged folder. When was the Heisen-9 facility backup database moved to the staged folder for exfiltration? (YYYY-MM-DD HH:MM:SS)
- Answer: `2025-08-20 10:11:09`

Methodology

We continued analyzing the USN Journal for the specific file:

Update Timestamp	Name	Update Reasons
2025-08-20 10:10:04	Heisen-9 remote snapshot.kdbx	ObjectIdChange
2025-08-20 10:10:04	Heisen-9 remote snapshot.kdbx	ObjectIdChange|Close
2025-08-20 10:10:04	Heisen-9 remote snapshot.kdbx.…	FileCreate
2025-08-20 10:10:04	Heisen-9 remote snapshot.kdbx.…	DataExtend|FileCreate
2025-08-20 10:10:04	Heisen-9 remote snapshot.kdbx.…	DataExtend|FileCreate|Close
2025-08-20 10:11:09	Heisen-9 remote snapshot.kdbx	FileCreate
2025-08-20 10:11:09	Heisen-9 remote snapshot.kdbx	FileCreate|Close
2025-08-20 10:11:09	Heisen-9 remote snapshot.kdbx	DataExtend
2025-08-20 10:11:09	Heisen-9 remote snapshot.kdbx	DataOverwrite|DataExtend
2025-08-20 10:11:09	Heisen-9 remote snapshot.kdbx	DataOverwrite|DataExtend|BasicInfoChange
2025-08-20 10:11:09	Heisen-9 remote snapshot.kdbx	DataOverwrite|DataExtend|BasicInfoChange|Close

Figure 11: USN Journal — Heisen-9 File Move

Conclusion

The Heisen-9 backup database was moved at `2025-08-20 10:11:09`.

Task 15: Dump.txt Access Time

- Question: When did the attacker access and read a txt file, which was probably the output of one of the tools they brought, due to the naming convention of the file? (YYYY-MM-DD HH:MM:SS)
- Answer: `2025-08-20 10:08:06`

Methodology

We searched the USN Journal for `.txt` extension:

Update Timestamp ▲	Name	Update Reasons
2025-08-20 10:07:23	dump.txt	FileCreate
2025-08-20 10:07:23	dump.txt	DataExtend|FileCreate
2025-08-20 10:08:06	dump.txt	DataExtend|FileCreate|Close
2025-08-20 10:08:14	dump.txt	ObjectIdChange
2025-08-20 10:08:14	dump.txt	ObjectIdChange|Close

Figure 12: USN Journal — dump.txt Access

Task 16-17: Persistence Mechanism

- Task 16: When was the persistence setup? (YYYY-MM-DD HH:MM:SS)
Answer: `2025-08-20 10:13:57`

- Task 17: What is the MITRE ID of the persistence subtechnique?
Answer: `T1547.004`

Methodology

We examined the SOFTWARE hive for Winlogon modifications:

`SOFTWARE\Microsoft\Windows NT\CurrentVersion\Winlogon`




Figure 13: Winlogon — Persistence Setup

The `Userinit` value, which normally points only to `Userinit.exe`, had been modified to include `JM.exe`.

Conclusion

- Persistence setup time: `2025-08-20 10:13:57`
- MITRE ID: `T1547.004` — Boot or Logon Autostart Execution: Winlogon Helper DLL

Task 18: RMM Session End Time

Question: When did the malicious RMM session end?
Answer: `2025-08-20 10:14:27`

Methodology

From the TeamViewer `Connections_incoming.txt` file (Figure 5), the malicious RMM session ended at `2025-08-20 10:14:27`.

Task 19: Lateral Movement Credentials

- Question: The attacker found a password from exfiltrated files, allowing him to move laterally further into CogWork-1 infrastructure. What are the credentials for Heisen-9-WS-6?
- Answer: `Werni:Quantum1!`

Methodology

The attacker exfiltrated a KeePass database (`acquired file (critical).kdbx`). We extracted the hash and cracked it using John the Ripper with the rockyou.txt wordlist:

```
keepass2john "acquired file (critical).kdbx" > hash.txt
john --wordlist=rockyou.txt hash.txt
```




Figure 14: KeePass — Credentials Extracted

The password for the database was `cutiepie14`. We then extracted the credentials for Heisen-9-WS-6:




Figure 15: KeePass — Credentials Extracted

Conclusion

- Database password: `cutiepie14`
- Heisen-9-WS-6 credentials: `Werni : Quantum1!`

Attack Chain & Conclusion

The investigation successfully reconstructed the complete attack chain:

1. **Initial Access:** Attacker (`10.0.69.45`) initiated a chat session with `MSP-HELPDESK-AI` from decommissioned machine `WATSON-ALPHA-2`.
2. **Social Engineering:** Attacker sent `Hello Old Friend` as the first message to establish rapport with the AI chatbot.
3. **Prompt Injection:** Attacker manipulated the AI into leaking RMM credentials (`565963039:CogWork_Ce` at `12:02:06`.
4. **Remote Access:** Using the leaked credentials, attacker connected via TeamViewer as `James Moriarty` at `09:58:25` from internal IP `192.168.69.213`.
5. **Tool Staging:** Attacker staged tools in `C:\Windows\Temp\safe\`:
   - `webbrowserpassview.zip` — Browser credential harvesting (ran for 8000ms)
   - `mimikatz.exe` — OS credential dumping (executed at 10:07:08)
   - `JM.exe` — Persistence mechanism
6. **Data Staging:** Attacker moved files to `C:\Windows\Temp\flyover\`:
   - `Heisen-9 remote snapshot.kdbx` (moved at 10:11:09)
   - `dump.txt` (accessed at 10:08:06)
7. **Exfiltration:** Attacker exfiltrated multiple sensitive files at `10:12:07`.
8. **Persistence:** Attacker modified `Userinit` registry to execute `JM.exe` at logon (`T1547.004`).
9. **Lateral Movement:** Attacker cracked the exfiltrated KeePass database (`cutiepie14`) and obtained credentials for `Heisen-9-WS-6` (`Werni:Quantum1!`).
10. **Session End:** RMM session terminated at `10:14:27`.

The investigation demonstrated the effective use of:

- **HTTP Traffic Analysis:** AI chatbot conversation reconstruction
- **NetBIOS Analysis:** Hostname discovery
- **TeamViewer Logs:** Remote access timeline
- **USN Journal:** File system activity tracking
- **Registry Analysis:** Persistence mechanism identification
- **Password Cracking:** KeePass database extraction