



DRAFT PAKISTAN NAVY SPECIFICATION yy/2025
PROMULGATION DATE: SEPTEMBER 2025

SOFT CHEST RANKS FOR **CAMOUFLAGE DRESS 4**

This document is the property of the Pakistan Navy and its use is authorized for personnel in the course of their Inspection, Quality Assurance, Stowage, and Issuance and on need to know basis. The unofficial retention or destruction of this document is an offence.

Prepared by:

Indigenous Technical Development Wing (ITD-WING)
Naval Research & Development Institute (NRDI)
at NSSD Area, West Wharf Road
KARACHI

Tel: 021-48508411-9256

Fax: 021-9921476

Email: ditd-s@paknavy.gov.pk
did@paknavy.gov.pk

PROMULGATION ORDER

1. This specification is hereby approved and promulgated for information, guidance and compliance by the relevant person.
2. The details contained in the specification are to be studied, interpreted and implemented with due regards to the interest of the Service.

SUGGESTIONS FOR AMENDMENT

1. The specification has been prepared to bring the test methods and procedures in line with up-to-date PN requirements and facilities held in Pakistan. CINS may request to amend any test requirement/ test procedure in light of the experience emanating from its inspection history, through the feedback form placed at Annex F. However, such an alteration will be effective when the amendment is promulgated by this Directorate, and will be effective on the contracts which materialize after the promulgation date of respective amendment.

<u>CONTENTS</u>	
<u>DESCRIPTION</u>	<u>PAGE NO</u>
Promulgation Order	ii
Suggestions for Amendment	ii
Table of content	iii
Record of Changes / Amendements	iv
<u>Details</u>	
	1
Designation	1
Usage	1
Introduction	2
Scope	2
Related Documents	3
Definitions & Abbreviations	3
Technical Details	3
Technical Drawing	3
Quality of Workmanship and finishing	3
Testing	3
Batch/ Lot Size And No of Sample	3
Tender Sample	4
Advance Sample	4
Inspection	5
Stamping of Accepted/ Rejected Stores by Inspector	6
Packing details	6
Identification Label	6
Packing List	6
Marking of Stores	7
Delivery	
<u>Annexes:</u>	
A. Definitions & Abbreviations	8
B. Technical Details	9
C. Technical Drawing Soft Chest Ranks	11
D. Guideline for Inspection – General Defects	20
E. Acceptable Quality Levels (AQLs)	22
F. Feedback Form	24
Blank page	25

PN SPECIFICATION yy/2025
SOFT CHEST RANK FOR CAMOUFLAGE-DRESS 4

0101. DESIGNATION

1. Soft Chest Ranks.

0102. USAGE

1. Velcro Based Chest Badges/ Ranks on Dress No 4 are to be worn by Officers, of all branches, wherein, practice of wearing shoulder ranks will be discontinued.
2. Method of wearing of Collar Stars and Chest Ranks on Dress No 4 are as under:
 - a. **Stars on Collar.** Cdre and above Ranks to wear five pointed black colour metallic stars parallel to outer edges of the collar affixed at center in a manner that tip of star is just touching the seam of collar fall.
 - b. **Velcro Based Chest Badges/ Ranks.** Embroidered in black colour on respective camouflage base cloth patch having black border are to be worn on Bush Jacket of Dress No 4 in a manner that upper portion of rank tab is parallel to upper edges of chest pockets attached by means of Velcro.
 - (1) These Soft Chest Rank are to be worn on Dress 4 by PN Officers of General Service, Pak Marines and SSG(N).
 - (2) Medical branch and Dental Officers are to be worn Soft Ranks embroidered in Black on light grey (base fabric) with Scarlet and Orange color distinction cloth fillings with interval between stripe and rows, respectively.
 - (3) Medical services are to be worn on Dress 4 Soft Ranks embroidered in Black on light grey cloth with Salmon pink color distinction cloth filling the intervals between stripes/rows.
 - (4) Nursing Officers (AFNS) are to be worn Soft Ranks embroidered in Black on Light Grey cloth with Maroon color distinction cloth filling the intervals between stripes/rows. A.F.N.S embroidered black at outer end.

0103. INTRODUCTION

1. This specification is prepared by Indigenous Technical Development Wing (ITD-South), (NRDI) to provide necessary guidance to the potential manufacturers/ suppliers of the items mentioned herein. This specification is to be used for testing and deciding upon acceptance, or otherwise, of the items mentioned. Any alteration or addition in this specification can be suggested to ITD Wing (NRDI). This specification supersedes and

PN SPECIFICATION NO yy/2022 0106. DE
replace PN Specification No PN/Specification/05/2014 dated 30 October 2014 and other specifications promulgated earlier in relation to the item mentioned herein.

2. This specification consists **29 pages**, including cover page and **06 Annexes**.

0104. SCOPE

1. This specification covers the technical/ manufacturing requirements of Soft Chest rank are to be used by Officers of Pakistan Navy. It defines and lays down the quality, standards, and details of materials, workmanship and finish. It also defines briefly procedure of sampling, testing, inspection acceptance/rejection, marking, preservation, packing and delivery etc.
2. The supplier/ manufacturer shall comply in every respect with the terms of this specification and ensure that the stores conform to it, in all respects.

0105. RELATED DOCUMENTS

1. The latest standards documents that have been referred to in this specification are:

a.	AATCC-20A	Material Identifications
b.	ISO - 7211/5	Determination of linear density of yarn removed from fabric
c.	ISO 7211/2	Determination of number of Threads per unit Length
d.	ISO 7211/1	Determination of Weave pattern
e.	ISO 3801	Determination of Mass per unit Length and Mass per unit Area
f.	BS EN 5077	Determination for dimensional change of fabric
g.	ISO-105-E01	Color fastness to Water
h.	ASTM D 1777, opt 5	Test method for thickness of textile materials
j.	ASTM D 3776 opt D	Mass per unit area of fabric
k.	ASTM D 5034	Tearing strength of fabric
l.	ASTM D 5170	Peel strength for hook and loops
m.	ASTM D 5169	Shear strength for hook and loops
n.	Mil Spec A-A-55126B	Specification for Hook and Loops
p.	ASTM D-1667	Specifications for flexible cellular materials
q.	ISO-105-C10	Color fastness to Washing
r.	AATCC 16	Color fastness to Light

0106. **DEFINITIONS & ABBREVIATIONS**

1. Definitions for the terms used in this standard are given at Annex A of this specification.

0107. **TECHNICAL DETAILS**

1. The Technical Details of Soft Chest Ranks are mentioned at Annex B of this specification.

0108. **TECHNICAL DRAWINGS**

1. Drawing is given at Annex C.

0109. **QUALITY OF WORKMANSHIP AND FINISHING**

1. Workmanship and finish of the Chest Ranks shall be fine, smooth without defects. It shall be the best of its class and to the entire satisfaction of the inspector.

0110. **TESTING**

1. The material shall be subjected to tests laid down in this specification at Annex B and related documents. At least five samples of each Soft Chest Ranks shall be required to complete all the tests mentioned at Annex B of this specification. The material may also be subjected to such tests which are deemed necessary by the inspection authority in order to determine their suitability. Inspecting Authority reserves the right to get any B/R samples tested from any reputable Laboratory other than PN.

2. Firm is liable to pay all the testing charges.

0111. **BATCH/ LOT SIZE AND NO OF SAMPLE**

1. No of samples drawn from bulk quantity/ offered store should be as per instructions of Inspecting Officer or according to following table for the Inspection/ testing:

Lot Size[(yards (0.91m))]	No. Sample x 02 meters each
300 ≥800	02
801 ≥22000	03
22001 and over	05

0112. **TENDER SAMPLE**

1. Tender sample to be approved by TSR Committee.
2. For each contract samples of Soft Chest Ranks shall be supplied by the manufacturer at the time of tendering along with samples of materials used in manufacturing of Soft Chest Ranks.

0113. ADVANCE SAMPLE

1. Advance sample or pre-production sample, when required, shall be submitted in accordance with terms of the contract for inspection and testing as per B, C, D and E and approved by CINS. Whenever Tender, Advance or pre-production sample is not required, the suppliers /manufacturer are advised in their own interest to submit to the Inspecting Officer or his representative an initial delivery of One %.
2. The approval of the sample, authorizes the commencement of bulk production but does not relieve the suppliers/ manufactures from compliance with all the provisions of this specification.
4. One approved sample shall be properly sealed by INS and returned to the firm for guidance; rest of the approved sample shall be retained by INS for future use in bulk Inspection (if deemed necessary).
5. The Pre-production sample shall be manufactured by the manufacturer with the same facilitates which will be used for manufacture of the bulk items.
6. Firm shall provide advance sample along with quality verification reports from an accredited laboratory, whenever asked/ required by Inspecting authority to ensure compliance of quality assurance parameters during production/ final internal inspection.

**ANNEX B TO
PN SPECIFICATION NO. yy/2025
PROMULGATION DATE Sep 25**


TECHNICAL DETAILS OF SOFT CHEST RANKS

S.NO	QUALITY PARAMETERS	INTERNAL STANDARDS	TEST RESULTS
1.	MAIN FABRIC		
a.	Material	AATCC 20 A	100% Cotton
b.	Linear density (1) Warp (2) Weft	ISO - 7211/5	21 ^s ± 2 16 ^s ± 2
c.	Threads per Inch (1) Warp (2) Weft	ISO 7211/2	110 ± 2 56 ± 2
d.	Shade GSDC (Pantone/ Lab values) Pak Marines (Khaki) SSG(N) Olive green	Visual analysis	15-4003 TCX OR L: 63.22, a: -0.12, b: 2.14 16- 0518 TCX OR L: 5515, a: 1.28, b:20.46 L:48.1, a:2.48, b:15.18
e.	Weave Pattern Threads/ Rib Size / Rib	ISO 7211/1	Rib Stop 3 each single 6±1mm
f.	Weight (gm/ sq.mtr)	ISO 3801	210±10 grams
g.	Dimension stability	BS EN 5077	±2%
h.	Nature of Dye	Chemical Analysis	Vat Dye
j.	Color fastness to washing (Test no. 3) Change in shade Staining	ISO-105-E01	GS 4 or better GS 4 or better
2.	VELCRO		
a.	Material (Male /Female) Class – I for hook and loops	AATCC 20A	100% Nylon with selvage
b.	Type – II	Mil spec A-A-55126B	5.8 mil 300 denier hook 1 inch
c.	Width	ASTM D 1777, opt 5	0.05 in (min) 0.095 in (min)
d.	Thickness () (a) Hook (b) Loop		
e.	Weight Grams/linear yard ()	ASTM D 3776 opt D	4.7

f.	(a) Hook	ASTM D 5034	5.9
	(b) Loop		
g.	Breaking strength lbs (min) ()	ASTM D 5170	100
	(a) Hook		75
h.	(b) Loop	ASTM D 5169	1-1.5
	Peel strength lbs/inch/(min)		1.0
i.	(a) Before wash	Mil spec A-A-55126B	10
	(b) After 03 launderings		10
j.	Shear strength,		No fraying observed
k.	(a) Before wash	Visual	Grey/ Black
l.	(b) After 03 launderings	Physical Analysis	Satisfactory
	(1) Before sticking / unsticking 300 times at 300 g.		
3.	(2) After sticking / unsticking 300 times at 300g.		
	EMBROIDERY/ STITCHING THREAD		
a.	Material	AATCC-20A	100% viscose
b.	Linear Density	ASTM D-1667	2/40 (minimum)
c.	Shade (Black)	Visual Analysis	19-4006 TCX
d.	Washing Test No. 3	ISO-105-C10 (C3)	GS 4 or better
e.	(1) Change in shade	AATCC 16 option 3	GS 4 or better
	(2) Staining		GS 4 or better
4.	Light fastness	AATCC 16 option 3	GS 4 or better
	STAR		
a.	Material	Chemical /	Brass
b.	Color	Physical Analysis	Black lacquered
c.	Star Design		5 pointed star

TECHNICAL DRAWING

ANNEX C TO
PN SPECIFICATION NO. 00/25
PROMULGATION DATE.




1650

NOTE:
FOR FURTHER DETAILS SEE STOCK SAMPLE

ITD WING		
TITLE: VELCRO BASE CHEST BADGE (ADMIRAL)		
DWG.NO. TD-2842/2025	DIMENSIONS: CM	
DATE: 26-08-2025	SCALE: 1:1	
DATE OF REV. 00	REVISION NO. 00	
DRAWN BY	CHECKED BY	APPROVED BY
M.ASGHAR HDM	LT CDR SANA KANWAL DD TECH TEX	CAPTAIN PN RAO MUZAFFAR ALI DID

TECHNICAL DRAWING

ANNEX C TO
PN SPECIFICATION NO. 00/25
PROMULGATION DATE.



1649

NOTE:
FOR FURTHER DETAILS SEE STOCK SAMPLE

ITD WING		
TITLE: VELCRO BASE CHEST BADGE (VICE ADMIRAL)		
DWG.NO. TD-2841/2025	DIMENSIONS: CM	
DATE: 26-08-2025	SCALE: 1:1	
DATE OF REV. 00	REVISION NO. 00	
DRAWN BY	CHECKED BY	APPROVED BY
M.ASGHAR HDM	LT CDR SANA KANWAL DD TECH TEX	CAPTAIN PN RAO MUZAFFAR ALI
DID		


ANNEX C TO
PN SPECIFICATION NO. 00/25
PROMULGATION DATE.



ITD WING		
TITLE: VELCRO BASE CHEST BADGE (REAR ADMIRAL)		
DWG.NO. TD-2840/2025	DIMENSIONS: CM	
DATE: 26-08-2025	SCALE: 1:1	
DATE OF REV. 00	REVISION NO. 00	
DRAWN BY	CHECKED BY	APPROVED BY
M.ASGHAR HDM	LT CDR SANA KANWAL DD TECH TEX	CAPTAIN PN RAO MUZAFFAR ALI

TECHNICAL DRAWING

ANNEX C TO
PN SPECIFICATION NO. 00/25
PROMULGATION DATE.




1647

NOTE:
FOR FURTHER DETAILS SEE STOCK SAMPLE

ITD WING		
TITLE: VELCRO BASE CHEST BADGE (COMMODORE)		
DWG.NO. TD-2839/2025	DIMENSIONS: CM	
DATE: 26-08-2025	SCALE: 1:1	
DATE OF REV. 00	REVISION NO. 00	
DRAWN BY	CHECKED BY	APPROVED BY
M.ASGHAR HDM	LT CDR SANA KANWAL DD TECH TEX	CAPTAIN PN RAO MUZAFFAR ALI DID

TECHNICAL DRAWING

ANNEX C TO
PN SPECIFICATION NO. 00/25
PROMULGATION DATE.



1646


ITD WING

TITLE: VELCRO BASE CHEST BADGE
(CAPTAIN)

DWG.NO. TD-2838/2025	DIMENSIONS: CM	
DATE: 26-08-2025	SCALE: 1:1	
DATE OF REV. 00	REVISION NO. 00	
DRAWN BY	CHECKED BY	APPROVED BY
M.ASGHAR HDM	LT CDR SANA KANWAL DD TECH TEX	CAPTAIN PN RAO MUZAFFAR ALI

NOTE:
FOR FURTHER DETAILS SEE STOCK SAMPLE

DID




1645

NOTE:
FOR FURTHER DETAILS SEE STOCK SAMPLE

ITD WING		
TITLE: VELCRO BASE CHEST BADGE (COMMANDER)		
DWG.NO. TD-2837/2025	DIMENSIONS: CM	
DATE: 26-08-2025	SCALE: 1:1	
DATE OF REV. 00	REVISION NO. 00	
DRAWN BY	CHECKED BY	APPROVED BY
M.ASGHAR HDM	LT CDR SANA KANWAL DD TECH TEX	CAPTAIN PN RAO MUZAFFAR ALI DID

TECHNICAL DRAWING

ANNEX C TO
PN SPECIFICATION NO. 00/25
PROMULGATION DATE.




1644

NOTE:
FOR FURTHER DETAILS SEE STOCK SAMPLE

ITD WING		
TITLE: VELCRO BASE CHEST BADGE (LIEUTENANT COMMANDER)		
DWG.NO. TD-2836/2025	DIMENSIONS: CM	
DATE: 26-08-2025	SCALE: 1:1	
DATE OF REV. 00	REVISION NO. 00	
DRAWN BY	CHECKED BY	APPROVED BY
M.ASGHAR HDM	LT CDR SANA KANWAL DD TECH TEX	CAPTAIN PN RAO MUZAFFAR ALI
		DID

TECHNICAL DRAWING

ANNEX C TO
PN SPECIFICATION NO. 00/25
PROMULGATION DATE.




1643

NOTE:
FOR FURTHER DETAILS SEE STOCK SAMPLE

ITD WING		
TITLE: VELCRO BASE CHEST BADGE (LIEUTENANT)		
DWG.NO. TD-2835/2025	DIMENSIONS: CM	
DATE: 26-08-2025	SCALE: 1:1	
DATE OF REV. 00	REVISION NO. 00	
DRAWN BY	CHECKED BY	APPROVED BY
M.ASGHAR HDM	LT CDR SANA KANWAL DD TECH TEX	CAPTAIN PN RAO MUZAFFAR ALI DID

TECHNICAL DRAWING

ANNEX C TO
PN SPECIFICATION NO. 00/25
PROMULGATION DATE.



1642

NOTE:
FOR FURTHER DETAILS SEE STOCK SAMPLE

ITD WING		
TITLE: VELCRO BASE CHEST BADGE (SUB LIEUTENANT)		
DWG.NO. TD-2834/2025	DIMENSIONS: CM	
DATE: 26-08-2025	SCALE: 1:1	
DATE OF REV. 00	REVISION NO. 00	
DRAWN BY	CHECKED BY	APPROVED BY
M.ASGHAR HDM	LT CDR SANA KANWAL DD TECH TEX	CAPTAIN PN RAO MUZAFFAR ALI DID