
CSE370: Database Systems

Assignment 01 | Fall 2024

ID: 22301719 | Name: UMMAY MAIMONA CHAMAN

```
No 1 Query
                         mysql -u root -p
(as Plain Text)
                         Enter password:
                         CREATE DATABASE Google22301719;
                         USE Google22301719;
                         CREATE TABLE Developers (
                           -> member id INT,
                           -> name CHAR(255),
                           -> email CHAR(255),
                           -> influence count DOUBLE,
                           -> Joining date DATE,
                           -> multiplier DECIMAL(10, 2)
                           -> );
                         INSERT INTO Developers VALUES
                           -> (1, 'Taylor Otwell', 'otwell@laravel.com', 739360, '2020-06-10', 10),
                           -> (2, 'Ryan Dahl', 'ryan@nodejs.org', 633632, '2020-04-22', 10),
                           -> (3, 'Brendan Eich', 'eich@javascript.com', 939570, '2020-05-07', 8),
                           -> (4, 'Evan You', 'you@vuejs.org', 982630, '2020-06-11', 7),
                           -> (5, 'Rasmus Lerdorf', 'lerdorf@php.net', 937927, '2020-06-03', 8),
                           -> (6, 'Guido van Rossum', 'guido@python.org', 968827, '2020-07-18', 19),
                           -> (7, 'Adrian Holovaty', 'adrian@djangoproject.com', 570724, '2020-05-07', 5),
                           -> (8, 'Simon Willison', 'simon@djangoproject.com', 864615, '2020-04-30', 4),
                           -> (9, 'James Gosling', 'james@java.com', 719491, '2020-05-18', 5),
                           -> (10, 'Rod Johnson', 'rod@spring.io', 601744, '2020-05-18', 7),
```

-> (11, 'Satoshi Nakamoto', 'nakamoto@blockchain.com', 630488, '2020-05-10', 10); select*from Developers; No 1 SS XAMPP for Windows - mysgl × + × Setting environment for using XAMPP for Windows. (of Query & Output Asus@DESKTOP-1J2B58Q c:\xampp # mysql -u root -p in Shell) Enter password: Welcome to the MariaDB monitor. Commands end with; or \g. Your MariaDB connection id is 11 Server version: 10.4.32-MariaDB mariadb.org binary distribution Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others. Type 'help;' or '\h' for help. Type '\c' to clear the current input statement. MariaDB [(none)]> CREATE DATABASE Google_22301719; ERROR 1007 (HY000): Can't create database 'google_22301719'; database exists MariaDB [(none)]> show databases; Database google_22301719 information_schema mysql performance_schema phpmyadmin test 6 rows in set (0.001 sec) MariaDB [(none)]> CREATE DATABASE Google22301719; Query OK, 1 row affected (0.001 sec) MariaDB [(none)] > USE Google22301719; Database changed MariaDB [Google22301719] > CREATE TABLE Developers (member_id INT, name CHAR(255) email CHAR(255), influence_count DOUBLE, Joining_date DATE, multiplier DECIMAL(10, 2) Query OK, 0 rows affected (0.014 sec) 🗻 🖪 🗓 🗘 🥫 🐧 😢 💆 W High UV Now へ **○ 令 4**) **⑤** 12:34 **章** 12/11/2024 Q Search





No 2 Query (as Plain Text)

ALTER TABLE Developers CHANGE influence_count followers INT;

