

# WHY LINUX?

#### THE SPECS

- Free and Easy to install.
- Lightweight
- Pre-installed softwares.
- Package Manager
- Best for Windows users.
- Better desktop environment.



#### WORKSPACES

- Helps to make work more neat.
- Group related tabs.
- Create shortcuts



### Click on this + sign to create a new Workspace



of workspace here

Terrible Ion otto //goo, auncheso, not saucy/main frontiotion on US lign http://arthise.ubuntu.com/sauty/on/serve/fransiation-an/US ign http://ppx.launchgas.net.saccy/main Translation-en Ign http://archive.ubunto.com saury undates/main Translation em US Ign http://gps.leunchemi.net.smcy/main Translation.en US Ign http://arthive.ubuntu.com.cucy-addressed/leorem Translation.en US Ign http://gps.leunchemi.net.smcy/main Translation.en ign http://pps.launchpad.net.soccy/mair Translation-en US lgo Mily //archive.ubumiu.row wady updates/conflicted translation on US Igo Atty //archive.ubumiu.com saucy updates/universe Translation on US ign http://wps.launchgad.net.saucy/asin franklation-en nga bity //gov.lannobjed.ort sandy/extr tronstation-on us Ign bity //gov.lannobjed.net sandy/extr Trenstation-on ign Attp://ppe.launchood.net.sauce/amin Trenslation-an US ign http://ppa.lauschpaf.nyt.sacy/halo Translation-ou lgo Http://paikages.limuseint.com/getin/import/Translation-rn/UK ton Attp://packages.timungunt.com/getra/impart Translation-en ign http://pachages.linuxelot.com.petra/seln franslation-en.US lyn Attp://porkoges.linuemint.com/getra/main Translation en Ign Attp://pacinges.lunumint.com/pets/uppiress Trestation-en US Ign Attp://pacinges.lunumint.com/pets/uppiress Trestation-en Formod 200 %5 in Sc CIS.4 88/13 Reading package lists .. Down

WORKSPACE 1



Click on it to delete a workspace

RKSPACE 1

WORKSPACE 2



MIDRISDACE 3

## TERMINATOR OVER TERMINAL

Allows for multiple windows

Reordering Tabs

Keyboard Shortcuts

Simultaneous Typing

```
dev@dev: ~ 73x19
                                                                                                       dev@dev: ~ 71x11
dev@dev:~$ sudo tail -f /var/log/dmesq
                                                                         64 bytes from lga15s28-in-f0.le100.net (74.125.226.192): icmp req=181 t
   15.073663] IPv6: ADDRCONF(NETDEV UP): eth0: link is not ready
                                                                         tl=252 time=15.8 ms
   15.074775] iwlwifi 0000:02:00.0: L1 Enabled; Disabling LOS
                                                                         64 bytes from lga15s28-in-f0.1e100.net (74.125.226.192): icmp reg=182 t
   15.082320] iwlwifi 0000:02:00.0: Radio type=0x2-0x0-0x0
                                                                         tl=252 time=14.5 ms
   15.258959] type=1400 audit(1370089688.827:10): apparmor="STATUS" oper
                                                                         64 bytes from lga15s28-in-f0.1e100.net (74.125.226.192): icmp req=183 t
ation="profile replace" name="/sbin/dhclient" pid=1187 comm="apparmor par tl=252 time=16.4 ms
                                                                         64 bytes from lga15s28-in-f0.le100.net (74.125.226.192): icmp reg=184 t
ser"
   15.259329] type=1400 audit(1370089688.827:11): apparmor="STATUS" oper tl=252 time=23.1 ms
ation="profile load" name="/usr/lib/lightdm/lightdm/lightdm-quest-session 64 bytes from lga15s28-in-f0.le100.net (74.125.226.192): icmp reg=185 t
-wrapper" pid=1184 comm="apparmor parser"
                                                                          tl=252 time=12.3 ms
   15.346289] iwlwifi 0000:02:00.0: L1 Enabled; Disabling LOS
   15.353864] iwlwifi 0000:02:00.0: Radio type=0x2-0x0-0x0
   15.389973] init: isc-dhcp-server pre-start process (1259) terminated
                                                                                                      dev@dev: /etc 71x12
with status 127
                                                                         gnome-settings-daemon
                                                                                                 pam.conf
                                                                                                                      vtrgb
   15.4349351 IPv6: ADDRCONF(NETDEV UP): wlan0: link is not ready
                                                                          anome-vfs-2.0
                                                                                                                      wgetrc
                                                                                                 pam.d
   15.436188] IPv6: ADDRCONF(NETDEV UP): wlan0: link is not ready
                                                                                                                      wildmidi
                                                                          groff
                                                                                                  papersize
                                                                                                                      wireshark
                                                                          group
                                                                                                  passwd
                                                                          group-
                                                                                                                      wodim.conf
                                                                                                  passwd-
                                                                          grub.d
                                                                                                                      wpa_supplicant
                                                                                                 pcmcia
                                                                         gshadow
                                                                                                 perl
                                                                                                                      X11
                      dev@dev: /etc/wpa supplicant 73x18
                                                                          gshadow-
                                                                                                 pkcs11
                                                                                                                      xdg
# On Debian GNU/Linux systems, the text of the GPL license,
                                                                         gtk-2.0
                                                                                                                      xml
# version 2, can be found in /usr/share/common-licenses/GPL-2.
                                                                         atk-3.0
                                                                                                 pnm2ppa.conf
                                                                                                                      xul-ext
                                                                         qufw
                                                                                                 polkit-1
                                                                                                                      zsh command not found
if [ -n "$IF WPA MAINT DEBUG" ]; then
                                                                         dev@dev:/etc$ |
       set -x
                                                                          100
                                                                                                    dev@dev: /var/log 71x12
                                                                          auth.log.4.gz
                                                                                                kern.log.3.gz
                                                                                                                       unattended-upgrades
# quit if we're called for the loopback
                                                                                                kern.log.4.gz
                                                                          boot
                                                                                                                       upstart
if [ "SIFACE" = lo ]; then
                                                                          boot.log
                                                                                                lastlog
                                                                                                                       vbox-install.log
       exit
                                                                          bootstrap.log
                                                                                                lightdm
                                                                                                                       vmware-installer
                                                                         btmp
                                                                                                                       vnetlib
                                                                                                mail.err
                                                                         btmp.1
                                                                                                mail.log
                                                                                                                       wtmp
# allow wpa supplicant interface to be specified via wpa-iface
                                                                          ConsoleKit
                                                                                                netserver.debug 15620 wtmp.1
# useful for starting wpa supplicant on one interface of a bridge
                                                                         cups
                                                                                                netserver.debug 15633 Xorg.0.log
if [ -n "$IF WPA IFACE" ]; then
                                                                         dist-upgrade
                                                                                                news
                                                                                                                       Xorg.0.log.old
       WPA IFACE="$IF WPA IFACE"
                                                                         dmesg
                                                                                                pm-powersave.log
else
                                                                          dmesq.0
                                                                                                pm-powersave.log.1
                                                      44.1
                                                                         dev@dev:/var/log$
```

### PACKAGE MANAGEMENT

Pre - Compiled Packages

 Keeps track of updates and upgrades

Quality control

## DON'T BASH, ZSH

Identical commands

More security

Saves time

Colour Highlights

Oh My Zsh



# THANK YOU