

```
PS C:\WINDOWS\system32> Get-Service MongoDB
```

Status	Name	DisplayName
Running	MongoDB	MongoDB Server (MongoDB)

```
PS C:\WINDOWS\system32>
```

GET http://localhost:3000/a

http://localhost:3000/api/users

GET http://localhost:3000/api/users

Send

Query Params



Key	Value	Description	Bulk Edit
Key	Value	Description	

Body

200 OK • 79 ms • 285 B

JSON

```
{
  "success": true,
  "message": "users found",
  "data": []
}
```



PUT http://localhost:3000/a, + No environment

http://localhost:3000/api/updateUser/6a2c20fd6a37f4ae389554ef Save Share

PUT http://localhost:3000/api/updateUser/6a2c20fd6a37f4ae389554ef Send

Docs Params Authorization Headers 8 Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {
2   "name": "Unair",
3   "email": "unair@gmail.com",
4   "password": "0086"
5 }
```

Body Cookies Headers 7 Test Results 200 OK - 35 ms - 513 B

{ } JSON Preview Visualize

```
1 {
2   "success": true,
3   "message": "User updated successfully",
4   "data": {
5     "_id": "6a2c20fd6a37f4ae389554ef",
6     "name": "Unair",
7     "email": "unair@gmail.com",
8     "password": "0086",
9     "role": "Student",
10    "status": "Active",
11    "createdAt": "2026-06-12T15:08:45.776Z",
12    "updatedAt": "2026-06-12T15:12:45.313Z",
13    "__v": 0
14  }
15 }
```

DEL http://localhost:3000/aj, + No environment

http://localhost:3000/api/deleteUser/6a2c20fd6a37f4ae389554ef Save Share

DELETE http://localhost:3000/api/deleteUser/6a2c20fd6a37f4ae389554ef Send

Docs Params Authorization Headers 8 Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {
2   "name": "Unair",
3   "email": "unair@gmail.com",
4   "password": "0086"
5 }
```

Body Cookies Headers 7 Test Results 200 OK - 27 ms - 336 B

{ } JSON Preview Visualize

```
1 {
2   "success": true,
3   "message": "user deleted successfully",
4   "data": {
5     "acknowledged": true,
6     "deletedCount": 1
7   }
8 }
```

User Management CRUD API

A simple RESTful CRUD API built using **Node.js**, **Express.js**, **MongoDB**, and **Mongoose**. This project demonstrates basic backend operations including creating, retrieving, updating, and deleting user records.

Features

- Create User
- Get All Users
- Update User
- Delete User
- MongoDB Database Integration
- RESTful API Design

Technologies Used

- Node.js
- Express.js
- MongoDB
- Mongoose
- dotenv
- Nodemon

Installation

Clone Repository

```
git clone https://github.com/your-username/your-repository-name.git  
cd your-repository-name
```

Install Dependencies

```
npm install
```

Configure Environment Variables

Create a `.env` file in the project root:

```
PORT=3000  
database_url=mongodb://127.0.0.1:27017/userDB
```

Start MongoDB

Make sure MongoDB service is running on your machine.

Run Project

`npm start`

Server will run at:

<http://localhost:3000>

API Endpoints

Create User

POST `/api/createUser`

Get All Users

GET `/api/users`

Update User

PUT `/api/updateUser/:id`

Delete User

DELETE `/api/deleteUser/:id`

Sample Request Body

```
{  
  "name": "Unair",  
  "email": "unair@gmail.com",  
  "password": "0086"  
}
```

Author

Unair Faridi

~Learning Backend Development with Node.js and MongoDB