

US00D903800S

## (12) United States Design Patent (10) Patent No.:

10 (45) **Date of P** 

ent No.: US D903,800 S

(45) Date of Patent: \*\* Dec. 1, 2020

### (54) ROLLER SHOE (71) Applicant: Shanxi Jinze Yinhai Technology Co., Ltd., Taiyuan (CN) Inventor: **Xupei Guo**, Lvliang (CN) Term: 15 Years (21) Appl. No.: 29/738,506 Jun. 18, 2020 (22) Filed: (51) LOC (12) Cl. ...... 21-02 U.S. Cl. (52)USPC ...... **D21/763**; D2/904 Field of Classification Search USPC ...... D2/896, 902, 904, 905, 907, 946; D21/760, 763, 764, 771; 280/841, 11.14, 280/11.16, 11.19, 11.226, 11.231, 11.25, 280/809, 811, 11.202 CPC ...... A63B 5/00; A63B 5/16; A63B 5/1608; A63B 5/1616; A63B 5/1625; A63B 5/1633; A63B 5/1641; A63B 5/165; A63B

See application file for complete search history.

5/1658; A63B 5/1666; A63B 5/1675; A63B 5/1683; A63B 5/1691; A63C 17/18; A63C 17/20; A63C 17/22; A63C

17/0006

17/223; A63C 17/226; A63C 17/00; A63C

#### (56) References Cited

#### U.S. PATENT DOCUMENTS

3,339,936 A *	9/1967	Hamlin A63C 17/1409
		280/11.207
3,738,673 A *	6/1973	Iseman A63C 17/22
		280/11.28
3,843,146 A *	10/1974	Hiraki A63C 17/02
		280/11.209
D236,741 S *		Smith D21/764
		Famolare D21/763
3,968,973 A *	7/1976	McCormack A63C 17/1436
		280/11.209
D241,868 S *	10/1976	Smith D21/764

	4,070,029	A	*	1/1978	Panarelli A63C 17/02				
					280/11.19				
	4,146,241	Α	*	3/1979	Stevenson A63C 17/02				
					280/11.27				
	D258,605	S	*	3/1981	Sanders D21/763				
	4,294,455	Α	*	10/1981	Krueger A63C 17/02				
					280/11.19				
	4,298,910	Α	*	11/1981	Price A43B 3/0005				
					280/11.19				
	4,328,627	Α	*	5/1982	Sanders A43B 5/1658				
	280/11.209								
	D265,115	S	*	6/1982	Dornseif D21/763				
	D269,222		*	6/1983	Olivieri D2/904				
	D282,095		*	1/1986	Robjent D21/763				
(Continued)									
	(								

Primary Examiner — Elizabeth J Oswecki (74) Attorney, Agent, or Firm — HYIP

#### (57) CLAIM

The ornamental design for a roller shoe, as shown and described.

#### DESCRIPTION

FIG. 1 is a first perspective view of a roller shoe showing my new design, with the wheels in an unfolded and used position:

FIG. 2 is a second perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a back view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof;

FIG. 7 is a top view thereof;

FIG. 8 is a bottom view thereof;

FIG. 9 is another perspective view thereof, with the wheels in a folded and unused position; and,

FIG. 10 is another perspective view of FIG. 9.

The broken lines shown in the drawings depict portions of the roller shoe in which the design is embodied that form no part of the claimed design.

#### 1 Claim, 10 Drawing Sheets



# US D903,800 S Page 2

(56)		Referen	ices Cited	6,065,762 A *	5/2000	Brelvi A63C 17/0046
					0.0000	280/11.226
	U.S. J	PATENT	DOCUMENTS	6,120,039 A *	9/2000	Clementi A43B 5/1633
						280/11.19
4,570	,955 A *	2/1986	Winkler A63C 17/1436	D436,716 S *		Mateu D2/904
			280/1.188	6,406,038 B2*	6/2002	Adams A43B 5/1641
	,049 S *	2/1989	Klamer D21/763			280/11.24
	,050 S *	2/1989		D459,777 S *		Yang D21/763
4,817	',974 A *	4/1989	Bergeron A63C 17/004	6,698,769 B2*	3/2004	Adams A63C 17/008
			280/11.19			280/11.233
D315	,940 S *	4/1991	Wehmeyer D21/763	D513,296 S	12/2005	
5,398	,970 A *	3/1995	Tucky A43B 5/1633	7,063,336 B2*	6/2006	Adams A43B 5/1633
			280/11.19			280/11.19
5,511	,824 A *	4/1996	Kim A63C 17/20	D556,282 S	11/2007	
,	,		280/841	D595,798 S *	7/2009	Collins D21/763
5,590	.890 A *	1/1997	Rosso A63C 17/24	7,610,972 B2*	11/2009	Adams A63C 17/008
-,	,		280/11.226			180/180
D388	3.145 S *	12/1997	Lee D21/763	D657,280 S *		Freeland D11/1
	0.900 S *		Lee	D704,785 S *	5/2014	Feddersen, Jr D21/763
	.392 S *		Lee D2/904	D797,226 S	9/2017	Wu
	,954 S *		Mateu D21/760	* cited by examiner		
D423	1,934 5	3/2000	Mateu D21//00	ched by examiner		



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10