



ZIMBABWE SCHOOL EXAMINATIONS COUNCIL General Certificate of Education Ordinary Level

COMBINED SCIENCE

PAPER 3 Practical Test

4003/3

FOR EXAMINER'S USE

2

TOTAL

1 hour 30 minutes

JUNE 2024 SESSION

Candidates answer on the question paper.

Additional materials: As listed in instructions to Supervisors Calculator (optional)

INSTRUCTIONS TO CANDIDATES

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer both questions.

Write your answers in the spaces provided on the question paper.

Record all experimental results in the spaces provided in the question paper.

INFORMATION FOR CANDIDATES

The number of marks is given in brackets [] at the end of each question or part question.

This question paper consists of 6 printed pages and 2 blank pages.

Copyright: Zimbabwe School Examinations Council, J2024.

©ZIMSEC J2024

Turn over



You are required to determine the amount of the soluble solid in a mixture.

You are provided with a mixture of a soluble solid and an insoluble solid.

The mixture is labelled S.

You are also provided with a beaker labelled B1, a stirring rod, water, measuring cylinder, filter paper, a filter funnel, access to a balance.

(a) Measure 20.0 cm³ of water using a measuring cylinder. Add the water to the beaker, B1.
Measure the mass of B1 plus the water. Record the mass of B1 plus the water in Table 1.1.
Add the mixture S to the beaker B1.
Set up the filtration process apparatus as shown in Fig.1.1.




Fig.1.1

Thoroughly stir the contents of B1.

Pour the contents of B1 onto the filter paper.

Wait until the filtration process is complete.

Measure the volume of the filtrate using the measuring cylinder.

Record the volume of the filtrate in Table 1.1.

Rinse beaker B1.

Pour the filtrate into B1.

4003/3 J2024





For

uaminer's

Measure the mass of B1 plus the filtrate.

Record the mass of B1 plus the filtrate in Table 1.1.

Complete Table 1.1.

Table 1.1

For Examiner's Use

Mass of B1 + filtrate/g	
Mass of B1 + water/g	- 8
Mass of soluble solid/g	
Volume of filtrate/cm ³	

			F117
(b)	(i)	Explain why stirring was done during the experiment.	[11]
	(ii)	Suggest one possible source of error during the filtration process.	[1]
	(iii)	Describe how the error suggested in (ii) would affect the results.	[1]
(c)	(i)	Calculate the concentration, in g/cm ³ , of the filtrate collected.	[1]
	(ii)	State the assumption made when calculating the concentration.	[2]
			[1]

4003/3 J2024

[Turn over



4

		3 3 5	2 8





For Examiner's Use You are required to determine the effect of the nature of a surface on the force of friction. You are provided with a force meter, brick, access to a wooden surface, access to a floor or tile surface and string.

Take the mass of the brick as 3 100 g.

For Examiner's Use

(a) (i) Set up the apparatus as shown in Fig.2.1.




Fig.2.1

Place the brick on top of the table (wooden surface).

Pull the brick using a forcemeter until the brick just starts to move.

Read the force required to just move the brick.

Record the force in Table 2.1.

Place the brick on top of the floor.

Pull the brick using a forcemeter until the brick starts to move.

Read the force required to just move the brick.

Record the force in Table 2.1.

Table 2.1

surface	mass of brick/g	mass of brick/kg	force of friction/N
wooden surface	3 100		
floor surface	3 100	rri to ar y may a	

[10]

(ii) b-nask	Explain the relationship between the nature of surface and the force of friction.						
	(iii) Start gives a senson one precontion water must be s						

[2]

4003/3 J2024



	िए का लीव surface and spipe	
	takethe mass of the one k as 1 rough	
	(a) (0) Set on the apparatus as above in Fig.2.1.	
	Spirit Majett Concenter	[2]
Calcula	ate the acceleration of the brick when moving on the floor surface.	
	Fig.2.1	
	Place the brick on my of the cable (wooden surface).	
n of th	Pull the brick using a forecaseter tentil the brick just signature fleet the brick properties and the brick	[2]
(i)	State a possible source of error in the experiment apart from parallax error.	
	From the brick navig a forcement until the brick states to the area the brick states to the discount of the brick.	e n
	Report the force in Table 2.1	
		able 3. urbee
regar	mass erbrickyg sous er bricking force of hr	[1]
(ii)	Describe how the error stated in (c)(i) can be avoided.	4712 A194
		- _ [1]
	State, giving a reason, one precaution which must be taken during the experiment.	
(iii)	une experiment.	



