
HARBORWING AIR - RELATIONAL DATABASE EER DIAGRAM
IT8 Midterm Laboratory Drill | 11 Core Tables (InnoDB, 3NF Normalized)
passenger
PK passenger_id: INT
first_name, last_name: VARCHAR
second_name: VARCHAR (NULL)
email_address: VARCHAR (UQ)
phone_number, address: VARCHAR
city, state, country: VARCHAR
booking
PK agent_i
name: VAR
additional_
flight_schedule
PK flight_number: VARCHAR(10)
airline_code: CHAR(2)
usual_aircraft_type_code: VARCHAR
FK origin_airport: CHAR(3)
FK destination_airport: CHAR(3)
scheduled_departure_time
scheduled_arrival_time
airport
PK airport_code: CHAR(3)
name: VARCHAR
location: VARCH
flight_cost
PK, FK flight_number: VARCHAR
PK aircraft_type_code: VARCHAR
PK, FK valid_from_date: DATE
FK valid_to_date: DATE
cost_amount: DECIMAL (>= 0)
calendar_date
PK date: DATE
day_of_the_month: INT
business_day_indicator: BOOL
reservation
PK reservation_id: INT
FK main_passenger_id: INT
FK booking_agent_id: INT (NULL)
reservation_status_code: VARCHAR
ticket_type_code: VARCHAR
travel_class_code: VARCHAR
creation_date_time: DATETIME
number_in_party: INT (> 0)
reservation_payment (Link)
PK, FK reservation_id: INT
PK, FK payment_id: INT
Resolves N:M (No alloc amount)
payment
PK payment_id: INT
payment_status_code: VARCHAR
payment_date: DATETIME
payment_amount: DECIMAL (> 0)
flight_leg
PK leg_id: INT
FK scheduled_flight: VARCHAR
FK origin_airport: CHAR(3)
FK destination_airport: CHAR(3)
actual_departure, arrival (NULL)
reservation_leg (Link)
PK, FK reservation_id: INT
PK, FK leg_id: INT
Resolves N:M (Connecting flights)
LEGEND:
Primary Key (PK)
Foreign Key (FK)
Linking Table (N:M Junction)
CHECK Validation Constraints
1-to-Many Relationship