STOCKHOLM

Flexible compute.
Dispatchable power.

Turning waste energy into high-performance compute. Power in. Compute. Heat out. Kelvin Flexbox™ at the source.

VISUALIZATION KELVIN FLEXBOX™ — 40 FT ISO

≈1 MW
PER 40 FT ISO

<0.7 s
GRID RESPONSE

SE · FI · NO
MARKETS THE LOAD IS BUILT FOR

Heat
DESIGNED IN FROM DAY ONE

Three forces converging on the grid

01 **Volatile supply**

Wind and solar displace spinning generation — system operators pay a premium for fast, controllable load.

02 **Scarce connections**

Demand-connection queues stretch 3–7+ years, with regulators singling out 24/7 data center load.

03 **Idle capacity**

Peak-led design and churn leave half of contracted capacity paid for but earning nothing for years.

MARKET PRESSURE

42%
of EU power intermittent by 2030

€40 bn
imbalance costs, from €15 bn

125 GW
UK connection queue, mid-2025

~50%
of contracted capacity unused

Three products on one megawatt

Compute Earned whenever units are not dispatched	+	**Flexibility** Availability and activation payments	+	**Heat** Capture designed in from day one	=	**One Flexbox** Three products, one ≈1 MW unit

	BATTERY STORAGE (BESS)	KELVIN FLEXBOX™
WHEN IDLE	Sits idle, earning nothing	Earns compute income between dispatches
UPFRONT COST	€200–500k per MWh of capacity	Near-zero marginal cost — servers already deployed
CYCLING	Capacity degrades with every activation	No penalty — pause & resume freely
DURATION	Fixed reservoir; duration is capped	Unlimited — servers run around the clock

One platform, three integrated layers

01

Market connectivity

- Direct API links to grid operators and balancing parties
- Regulation, ancillary and intraday market access
- Qualification and compliance managed

02

Automation software

- 24/7 profit-maximizing bidding
- Real-time dispatch steering
- Settlement, metering and reporting

03

Modular hardware

- Containerised ≈1 MW compute units
- Built for instant grid response
- Earns compute income between dispatches

A direct route into reserve markets

- One contract covers qualification, trading, settlement and compliance.
- Built to integrate with grid operators and regional balancing parties.
- Prequalification managed end-to-end — testing, documentation, requalification.
- Automated reporting keeps the operator’s compliance burden at zero.

PRODUCT TYPES THE LOAD IS BUILT FOR

- FFR
- FCR-D
- FCR-N
- aFRR
- mFRR

SE · FI · NO
markets the load is built for

<0.7 s
dispatch response the load is built for

Automation that maximises every megawatt

01

Profit-maximizing bidding

AI bidding predictor weighs prices, forecasts and operating conditions to find the most profitable strategy across programs.

02

Real-time site steering

Compute balanced against live grid signals — fail-safe heartbeats, activation acknowledgements, automated steering.

03

Centralized monitoring

Live activations, site power consumption and compliance status, visible at any moment.

04

Reporting & compliance

Audit-ready, TSO-compliant logs of every activation — revenue and performance at 15-minute granularity.

Purpose-built ≈1 MW compute containers

VISUALIZATION KELVIN FLEXBOX™ — DOORS, LOUVERS, COPPER K

Each Kelvin Flexbox™

- ≈ 1 MW · 40 ft ISO · 12 000 × 2 400 × 2 800 mm
- 4 racks — up to 336 high-density servers
- LV or MV · air or liquid cooling
- Stackable ×2 ≈ 2 MW · grid-connected or co-located

Compute keeps earning whenever the grid doesn’t call.

≈ 1 MW
PER 40 FT ISO

<0.7 s
GRID RESPONSE TIME

×2 ≈ 2 MW
STACKABLE TWO-HIGH

LV / MV
AIR OR LIQUID

Heat designed in. A platform around it.

VISUALIZATION DISTRICT — A PIPE TO THE TOWN

VISUALIZATION GREENHOUSE — A PIPE TO THE GLASS

VISUALIZATION PROCESS — A PIPE TO DRYING OR KILNS

01

Heat as an asset

Every kilowatt of compute leaves as heat. Capture is designed in from day one — district networks, greenhouses, process heat.

02

Flexibility as a Service

Fully managed third-party assets — UPS, backup generators, cooling and servers — from qualification to 24/7 operations.

03

Renewable co-location

Compute behind the meter sets a floor on wind and solar output and turns curtailment into load.

04

BESS co-location

Compute on the battery's existing connection — idle most hours. Both assets qualify independently.

Every kilowatt of the data center, working

01 **UPS / battery**

Backup batteries operated as a virtual power plant.

02 **Backup generators**

Gensets bid as dispatchable negative demand.

03 **Cooling infrastructure**

Flexible draw within climate limits.

04 **Flexbox co-location**

A co-located Kelvin Flexbox™ fleet turns the gap between contracted and used capacity into compute revenue.

MONETISED END TO END

FFR · FCR-D · FCR-N · aFRR · mFRR
Ancillary services

Intraday & imbalance
Spot, imbalance and capacity markets

Compute revenue
Flexbox fleet earns when the grid pays to absorb

A Flexbox behind the meter at wind and solar

01

Floor price & downside hedge

Compute revenue is earned when spot prices fall — an effective floor on output without sacrificing upside.

02

Curtailment into revenue

Imposed curtailments and negative-price hours become earning opportunities — the Flexbox consumes generation that would otherwise be wasted.

03

Imbalance cost reduction

The Kelvin Flexbox™ absorbs forecast deviations in real time, turning balancing exposure into a revenue stream.

04

Reduced market dependency

Compute income is uncorrelated with the spot price — a stable stream that cuts exposure to electricity market volatility.

Unlock the 85–95% the battery isn’t using

5–15%

Typical grid-connection utilisation at a BESS site. The rest is paid-for capacity — regulated, energised, doing nothing.

- Capex per MW far below standalone — connection, transformer and BRP contract already amortised.
- Adding a co-located Kelvin Flexbox™ does not reduce the battery’s available reserve capacity.
- The Flexbox absorbs energy-market activations — fewer battery cycles, slower degradation.

FOUR STEPS TO CONNECT

01 **Site assessment**
Existing connection, transformer headroom and regulatory standing evaluated.

02 **Low-voltage tie-in**
Connects into existing low-voltage infrastructure — no new transformer.

03 **Independent qualification**
Both assets qualify separately for FFR, FCR-D and mFRR — no allocation competition.

04 **Continuous compute**
The Flexbox runs on idle connection capacity, earning 24/7.

Why Kelvin. Where we start.

01 **Three products**
Compute, flexibility and heat on the same megawatt

02 **Full-stack platform**
Infrastructure, hardware, automation software and market integrations

03 **Load built for reserves**
FCR-D, aFRR and mFRR — sub-0.7 s response, unlimited duration, zero cycling penalty

04 **Capital-efficient scale**
Modular ≈1 MW units at lower capex per MW than battery storage

FIRST PLOTS

K1 Söderhamn	K2 Bollnäs	K3 Ljusdal



VISUALIZATION SITING VISUALIZATION — TIMBER HALL, NOT THE FLEXBOX SKU

KELVIN COMPUTE AB

c/o Norrsken House
Birger Jarlsgatan 57 C
113 56 Stockholm

nick@kelvincompute.com
kelvincompute.com