player(player_id, season, player_name, player_short_name, nationality, height, weight, club_id, loaned_from, wage_eur, value_eur, release_clause, contract_valid_until, team_number, overall, potential, preferred_foot, weak_foot_rating, skill_moves_rating)
FK: club_id from club.club_id
    nationality from country_region.country_region_name
FD: player_id, season→all other attributes
MVD: None

player_dob_info(player_id, date_of_birth)
FK: player_id from player.player_id
FD: player_id→date_of_birth
MVD: None

country_region(country_region_name)
FK: None
FD: None
MVD: None

league(league_id, season, league_name, tier, country_region_name)
FK: country_region_name from country_region.country_region_name
FD: league_id, season→ league_name, tier, country_region_name
MVD: None

club(club_id, season, club_name, league_id)
FK: league_id from league.league_id
FD: club_id. season→club_name, league_id
MVD: None

general_player(player_id, season, pace, shooting, passing, dribbling, defending, physic)
FK: (player_id, season) from (player.player_id, player.seaspn)
FD: player_id, season→pace, shooting, passing, dribbling, defending, physic
MVD:None

goalkeeper(player_id, season, gk_diving, gk_handling, gk_kicking, gk_reflexes, gk_speed, gk_positioning)
FK: (player_id, season) from (player.player_id, player.season)
FD: player_id, season→gk_diving, gk_handling, gk_kicking, gk_reflexes, gk_speed, gk_positioning
MVD:None

positions(position_name, position_class)
FK: None
FD: position_name→position_class
MVD: None

tag(<u>tag_name</u>)
FK: None
FD: None
MVD: None

player_best_position(<u>player_id</u>, <u>season</u>, <u>position_name</u>)
FK: (player_id, season) from (player.player_id, player.seaspn)
     position_name from positions.position_name
FD: None
MVD: None

player_positional_rating(<u>player_id</u>, <u>season</u>, rating, <u>position_name</u>)
FK: (player_id, season) from (player.player_id, player.seaspn)
     position_name from positions.position_name
FD: player_id, season, position_name→rating
MVD: None

player_tag(<u>player_id</u>, <u>season</u>, <u>tag_name</u>)
FK: (player_id, season) from (player.player_id, player.seaspn)
     tag_name from tag.tag _name
FD: None
MVD: None