Open Access | https://doi.org/10.59350/a085z-qzh60

Underworld3 published in Journal of Open Source Software

Louis Moresi [1], **Julian Giordani**, and **John Mansour** [1] Australian National University

Abstract

The aim of underworld3 is to provide strong support to users in developing sophisticated mathematical models, and provide the ability to interrogate those models during development and at run-time. Underworld3 encodes the mathematical structure of the equations it solves in symbolic form.

Keywords Underworld Code, Python/Jupyter

JOSS 10.21105/joss.07831

A recent paper in the Journal of Open Source Software describes the implementation details of Underworld3 and a brief motivation for the rewritten codebase (Moresi et al, 2025).

Underworld3 combines the power of the symbolic algebra package, `sympy` (Meurer et al, 2017), with the equation templating system in the parallel finite-element framework of `PETSc`, through `petsc4py` (Knepley et al, 2013, Dalcin et al, 2011).

Underworld3 has the same capacity to mix Eulerian (mesh-based) variables with fully-Lagrangian (particle) variables in forming the complex expressions used to describe conservation equations and material properties.

The end result is a flexible, symbolic geodynamics package with a very low computational overhead and excellent parallel performance (here are the parallel scaling results).

1. GitHub releases and Zenodo archives

All Underworld releases are available through GitHub and are reflected in a zenodo archive. There is a master doi for all Underworld3 releases to allow you to cite the software as a project: Louis Moresi et al. (2026). Individual releases have their own (unique) doi.

2. Excerpt — the mathematical framework of Underworld 3

The symbolic layer of `underworld3` works with the "strong form" of a problem which is typically how the governing equations are derived and disseminated in publications and textbooks. The finite element method is based on a corresponding weak or variational form.

`PETSc` provides a template form for the automatic generation of weak forms [see Knepley et al, 2013]. We start from the strong-form of the problem which is defined through the functional $\mathcal{F}_s$ that expresses the balance between fluxes ($F(u, \nabla u)$), forces, $f(u, \nabla u)$, and unknowns u:

$$\mathcal{F}_s(u) \sim \nabla \cdot F(u, \nabla u) - f(u, \nabla u) = 0 \tag{1}$$

The discrete weak form and its Jacobian derivative would then be expressed through the related functional $\mathcal{F}_w$ as follows:

PUBLISHED Aug 25, 2025
ARTICLE UWTN 2025-005
VERSION 1.0.0
LICENCE CC-BY-4.0
DOI 10.59350/a085z-qzh60

$$\mathcal{F}_w(u) \sim \sum_e \varepsilon_e^T \left[B^T W f(u^q, \nabla u^q) + \sum_k D_k^T W F^k(u^q, \nabla u^q) \right] = 0 \tag{2}$$

$$\mathcal{F}_w{}'(u) \sim \sum_e \varepsilon_{e^T} [B^T \;\; D^T \;] W [\partial f/\partial u \;\; \partial f/\partial \nabla u \; \partial F/\partial u \;\; \partial F/\partial \nabla u \;] [B^T \;\; D^T] \varepsilon_e \tag{3}$$

Here ε is the element restriction operator; B is the matrix of basis function derivatives and D is the constitutive matrix that, together, describe the relation between the unknowns and the flux. q indicates that the values are determined at a set of quadrature points, and W is a diagonal matrix of weights for these points.

The symbolic representation of the strong-form that is encoded in `underworld3` is:

$$\Big[\, Du/Dt \, \Big] - \nabla \cdot \Big[\, \sigma(u, \nabla u, \boldsymbol{x}, t) \, \Big] - \Big[\, \mathrm{H}(u, \nabla u, \boldsymbol{x}, t) \, \Big] = 0 \tag{4}$$

Here H represents sources and sinks of u, and Du/Dt is the material time derivative of u. The time derivatives of the unknowns are not present in the `PETSc` template but, after time-discretisation, they produce terms that are combinations of fluxes and flux history terms (which combine with $\boldsymbol{\sigma}$ to contribute to F) and forces (which combine with $\boldsymbol{h}$ to contribute to f). The explicit time / position dependence in σ is to highlight potential changes to boundary conditions or constitutive properties.

In `underworld3`, the user interacts with the time derivatives explicitly, and provides strong-form expressions for the template \ref{eq:sympy-strong-form}. `Sympy` automatically gathers all the flux-like terms and all the force-like terms into the form required by the `PETSc` template. All evaluations, derivatives and simplifications of functions in the `underworld3` symbolic layer are deferred until final assembly of the `PETSc` template and the compilation of the `C` functions.

The main benefits of combining `sympy` with the `PETSc` weak form template is a user environment that 1) provides symbolic, mathematical introspection, particularly in the context of Jupyter notebooks; 2) eliminates much of the `python` or `C` coding required for complex constitutive models; 3) eliminates any need for users to compute derivatives for the Newton solvers in `PETSc`.

---

3. References

Dalcin, L. D., Paz, R. R., Kler, P. A., & Cosimo, A. (2011). Parallel distributed computing using Python. Advances in Water Resources, 34(9), 1124–1139. Dalcin et al. (2011)

Knepley, M. G., Brown, J., Rupp, K., & Smith, B. F. (2013). Achieving High Performance with Unified Residual Evaluation. arXiv:1309.1204 [Cs]. https://arxiv.org/abs/1309.1204

Meurer, A., Smith, C. P., Paprocki, M., Čertík, O., Kirpichev, S. B., Rocklin, M., Kumar, A., Ivanov, S., Moore, J. K., Singh, S., Rathnayake, T., Vig, S., Granger, B. E., Muller, R. P., Bonazzi, F., Gupta, H., Vats, S., Johansson, F., Pedregosa, F., … Scopatz, A. (2017). SymPy: Symbolic computing in Python. PeerJ Computer Science, 3, e103. Meurer et al. (2017)

**Moresi et al. (2025). Underworld3: Mathematically Self-Describing Modelling in Python for Desktop, HPC and Cloud. Journal of Open Source Software, 10(112), 7831. **Moresi et al. (2025)

References

Dalcin, L. D., Paz, R. R., Kler, P. A., & Cosimo, A. (2011). Parallel distributed computing using Python. *Advances in Water Resources*, *34*(9), 1124–1139. https://doi.org/10.1016/j.advwatres.2011.04.013

Louis Moresi, Julian Giordani, Matt Knepley, Romain Beucher, Thyagarajulu Gollapalli, Juan Carlos Graciosa, Ben Knight, Neng Lu, John Mansour, & Romain Beucher. (2026,). *Underworld3: Mathematically Self-Describing Modelling in Python for Desktop, HPC and Cloud*. Zenodo. https://doi.org/10.5281/ZENODO.16810746

Meurer, A., Smith, C. P., Paprocki, M., Čertík, O., Kirpichev, S. B., Rocklin, M., Kumar, A., Ivanov, S., Moore, J. K., Singh, S., Rathnayake, T., Vig, S., Granger, B. E., Muller, R. P., Bonazzi, F., Gupta, H., Vats, S., Johansson, F., Pedregosa, F., … Scopatz, A. (2017). SymPy: symbolic computing in Python. *Peerj Computer Science*, *3*, e103. https://doi.org/10.7717/peerj-cs.103

Moresi, L., Mansour, J., Giordani, J., Knepley, M., Knight, B., Graciosa, J. C., Gollapalli, T., Lu, N., & Beucher, R. (2025). Underworld3: Mathematically Self-Describing Modelling in Python for Desktop, HPC and Cloud. *Journal of Open Source Software*, *10*(112), 7831. https://doi.org/10.21105/joss.07831