

STORE				
METHOD	REQUEST	PARAMETERS	SPECIFICATION	EXAMPLE
GET	/store/	none	return a json with an array with all stores	http://price-tracking/store/
	/store/<id>	none	return a json with an store informations specified by id	http://price-tracking/store/42
	/store/<id>/name	none	return a json with an store informations with specified by name	http://price-tracking/store/42/name
	/store/<id>/local	none	return a json with an store informations with specified by location	http://price-tracking/store/42/local
	/store?<parameters>	id, name, type, services, locations, products	return a json with an store informations with specified by the given parameters	http://price-tracking/store?name=some_store http://price-tracking/store?id=9&type=food
POST	/store?<parameters>	id, name, type, services, locations, products	create a new store based in the parameters given	http://price-tracking/store?name=some_store&type=auto&services...
PUT	/store/<id>?<parameters>	id, name, type, services, locations, products	update the informations of a store	http://price-tracking/store?name=some_store&type=auto
DELETE	/store/<id>	none	delete the store with the given id	http://price-tracking/store/03/
	/store/<name>	none	delete the store with the given name	http://price-tracking/store/some_store/

PRODUCTS				
METHOD	REQUEST	PARAMETERS	SPECIFICATION	EXAMPLE
GET	/product/	none	return a json with all products informations	http://price-tracking/products
	/product/<id>	none	return a json with products informations specified by id	http://price-tracking/products/29/
	/product/<id>/name	none	return a json with products informations specified by name	http://price-tracking/products/29/name
	/product/<id>/price	none	return a json with products informations specified by price	http://price-tracking/products/29/price
	/product/<id>/type			http://price-tracking/products/29/type
POST	/product/?<parameters>	name, type, price, amount, *description, *discount	create a new product with the given parameters	http://price-tracking/products?name=some_product&type=food
PUT	/product/<name>?<parameters>	name, type, price, amount, *description, *discount	update a product informations with the given parameters	http://price-tracking/products?name=some_product&type=auto&amount=9
	/product/<id>?<parameters>	name, type, price, amount, *description, *discount	update a product informations with the given parameters	http://price-tracking/products?name=some_product&type=auto&amount=9
DELETE	/product/<name>/	none	delete a product with the given name	http://price-tracking/products/29/
	/product/<id>/	none	delete a product with the given id	http://price-tracking/products/29/name

SERVICES				
METHOD	REQUEST	PARAMETERS	SPECIFICATION	EXAMPLE
GET	/servicos/	none	return a json with all services informations	http://price-tracking/services
	/servicos/<id>	none	return a json with services informations specified by id	http://price-tracking/services/66/
	/servicos/<id>/name	none	return a json with services informations specified by name	http://price-tracking/services/66/name
	/servicos/<id>/tipo	none	return a json with services informations specified by type	http://price-tracking/services/66/type
POST	/servicos/?<parameters>	type, name, description, price, *time_average	create a new service with the given parameters	http://price-tracking/services?name=some_service&type=auto
PUT	/servicos/<name>?<parameters>	type, name, description, price, *time_average	update a service with the given parameters	http://price-tracking/services?name=some_service&type=auto
	/servicos/<id>?<parameters>	type, name, description, price, *time_average	update a service with the given parameters	http://price-tracking/services?name=some_service&type=auto
DELETE	/servicos/<name>	none	delete a service with the given name	http://price-tracking/services/name
	/servicos/<id>	none	delete a service with the given id	http://price-tracking/services/id