# Understanding and Mastering Debugging Techniques in Software Development

Module Code: ELEE1147


Module Name: Programming for Engineers

Credits: 15

Module Leader: Seb Blair BEng(H) PGCAP MIET MIHEEM FHEA

# **Introduction to Debugging**

- Debugging is a crucial aspect of software development that involves identifying and fixing errors or defects (bugs) in computer programs.
- Regardless of programming language or development environment, all software developers encounter bugs during the development process.
- Debugging is the systematic process of locating and resolving these bugs to ensure that the software behaves as



## **Why Debugging Matters**

- **Ensuring Software Quality**: Debugging helps improve the quality and reliability of software by identifying and fixing defects that could lead to unexpected behavior or system crashes.
- Enhancing User Experience: Software with fewer bugs provides a better user experience, leading to increased satisfaction and trust among users.
- Reducing Development Costs: Addressing bugs early in the development process helps reduce the time and resources required to fix them later, minimizing the overall cost of development.
- Maintaining Developer Confidence: Effective debugging techniques empower developers to tackle complex problems with confidence, enhancing their productivity and morale.

#### **Common Types of Bugs**

• **Syntax Errors**: These occur when the code violates the syntax rules of the programming language, leading to compilation errors.

```
#include <stdio.h>
int main() {
   int x = 5
   printf("The value of x is: %d\n", x);
   return 0;
}
```

#### **Common Types of Bugs**

• **Logic Errors**: Logic errors occur when the program does not produce the expected output due to flaws in its logic or algorithm.

```
#include <stdio.h>
int main() {
   int x = 5;
   int y = 3;
   int sum = x - y; // Logic error: subtracting instead of adding
   printf("The sum of x and y is: %d\n", sum);
   return 0;
}
```

#### **Common Types of Bugs**

• **Runtime Errors**: Runtime errors occur during program execution and can result in crashes or unexpected behavior, often caused by issues such as null pointer dereferences or array out-of-bounds access.


```
#include <stdio.h>
int main() {
   int x = 5;
   int y = 0;
   int result = x / y; // Runtime error: division by zero
   printf("The result is: %d\n", result);
   return 0;
}
```

• **Print Statements:** Adding print statements to the code to output variable values or checkpoints during execution can help trace the flow of the program and identify the source of errors.

```
int main() {
    int x = 5, y = 3;
    printf("Program start\n"); // Print statement to indicate the start of the program
    // Print statements to output variable values
    printf("Value of x: %d\n", x);
    printf("Value of y: %d\n", y);
    printf("Checkpoint reached\n"); // Print statement to indicate a checkpoint
    printf("Calculating sum\n"); // Print statement to perform a calculation
    int sum = x + y;
    printf("The sum of x and y is: %d\n", sum); // Print statement to output the result
    printf("Program end\n"); // Print statement to indicate the end of the program
    return 0;
```


7/12

 Debugger Tools: Integrated development environments (IDEs) and standalone debugger tools provide features such as breakpoints, stepping through code, and variable inspection, allowing developers to analyze program behavior in real-time.




ELEE1147 | Programming for Engineers

• Code Review: Collaborating with peers to review code can help identify bugs and provide alternative perspectives on problem-solving.



• **Unit Testing:** Writing and executing unit tests to validate individual components of the software can help catch bugs early in the development process.



• **Logging:** Incorporating logging mechanisms into the software to record relevant events and errors can aid in post-mortem analysis and troubleshooting.

```
File Edit View Search Terminal Help
                              Oct 27 17:41:01
                                                     systemd[1]: Started ExpressVPN Daemon.
                              Oct 27 17:41:01
                                                     systemd[8053]: expressvpn.service: Failed to execute command: No such file or directory
                              Oct 27 17:41:01
                                                     systemd[8053]: expressypn.service: Failed at step EXEC spawning /usr/sbin/expressypnd: No such file or directory
                              Oct 27 17:41:01
                                                     systemd[1]: expressvpn.service: Main process exited, code=exited, status=203/EXEC
                              Oct 27 17:41:01
                                                     systemd[1]: expressvpn.service: Failed with result 'exit-code'.
                              Oct 27 17:41:01
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): Failed to get GBM bo for flip to new front.
                              Oct 27 17:41:01
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): present flip failed
                              Oct 27 17:41:01
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): Failed to get GBM bo for flip to new front.
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): present flip failed
                              Oct 27 17:41:01
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): Failed to get GBM bo for flip to new front.
                              Oct 27 17:41:01
                              Oct 27 17:41:01
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): present flip failed
                              Oct 27 17:41:02
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): Failed to get GBM bo for flip to new front.
                              Oct 27 17:41:02
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): present flip failed
                              Oct 27 17:41:02
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): Failed to get GBM bo for flip to new front.
                              Oct 27 17:41:02
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): present flip failed
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): Failed to get GBM bo for flip to new front.
                              Oct 27 17:41:02
                              Oct 27 17:41:02
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): present flip failed
                              Oct 27 17:41:03
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): Failed to get GBM bo for flip to new front.
                              Oct 27 17:41:03
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): present flip failed
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): Failed to get GBM bo for flip to new front.
                              Oct 27 17:41:04
                              Oct 27 17:41:04
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): present flip failed
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): Failed to get GBM bo for flip to new front.
                              Oct 27 17:41:04
                              Oct 27 17:41:04
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): present flip failed
                              Oct 27 17:41:04
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): Failed to get GBM bo for flip to new front.
                              Oct 27 17:41:04
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): present flip failed
                              Oct 27 17:41:05
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): Failed to get GBM bo for flip to new front.
                              Oct 27 17:41:05
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): present flip failed
                              Oct 27 17:41:05
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): Failed to get GBM bo for flip to new front.
                              Oct 27 17:41:05
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): present flip failed
                              Oct 27 17:41:05
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): Failed to get GBM bo for flip to new front.
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): present flip failed
                              Oct 27 17:41:05
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): Failed to get GBM bo for flip to new front.
                              Oct 27 17:41:05
                              Oct 27 17:41:05
                                                     /usr/lib/gdm3/gdm-x-session[983]: (EE) modeset(0): present flip failed
ELEE1147 | Programming for Engineers
```

11/12

## **Best Practices for Effective Debugging**

- **Reproduce the Issue**: Attempt to reproduce the bug consistently to understand its scope and conditions.
- **Isolate the Problem**: Narrow down the search for the bug by identifying the specific sections of code or inputs that trigger the unexpected behavior.
- Stay Organized: Keep track of debugging progress, including any changes made to the code or observations during the process, to maintain clarity and focus.
- **Document Findings:** Documenting the debugging process, including the steps taken and the solutions attempted, can provide valuable insights for future reference.
- Continuous Learning: Stay updated on debugging techniques and tools, and learn from past debugging experiences to improve problem-solving skills.